



# SAFETY DATA SHEET

## 1. Identification of the substance/preparation and of the company/undertaking

**Identification of the preparation** C9365A

**Selectability number** 101

**Company identification** Hewlett-Packard, Ltd.  
Cain Road, Amen Corner  
Bracknell, Berkshire, RG12 1HN

**Emergency telephone number**

**Poison Information Center** 0207771 5307

**Hewlett-Packard health effects line**

**(Toll-free within the US)** 1-800-457-4209  
**(Direct)** 1-503-494-7199

**General information telephone number**

1 344 36-0000  
**(Toll-free within the US)** 1-800-474-6836  
**(Direct)** 1-208-323-2551

**Date prepared** 30-Jun-2005

**SDS number** 61997

## 2. Composition/information on ingredients

Component/substance	CAS number	% by weight	EU number	EU classification
<b>Blue ink</b>				
Water	7732-18-5	> 70	231-791-2	
Ethyl alkylidol	Proprietary	< 10	Proprietary	
2-pyrrolidone	616-45-5	< 7.5	210-483-1	Xi; R36/38
Substituted phthalocyanine salt #1	Proprietary	< 5	Proprietary	
1,5-pentanediol	111-29-5	< 2.5	203-854-4	
Alkylidol ethoxylate	Proprietary	< 2.5	Proprietary	Xn; R21/22, 38, 41
Substituted xanthylum salt #1	Proprietary	< 2.5	Proprietary	
<b>Cyan ink</b>				
Water	7732-18-5	< 80	231-791-2	
Ethyl alkylidol	Proprietary	< 15	Proprietary	
2-pyrrolidone	616-45-5	< 7.5	210-483-1	Xi; R36/38
1,5-pentanediol	111-29-5	< 2.5	203-854-4	
Alkylidol ethoxylate	Proprietary	< 2.5	Proprietary	Xn; R21/22, 38, 41
Substituted phthalocyanine salt #2	Proprietary	< 2.5	Proprietary	Xn, N; R22, 48/22, 51/53
<b>Magenta ink</b>				
Water	7732-18-5	< 80	231-791-2	
Ethyl alkylidol	Proprietary	< 15	Proprietary	
2-pyrrolidone	616-45-5	< 7.5	210-483-1	Xi; R36/38
1,5-pentanediol	111-29-5	< 2.5	203-854-4	
Alkylidol ethoxylate	Proprietary	< 2.5	Proprietary	Xn; R21/22, 38, 41

### Composition comments

This ink supply contains an aqueous ink formulation.  
This product has been evaluated using criteria specified in the EU Directives 67/548/EEC and 1999/45/EC, as amended.  
For the full text of the R phrases mentioned in this Section, see Section 16.

## 3. Hazards identification

**Classification** R52/53, S61

**Material name** C9365A  
**Creation date** 23-Nov-2004

**Version number** 1

SDS UK  
1 / 5



# SAFETY DATA SHEET

## Emergency overview

Contact with skin and eyes may result in irritation.

## Acute health effects

Any potential hazards are presumed to be due to exposure to the components.

### Skin contact

#### *1,5-pentanediol*

Contact with skin may result in irritation.

#### *2-pyrrolidone*

Contact with skin may result in irritation.

#### *Alkyldiol ethoxylate*

Contact with skin may result in severe irritation.

#### *Ethyl alkyldiol*

Contact with skin may result in mild irritation.

### Eye contact

#### *1,5-pentanediol*

Contact with eyes may result in irritation.

#### *2-pyrrolidone*

Contact with eyes may result in irritation.

#### *Alkyldiol ethoxylate*

Contact can cause moderate to severe irritation and possible injury to the eyes.

#### *Ethyl alkyldiol*

Contact with eyes may result in mild irritation.

#### *Substituted xanthylum salt #1*

Contact with eyes may result in mild irritation.

### Inhalation

#### *2-pyrrolidone*

Inhalation may result in respiratory irritation.

### Ingestion

#### *2-pyrrolidone*

Ingestion may result in nausea, vomiting and diarrhea.

#### *Alkyldiol ethoxylate*

Ingestion may cause irritation of mouth, throat, nausea, vomiting and diarrhea.

#### *Substituted phthalocyanine salt #2*

Harmful if swallowed.

## Potential health effects

### Routes of exposure

Potential routes of overexposure to this product are skin and eye contact.

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

Complete toxicity data are not available for this specific formulation

### Chronic health effects

Cyan ink:

Substituted phthalocyanine salt #2: Prolonged ingestion exposure may cause serious damage to health.

### Carcinogenicity

None of the components present in this formulation at concentrations equal to or greater than 0.1% are listed by EU, MAK, IARC, NTP or OSHA.

### Other information

This Cyan ink is classified for environmental effects according to EU Directive 1999/45/EC with R52/53. The blue and magenta inks are not classified according to EU Directive 1999/45/EC.

---

## 4. First aid measures

### First aid procedures

#### Eye

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.



# SAFETY DATA SHEET

<b>Skin</b>	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
<b>Inhalation</b>	Remove to fresh air. If symptoms persist, get medical attention.
<b>Ingestion</b>	If ingestion of a large amount does occur, seek medical attention.

---

## 5. Fire-fighting measures

<b>Flash point and method</b>	> 93.3 °C (> 200 °F); Pinsky-Martens Closed Cup
<b>Hazardous combustion products</b>	Refer to section 10.
<b>Extinguishing media</b>	Dry chemical, CO <sub>2</sub> , water spray or regular foam.
<b>Unsuitable extinguishing media</b>	None known.
<b>Unusual fire and explosion hazard</b>	None known.
<b>Special firefighting procedures</b>	None established.

---

## 6. Accidental release measures

<b>Personal precautions</b>	Wear appropriate personal protective equipment.
<b>Environmental precautions</b>	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.
<b>Procedures if material is released or spilled.</b>	Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also section 13 Disposal considerations.

---

## 7. Handling and storage

<b>Handling</b>	Avoid contact with skin, eyes and clothing.
<b>Storage</b>	Keep out of the reach of children. Keep away from excessive heat or cold.

---

## 8. Exposure controls/personal protection

<b>Exposure limit values</b>	Exposure limits have not been established for this product.
<b>Personal protective equipment</b>	
<b>General</b>	Use personal protective equipment to minimize exposure to skin and eye.
<b>Hygiene measures</b>	Handle in accordance with good industrial hygiene and safety practice.
<b>Exposure guidelines</b>	Use in a well ventilated area.

---

## 9. Physical and chemical properties

<b>pH</b>	6.2 - 6.8
<b>Vapour pressure</b>	Not determined
<b>Boiling point</b>	Not determined
<b>Solubility</b>	Soluble in water
<b>Specific gravity</b>	1 - 1.2
<b>VOC content</b>	< 3 %
<b>Flash point</b>	> 93.3 °C (> 200 °F)
<b>Viscosity</b>	> 2 cp
<b>Vapour density</b>	> 1 (Air = 1.0)
<b>Evaporation rate</b>	Not determined



# SAFETY DATA SHEET

Flammability	Not determined
Oxidising properties	Not determined
Color	Blue, cyan, magenta

## 10. Stability and reactivity

Stability	Stable under recommended storage conditions.
Hazardous polymerisation	Will not occur.
Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.
Incompatibility	Incompatible with strong bases and oxidising agents.

## 11. Toxicological information

This ink formulation has not been tested for toxicological effects.  
Refer to Section 3 for potential health effects and Section 4 for first aid measures.

## 12. Ecological information

### Aquatic toxicity

#### *Blue ink*

LC50/96h/fathead minnows =< 400 mg/L  
Static acute toxicity (trout), survival (100 mg/L) = 100%  
Static acute toxicity (trout), survival (10 mg/L) = 100%

#### *Cyan ink*

LC50/96h/fathead minnows =< 400 mg/L  
Static acute toxicity (trout), survival (100 mg/L) = 100%  
Static acute toxicity (trout), survival (10 mg/L) = 100%

#### *Magenta ink*

LC50/96h/fathead minnows =< 400 mg/L  
Static acute toxicity (trout), survival (100 mg/L) = 100%  
Static acute toxicity (trout), survival (10 mg/L) = 100%

## 13. Disposal considerations

Disposal instructions	Dispose of in compliance with federal, state, and local regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <a href="http://www.hp.com/recycle">http://www.hp.com/recycle</a> .
-----------------------	---

## 14. Transport information

General	Not a regulated article under United States DOT, IATA, ADR, IMDG, or RID.
<b>IATA</b>	
Proper shipping name	Not applicable
Hazard class	Not applicable
Packaging exceptions	None
Identification number (UN)	None
Packing group	N/A

## 15. Regulatory information

International regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
---------------------------	--



# SAFETY DATA SHEET

<b>Risk phrases</b>	R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
<b>Safety phrases</b>	S61	Avoid release to the environment. Refer to special instructions/safety data sheets.

## 16. Other information

<b>Manufacturer information</b>	Hewlett-Packard Company 1000 NE Circle Boulevard Corvallis, OR 97330-4239 US	
<b>Ingredient risk phrase definition(s)</b>	R21/22	Harmful in contact with skin and if swallowed.
	R22	Harmful if swallowed.
	R36/38	Irritating to eyes and skin.
	R38	Irritating to skin.
	R41	Risk of serious damage to eyes.
	R48/22	Harmful: danger of serious damage to health by prolonged exposure if swallowed.
	R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
	R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Other information** This MSDS was prepared in compliance with EU Directive 91/155/EEC as amended by 2001/58/EC.

**Issue date** Jun 30 2005 1:57PM

**Revision** 1

**Disclaimer** This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

### Explanation of abbreviations

<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists
<b>CAS</b>	Chemical Abstracts Service
<b>CERCLA</b>	Comprehensive Environmental Response Compensation and Liability Act
<b>CFR</b>	Code of Federal Regulations
<b>COC</b>	Cleveland Open Cup
<b>DOT</b>	Department of Transportation
<b>EPCRA</b>	Emergency Planning and Community Right-to-Know Act (aka SARA)
<b>IARC</b>	International Agency for Research on Cancer
<b>NIOSH</b>	National Institute for Occupational Safety and Health
<b>NTP</b>	National Toxicology Program
<b>OSHA</b>	Occupational Safety and Health Administration
<b>PEL</b>	Permissible exposure limit
<b>RCRA</b>	Resource Conservation and Recovery Act
<b>REC</b>	Recommended
<b>REL</b>	Recommended Exposure Limit
<b>SARA</b>	Superfund Amendments and Reauthorization Act of 1986
<b>STEL</b>	Short-Term Exposure Limit
<b>TCLP</b>	Toxicity Characteristics Leaching Procedure
<b>TLV</b>	Threshold Limit Value
<b>TSCA</b>	Toxic Substances Control Act
<b>VOC</b>	Volatile Organic Compounds