



SAFETY DATA SHEET

1. Identification of the substance/preparation and of the company/undertaking

Identification of the preparation C9407A

Use of the preparation Inkjet printing

Company identification Hewlett-Packard, Ltd.
Cain Road, Amen Corner
Bracknell, Berkshire, RG12 1HN

Emergency telephone number

Poison Information Center 0207771 5307

Hewlett-Packard health effects line

(Toll-free within the US) 1-800-457-4209
(Direct) 1-503-494-7199

General information telephone number

1 344 36-0000

(Toll-free within the US) 1-800-474-6836
(Direct) 1-208-323-2551

Date prepared 17-Aug-2006

SDS number 166618

2. Composition/information on ingredients

Component/substance	CAS number	% by weight	EU number	EU classification
Photo Black ink				
Water	7732-18-5	> 70	231-791-2	
2-pyrrolidone	616-45-5	< 7.5	210-483-1	Xi; R36/38
Alkyldiol	Proprietary	< 5	Proprietary	
Diethylene glycol	111-46-6	< 5	203-872-2	Xn; R22
Carbon black	1333-86-4	< 2.5	435-640-3	
Triethanolamine	102-71-6	< 1	203-049-8	Xn; R21
Light gray ink				
Water	7732-18-5	> 80	231-791-2	
Alkyldiol	Proprietary	< 7.5	Proprietary	
2-pyrrolidone	616-45-5	< 5	210-483-1	Xi; R36/38
Diethylene glycol	111-46-6	< 5	203-872-2	Xn; R22
Triethanolamine	102-71-6	< 1	203-049-8	Xn; R21
Carbon black	1333-86-4	< 1	435-640-3	

Composition comments

This ink supply contains an aqueous ink formulation.
This product has been evaluated using criteria specified in the EU Directives 67/548/EEC and 1999/45/EC, as amended.
For the full text of the R phrases mentioned in this Section, see Section 16.

3. Hazards Identification

Classification This product is not classified according to EU Directive 1999/45/EC.

Emergency Overview Contact with skin and eyes may result in irritation. Ingestion may result in nausea, vomiting and diarrhea. May cause sensitization of susceptible persons.



SAFETY DATA SHEET

Acute health effects

Skin contact

2-pyrrolidone

Contact with skin may result in irritation.

Alkyldiol

Contact with skin may result in irritation.

Triethanolamine

Contact with skin may result in irritation. May cause sensitization of susceptible persons by skin contact.

Eye contact

2-pyrrolidone

Contact with eyes may result in irritation.

Alkyldiol

Contact with eyes may result in irritation.

Triethanolamine

Contact with eyes may result in mild irritation.

Inhalation

2-pyrrolidone

Inhalation may result in respiratory irritation.

Alkyldiol

Inhalation may result in respiratory irritation.

Triethanolamine

Inhalation may result in respiratory irritation.

Ingestion

2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Diethylene glycol

Harmful if swallowed. May cause kidney and liver damage. May depress the central nervous system.

Potential health effects

Routes of exposure

Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

Complete toxicity data are not available for this specific formulation.

Chronic health effects

Carbon Black: Chronic inhalation studies performed with fine dust particles resulted in lung tumors in animals. The IARC classification was based upon these results. IARC also concluded "there is inadequate evidence in humans for the carcinogenicity of carbon black." Inhalation of fine dust particles is not expected to occur during normal conditions of use of this ink.

Carcinogenicity

Carbon black has been classified by IARC as a Group 2B (possible human carcinogen). None of the other ingredients have been classified as carcinogens according to EU, IARC, MAK, NTP or OSHA.

Other information

The black and grey inks are not classified according to EU Directive 1999/45/EC.

4. First aid measures

First aid procedures

Eye

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.

Skin

Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.



SAFETY DATA SHEET

Inhalation Move to fresh air. If symptoms persist, get medical attention.
Ingestion If material is ingested, immediately contact a physician or poison control centre.

5. Fire-fighting measures

Flash point and method > 200 °F; Pensky-Martens Closed Cup
Auto ignition temperature Not determined
Hazardous combustion products Refer to section 10.
Extinguishing media CO₂, water, dry chemical, or foam
Unsuitable extinguishing media None known.
Unusual fire and explosion hazard Combustion generates toxic fumes of fluoride/fluorine compounds.
Special firefighting procedures None established.

6. Accidental release measures

Personal precautions Wear appropriate personal protective equipment.
Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system.
Procedures if material is released or spilled. Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also section 13 Disposal considerations.

7. Handling and storage

Handling Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use.
Storage Keep out of the reach of children. Keep away from excessive heat or cold. Store away from strong oxidizers.

8. Exposure controls/personal protection

Exposure limit values Exposure limits have not been established for this product.

United Kingdom - Workplace Exposure Limits (WELs) - STELs

Diethylene glycol 111-46-6 69 ppm STEL; 303 mg/m³ STEL

United Kingdom - Workplace Exposure Limits (WELs) - TWAs

Diethylene glycol 111-46-6 23 ppm TWA; 101 mg/m³ TWA

United Kingdom - Workplace Exposure Limits (WELs) - STELs

Carbon black 1333-86-4 7 mg/m³ STEL

United Kingdom - Workplace Exposure Limits (WELs) - TWAs

Carbon black 1333-86-4 3.5 mg/m³ TWA

Personal protective equipment

General Use personal protective equipment to minimize exposure to skin and eye.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

Exposure guidelines Use in a well ventilated area.

9. Physical and chemical properties

pH 9.3 - 9.4
Vapour pressure Not determined
Boiling point Not determined
Solubility Soluble in water



SAFETY DATA SHEET

Specific gravity	1 - 1.1
Flash point	> 200 °F
Vapour density	> 1 (air=1.0)
Evaporation rate	Not determined
Flammability	Not determined
Oxidising properties	Not determined
Colour	black/light gray

10. Stability and reactivity

Stability	Stable under recommended storage conditions.
Hazardous polymerisation	Will not occur.
Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. hydrogen fluoride. fluorinated hydrocarbons
Incompatibility	Incompatible with strong bases and oxidizing agents.

11. Toxicological information

This ink formulation has not been tested for toxicological effects.
Refer to Section 3 for potential health effects and Section 4 for first aide measures.

12. Ecological information

Aquatic toxicity	<i>Light gray ink</i> LC50/96h/fathead minnows =greater than 750mg/L <i>Photo Black ink</i> LC50/96h/fathead minnows =greater than 750mg/L
------------------	---

13. Disposal considerations

Disposal instructions	Dispose of in compliance with federal, state, and local regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle .
-----------------------	---

14. Transport information

General	Not a regulated article under United States DOT, IATA, ADR, IMDG, or RID.
IATA	
Proper shipping name	Not Applicable
Hazard class	Not applicable
Packaging exceptions	None.
Identification number (UN)	None.
Packing group	N/A

15. Regulatory information

International regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
EU label	This product does not require a label according to EU Directive 1999/45/EC.



SAFETY DATA SHEET

16. Other information

Manufacturer information	Hewlett-Packard Company 1000 NE Circle Boulevard Corvallis, OR 97330-4239 US
Ingredient risk phrase definition(s)	R21 Harmful in contact with skin. R22 Harmful if swallowed. R36/38 Irritating to eyes and skin.
Other information	This MSDS was prepared in compliance with EU Directive 91/155/EEC as amended by 2001/58/EC.
Issue date	Aug 17 2006 8:32AM
Revision	1
Disclaimer	This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible exposure limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds