



SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the preparation C6104A

Use of the preparation Inkjet printing

Company identification Hewlett-Packard, Ltd.
Cain Road, Amen Corner
Bracknell, Berkshire, RG12 1HN

Emergency telephone number

Poison Information Center 0207771 5307

Hewlett-Packard health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199

General information telephone number

1 344 36-0000

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Date prepared 12-Jun-2007

SDS number 149306

2. COMPOSITION/INFORMATION ON INGREDIENTS

| Component/substance | CAS number | % by weight | EU number | EU classification |
|---------------------|------------|-------------|-----------|--------------------|
| Water | 7732-18-5 | > 70 | 231-791-2 | |
| 2-pyrrolidone | 616-45-5 | < 15 | 210-483-1 | R36/38 |
| Carbon black | 1333-86-4 | < 5 | 435-640-3 | |
| Isopropyl Alcohol | 67-63-0 | < 5 | 200-661-7 | Xi, F, R11, 36, 67 |

Composition comments This ink supply contains an aqueous ink formulation.
This product has been evaluated using criteria specified in the EU Directives 67/548/EEC and 1999/45/EC, as amended.
For the full text of the R phrases mentioned in this Section, see Section 16. This product has been evaluated using criteria specified in the EU Directives 67/548/EEC and 1999/45/EC, as amended.

3. HAZARDS IDENTIFICATION

Classification This product is not classified according to EU Directive 1999/45/EC.

Emergency Overview Contact with skin and eyes may result in irritation.

Acute health effects Any potential hazards are presumed to be due to exposure to the components.

Skin contact

2-pyrrolidone
Contact with skin may result in irritation.

Eye contact

2-pyrrolidone
Contact with eyes may result in irritation.

Isopropyl Alcohol
Contact with eyes may result in severe irritation.



SAFETY DATA SHEET

Inhalation

2-pyrrolidone

Inhalation may result in respiratory irritation.

Isopropyl Alcohol

Inhalation may cause drowsiness or dizziness.

Ingestion

2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Potential health effects

Routes of exposure

Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

Complete toxicity data are not available for this specific formulation.

Chronic health effects

Carbon Black: Chronic inhalation studies performed with fine dust particles resulted in lung tumors in animals. The IARC classification was based upon these results. IARC also concluded "there is inadequate evidence in humans for the carcinogenicity of carbon black." Inhalation of fine dust particles is not expected to occur during normal conditions of use of this ink.

Carcinogenicity

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans).
None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

Other information

This black ink is not classified according to EU Directive 1999/45/EC.

4. FIRST AID MEASURES

First aid procedures

Eye

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention. Do not rub eyes, Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed, If irritation persists get medical attention.

Skin

Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention. Wash affected areas thoroughly with mild soap and water and Get medical attention if irritation develops or persists.

Inhalation

Move to fresh air. If symptoms persist, get medical attention. Move to fresh air, If symptoms persist, get medical attention.

Ingestion

If ingestion of a large amount does occur, seek medical attention. If ingestion of a large amount does occur, seek medical attention.

5. FIRE-FIGHTING MEASURES

Flash point and method

55 - 57.8 °C (131 - 136 °F); Pensky-Martens Closed Cup; No ignition, sustained combustion or flashing detected using the Sustained Combustibility Test (method in US 49CFR173, Appendix H).

Hazardous combustion products

Refer to section 10. Carbon monoxide and carbon dioxide.

Extinguishing media

CO₂, water, dry chemical, or foam Dry chemical, CO₂, water spray or regular foam.

Unsuitable extinguishing media

None known. None known.



SAFETY DATA SHEET

| | |
|--|---|
| Unusual fire and explosion hazard | None known. Flammable Liquid and Will burn if involved in a fire and vapourizes easily at normal temperatures and Vapors may travel to a source of ignition and flash back. |
| Special firefighting procedures | None established. |

6. ACCIDENTAL RELEASE MEASURES

| | |
|---|--|
| Personal precautions | Wear appropriate personal protective equipment. Wear appropriate personal protective equipment and Ensure adequate ventilation and Remove all sources of ignition. |
| Environmental precautions | Do not let product enter drains. Do not flush into surface water or sanitary sewer system. Do not let product enter drains and Do not flush into surface water or sanitary sewer system. |
| Procedures if material is released or spilled. | Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also section 13 Disposal considerations. Soak up with inert absorbent material, Clean remainder with a damp cloth or vacuum cleaner, Dispose of in compliance with federal, state, and local regulations, See also section 13 Disposal considerations. |

7. HANDLING AND STORAGE

| | |
|-----------------|--|
| Handling | Avoid contact with skin, eyes and clothing. Keep away from heat and sources of ignition and Avoid contact with skin and eyes and Use this product with adequate ventilation. |
| Storage | Keep out of the reach of children. Keep away from excessive heat or cold. Keep away from excessive heat, sparks, and open flames. |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

| | | |
|---|---|---|
| Exposure limit values | Exposure limits have not been established for this product. | |
| United Kingdom - Workplace Exposure Limits (WELs) - TWAs | | |
| Carbon black | 1333-86-4 | 3.5 mg/m ³ TWA |
| United Kingdom - Workplace Exposure Limits (WELs) - TWAs | | |
| Isopropyl Alcohol | 67-63-0 | 400 ppm TWA; 999 mg/m ³ TWA |
| United Kingdom - Workplace Exposure Limits (WELs) - STELs | | |
| Isopropyl Alcohol | 67-63-0 | 500 ppm STEL; 1250 mg/m ³ STEL |
| United Kingdom - Workplace Exposure Limits (WELs) - STELs | | |
| Carbon black | 1333-86-4 | 7 mg/m ³ STEL |
| Personal protective equipment | | |
| General | Use personal protective equipment to minimize exposure to skin and eye. Use personal protective equipment to minimize exposure to skin and eye. | |
| Hygiene measures | Handle in accordance with good industrial hygiene and safety practice. Handle in accordance with good industrial hygiene and safety practice. | |
| Exposure guidelines | Use in a well ventilated area. Use in a well ventilated area. | |

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|-------------------------|-----------------------------|
| pH | 7.8 - 8.4 |
| Vapour pressure | Not determined |
| Boiling point | > 93.3 °C (> 200 °F) |
| Solubility | Soluble in water |
| Specific gravity | 1 - 1.2 g/mL |
| VOC content | < 3 % |
| Flash point | 55 - 57.8 °C (131 - 136 °F) |



SAFETY DATA SHEET

| | |
|-----------------------------|--|
| Viscosity | > 2 cp |
| Vapour density | > 1 (Air = 1.0) |
| Evaporation rate | Not determined |
| Oxidising properties | Not determined No information available. |
| Colour | Black |

10. STABILITY AND REACTIVITY

| | |
|---|---|
| Stability | Stable under recommended storage conditions. Stable under recommended storage conditions. |
| Hazardous polymerisation | Will not occur. Will not occur. |
| Hazardous decomposition products | Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. Carbon monoxide and carbon dioxide. |
| Incompatibility | Incompatible with strong bases and oxidizing agents. Incompatible with strong acids and bases. |

11. TOXICOLOGICAL INFORMATION

Complete toxicity data are not available for this specific formulation..
Refer to Section 3 for potential health effects and Section 4 for first aid measures. Complete toxicity data are not available for this specific formulation and Refer to Section 3 for potential health effects and Section 4 for first aid measures.

12. ECOLOGICAL INFORMATION

| | |
|-------------------------|---|
| Aquatic toxicity | LC50/96h/fathead minnows =>750 mg/L LC50/96h/fathead minnows =9460 mg/L. EC50/48h/daphnia =13299 mg/L. EC50/72h/algae => 1000 mg/L. |
|-------------------------|---|

13. DISPOSAL CONSIDERATIONS

| | |
|------------------------------|--|
| Disposal instructions | Dispose of in compliance with federal, state, and local regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle . Dispose of in compliance with federal, state, and local regulations. |
|------------------------------|--|

14. TRANSPORT INFORMATION

| | |
|-----------------------------------|---|
| General | Not a regulated article under United States DOT, IATA, ADR, IMDG, or RID. |
| IATA | |
| Proper shipping name | Not applicable |
| Hazard class | Not applicable |
| Packaging exceptions | None. |
| Identification number (UN) | None. |
| Packing group | N/A |



SAFETY DATA SHEET

15. REGULATORY INFORMATION

| | |
|----------------------------------|---|
| International regulations | All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China. All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China. |
| EU label | This product does not require a label according to EU Directive 1999/45/EC. |

16. OTHER INFORMATION

| | |
|---|---|
| Manufacturer information | Hewlett-Packard Company 1000 NE Circle Boulevard Corvallis, OR 97330-4239 US |
| Ingredient risk phrase definition(s) | R11 Highly flammable R36 Irritating to eyes. R36/38 Irritating to eyes and skin. R67 Vapours may cause drowsiness and dizziness. |
| Other information | This MSDS was prepared in compliance with EU Directive 91/155/EEC as amended by 2001/58/EC. |
| Issue date | Jun 12 2007 6:56AM |
| Revision | 4 |
| Replaces sheet dated | Jan 26 2007 10:57PM |
| Preparation and revision information | Chemical Product and Company Identification: Alternate Trade Names - SKU Numbers Composition / Information on Ingredients: Ingredients 3. Hazards identification: Chronic health effects 3. Hazards identification: Carcinogenicity Regulatory Information: Safety Phrases 15. Regulatory information: Canadian regulations |
| Disclaimer | This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries. |



SAFETY DATA SHEET

Explanation of abbreviations

| | |
|---------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible exposure limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |