



MATERIAL SAFETY DATA SHEET

1. Chemical Product and Company Identification

Material name	C3844A
Use of the preparation	Inkjet printing
Version #	03
Revision date	26-Mar-2008
CAS #	Mixture
Manufacturer information	Hewlett-Packard Company 1000 NE Circle Boulevard Corvallis, OR 97330-4239 US
Hewlett-Packard health effects line	
(Toll-free within the US)	1-800-457-4209
(Direct)	1-503-494-7199
General information telephone number	
HP Customer Care Line	1-800-474-6836
(Toll-free)	1-800-474-6836
(Direct)	1-208-323-2551
Date prepared	Mar 26, 2008
MSDS number	14976

2. Hazards Identification

Emergency overview	Contact with skin and eyes may result in irritation.
Acute health effects	Any potential hazards are presumed to be due to exposure to the components.
Skin contact	<i>Alkyldiol</i> Contact with skin may result in irritation. <i>Alkyldiol ethoxylate</i> Contact with skin may result in severe irritation.
Eye contact	<i>1-butanol</i> Risk of serious damage to eyes. Contact with eyes may result in irritation. <i>Alkyldiol</i> Contact with eyes may result in irritation. <i>Alkyldiol ethoxylate</i> Contact can cause moderate to severe irritation and possible injury to the eyes.
Inhalation	<i>1-butanol</i> Inhalation may result in respiratory irritation. Inhalation may cause drowsiness or dizziness. <i>Alkyldiol</i> Inhalation may result in respiratory irritation.
Ingestion	<i>1-butanol</i> Harmful if swallowed. <i>Alkyldiol ethoxylate</i> Ingestion may cause irritation of mouth, throat, nausea, vomiting and diarrhea.



MATERIAL SAFETY DATA SHEET

Potential health effects

Routes of exposure

Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects

None known.

Carcinogenicity

None of the components present in this formulation at concentrations equal to or greater than 0.1% are listed by EU, MAK, IARC, NTP or OSHA.

3. Composition / Information on Ingredients

Component/Substance	CAS Number	% By Weight
Yellow ink		
Water	7732-18-5	> 80
Alkyldiol	Proprietary	< 10
1-butanol	71-36-3	< 2.5
Alkyldiol ethoxylate	Proprietary	< 2.5
Dark magenta ink		
Water	7732-18-5	> 80
Alkyldiol	Proprietary	< 10
Substituted naphthalenesulfonate salt #8	Proprietary	< 5
1-butanol	71-36-3	< 2.5
Alkyldiol ethoxylate	Proprietary	< 2.5
Light magenta ink		
Water	7732-18-5	> 80
Alkyldiol	Proprietary	< 10
1-butanol	71-36-3	< 2.5
Alkyldiol ethoxylate	Proprietary	< 2.5

Composition comments

This ink supply contains an aqueous ink formulation.
This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard Communication Standard).

4. First Aid Measures

First aid procedures

Eye contact

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.

Skin contact

Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.

Inhalation

Remove to fresh air. If symptoms persist, get medical attention.

Ingestion

If ingestion of a large amount does occur, seek medical attention.

5. Fire Fighting Measures

Flash point and method

> 200 °F (> 93.3 °C); Pensky-Martens Closed Cup

Hazardous combustion products

Refer to section 10.

Flammable properties

None known.



MATERIAL SAFETY DATA SHEET

Extinguishing media

Suitable extinguishing media Dry chemical, CO₂, water spray or regular foam.

Unsuitable extinguishing media None known.

Unusual fire and explosion hazard None known.

Special firefighting procedures None established.

6. Accidental Release Measures

Personal precautions Wear appropriate personal protective equipment.

Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Methods for containment Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

Methods for cleaning up Soak up with inert absorbent material.

Other information Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also section 13 Disposal considerations.

7. Handling and Storage

Handling Avoid contact with skin, eyes and clothing.

Storage Keep out of the reach of children. Keep away from excessive heat or cold.

8. Exposure Controls/Personal Protection

Exposure guidelines Exposure limits have not been established for this product.

U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)

1-butanol 71-36-3 100 ppm TWA; 300 mg/m³ TWA

ACGIH - Threshold Limits Values - Time Weighted Averages (TLV-TWA)

1-butanol 71-36-3 20 ppm TWA

Personal protective equipment

General Use personal protective equipment to minimize exposure to skin and eye.

Eye / face protection Not required under intended use.

Skin protection Protected gloves not required under intended use.

Respiratory protection For use other than intended use (such as in the event of a large spill), goggles and respirators may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

9. Physical & Chemical Properties

Color Yellow, magenta, magenta light

Odor threshold Not available

Physical state Liquid.

pH 6.5 - 7

Melting point Not available



MATERIAL SAFETY DATA SHEET

Freezing point	Not available
Boiling point	Not determined
Flash point	> 200 °F (> 93.3 °C); Pensky-Martens Closed Cup
Evaporation rate	Not determined
Flammability	Not available.
Flammability limits in air, upper, % by volume	Not available
Flammability limits in air, lower, % by volume	Not determined
Vapor pressure	Not determined
Vapor density	> 1 (air = 1.0)
Specific gravity	1 - 1.2
Relative density	Not available
Solubility in water	Soluble in water
Partition coefficient (n-octanol/water)	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
VOC	< 3 %
Viscosity	> 2 cp

10. Chemical Stability & Reactivity Information

Chemical stability	Stable under recommended storage conditions.
Incompatible materials	Incompatible with strong bases and oxidizing agents.
Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.
Possibility of hazardous reactions	Will not occur.

11. Toxicological Information

Symptoms and target organs

NIOSH - Pocket Guide - Target Organs

1-butanol

71-36-3

skin, eyes, respiratory system, CNS

12. Ecological Information

Aquatic toxicity

Dark magenta ink

Static acute toxicity (trout), survival (100 mg/L) = 100%

Static acute toxicity (trout), survival (10 mg/L) = 100%

Yellow ink

Static acute toxicity (trout), survival (100 mg/L) = 97%

Static acute toxicity (trout), survival (10 mg/L) = 100%

Persistence and degradability Not available



MATERIAL SAFETY DATA SHEET

13. Disposal Considerations

Waste codes

U.S. - RCRA (Resource Conservation & Recovery Act) - U Series Wastes - Acutely Toxic Wastes & Other Hazardous Characteristics
1-butanol 71-36-3 waste number U031 (Ignitable waste)

Disposal instructions

Dispose of in compliance with federal, state, and local regulations.
HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transportation Information

Department of Transportation (DOT) Requirements

Not regulated as hazardous goods.

IATA

Proper shipping name	Not applicable
Hazard class	Not applicable
UN number	None
Packing group	N/A
Packaging exceptions	None

15. Regulatory Information

US federal regulations US TSCA 12(b): Does not contain listed chemicals.

U.S. - CERCLA/SARA - Section 313 - Emission Reporting
1-butanol 71-36-3 1.0 % de minimis concentration

U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities
1-butanol 71-36-3 5000 lb final RQ; 2270 kg final RQ

CERCLA (Superfund) reportable quantity

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

Section 302 extremely hazardous substance No

Section 311 hazardous chemical No

International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

State regulations

U.S. - Pennsylvania - RTK (Right to Know) List
1-butanol 71-36-3 Present

U.S. - New Jersey - Right to Know Hazardous Substance List
1-butanol 71-36-3 sn 1330



MATERIAL SAFETY DATA SHEET

16. Other Information

HMIS® ratings	Health: 1 Flammability: 1 Physical hazard: 0
NFPA ratings	Health: 1 Flammability: 1 Instability: 0
Issue date	Mar 26 2008 9:30AM
Revision	3
Replaces sheet dated	Jan 9 2006 3:40PM
Disclaimer	This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
MSDS sections updated	3. Hazards Identification: Routes of exposure 8. Exposure Controls/Personal Protection: Respiratory
Explanation of abbreviations	
ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds