

Q2367Series[B]-MSDS_US-English-02.pdf

Q2367Series[C]-MSDS_US-English-08.pdf

Q2367Series[M]-MSDS_US-English-10.pdf



MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Identification of the preparation	Q2367Series[B]
Product use	Inkjet printing
Version #	02
Revision date	13-Nov-2011
CAS #	Mixture
Company identification	Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-1501 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-503-494-7199 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com

2. Hazards Identification

Emergency overview Contact with skin and eyes may result in irritation.

Acute health effects

Skin contact

Any potential hazards are presumed to be due to exposure to the components.

1,5-pentanediol

Contact with skin may result in irritation.

2-pyrrolidone

Contact with skin may result in irritation.

Alkyldiol ethoxylate

Contact with skin may result in severe irritation.

Ethyl alkyldiol

Contact with skin may result in mild irritation.

Eye contact

1,5-pentanediol

Contact with eyes may result in irritation.

2-pyrrolidone

Contact with eyes may result in irritation.

Alkyldiol ethoxylate

Contact can cause moderate to severe irritation and possible injury to the eyes.

Ethyl alkyldiol

Contact with eyes may result in mild irritation.

Inhalation

2-pyrrolidone

Inhalation may result in respiratory irritation.

Ingestion

2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Alkyldiol ethoxylate

Ingestion may cause irritation of mouth, throat, nausea, vomiting and diarrhea.

Potential health effects

Routes of exposure

Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects

None known.

Carcinogenicity

None of the components present in this formulation at concentrations equal to or greater than 0.1% are listed by EU, MAK, IARC, NTP or OSHA.

3. Composition / Information on Ingredients

Components	CAS #	Percent
1,5-pentanediol	111-29-5	< 2.5
2-pyrrolidone	616-45-5	< 7.5
Alkyldiol ethoxylate	Proprietary	< 2.5
Ethyl alkyldiol	Proprietary	< 15
Water	7732-18-5	> 70

Composition comments

This ink supply contains an aqueous ink formulation. This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard Communication Standard).

4. First Aid Measures

First aid procedures

Eye contact

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.

Skin contact

Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.

Inhalation

Move to fresh air. If symptoms persist, get medical attention.

Ingestion

If ingestion of a large amount does occur, seek medical attention.

5. Fire Fighting Measures

Flammable properties

None known.

Extinguishing media

Suitable extinguishing media

CO2, water, dry chemical, or foam

Unsuitable extinguishing media

None known.

Specific methods

None established.

Hazardous combustion products

Refer to section 10.

6. Accidental Release Measures

Personal precautions

Wear appropriate personal protective equipment.

Environmental precautions

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Methods for containment

Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

Methods for cleaning up

Soak up with inert absorbent material.

Other information

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also section 13 Disposal considerations.

7. Handling and Storage

Handling

Avoid contact with skin, eyes and clothing.

Storage

Keep out of the reach of children. Keep away from excessive heat or cold.

8. Exposure Controls / Personal Protection

Exposure guidelines	Exposure limits have not been established for this product.
Engineering controls	Use in a well ventilated area.
Personal protective equipment	
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.
General	Use personal protective equipment to minimize exposure to skin and eye.

9. Physical & Chemical Properties

Appearance	Not available.
Color	Black.
Odor	Not available.
Odor threshold	Not available.
Physical state	Liquid
Form	Not available.
pH	8.4
Melting point	Not available.
Freezing point	Not available.
Boiling point	Not determined
Flash point	200 °F (93.3 °C) Pensky-Martens Closed Cup
Evaporation rate	Not determined
Flammability limits in air, upper, % by volume	Not available.
Flammability limits in air, lower, % by volume	Not determined
Vapor pressure	Not determined
Vapor density	Not available.
Specific gravity	1
Relative density	Not available.
Solubility (water)	Soluble in water
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
VOC	Not available.

10. Chemical Stability & Reactivity Information

Chemical stability	Stable under recommended storage conditions.
Incompatible materials	Incompatible with strong bases and oxidizing agents.
Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.
Possibility of hazardous reactions	Will not occur.

11. Toxicological Information

Serious eye damage/eye irritation	Non irritant in rabbit (OECD 405)
Further information	Complete toxicity data are not available for this specific formulation. Refer to Section 2 for potential health effects and Section 4 for first aid measures.

12. Ecological Information

Aquatic toxicity	LC50/96h/Fathead minnows =< 400 mg/L Static acute toxicity (trout), survival (100 mg/L) = 100% Static acute toxicity (trout), survival (10 mg/L) = 100%
Persistence and degradability	Not available.

13. Disposal Considerations

Disposal instructions Do not allow this material to drain into sewers/water supplies.
Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport Information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

15. Regulatory Information

US federal regulations US TSCA 12(b): Does not contain listed chemicals.

CERCLA (Superfund) reportable quantity

None

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical No

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

Section 302 extremely hazardous substance No

Section 311 hazardous chemical No

State regulations

US - Pennsylvania RTK - Hazardous Substances: Listed substance

2-pyrrolidone (CAS 616-45-5) Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Other information Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).
Exposure Limits (See Section 8): Executive regulation of Minister of Labour and Social Policy dated Nov. 29, 2002 concerning the highest exposure limits and volume of factors harmful for health and environment at work (Official Journal of Laws no 217/2002 item 1833 with further amendments).

16. Other Information

Other information This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).

HMIS® ratings	Health: 1 Flammability: 1 Physical hazard: 0
NFPA ratings	Health: 1 Flammability: 1 Instability: 0
Disclaimer	This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
Issue date	13-Nov-2011
This data sheet contains changes from the previous version in section(s):	Product and Company Identification: Alternate Trade Names 1. Product and Company Identification: Product use Hazards Identification: Other information Composition / Information on Ingredients: Disclosure Overrides Composition / Information on Ingredients: Composition comments 4. First Aid Measures: Skin contact 4. First Aid Measures: Inhalation 5. Fire Fighting Measures: Suitable extinguishing media 8. Exposure Controls / Personal Protection: Engineering controls 9. Physical & Chemical Properties: Other information 13. Disposal Considerations: Disposal instructions Regulatory Information: Canada 15. Regulatory Information: US federal regulations 15. Regulatory Information: Other information
Manufacturer information	Hewlett-Packard Company 3000 Hanover Street Palo Alto, California 94304-1112 US (Direct) 1-503-494-7199 (Toll-free within the US) 1-800-457-4209
Explanation of abbreviations	
ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds



MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Identification of the preparation Q2367Series[C]
Product use Inkjet printing
Version # 07
Revision date 12-Nov-2011
CAS # Mixture
Company identification Hewlett-Packard Company
3000 Hanover Street
Palo Alto, CA 94304-1185
United States
Telephone 650-857-1501

Hewlett-Packard health effects line
(Toll-free within the US) 1-800-457-4209
(Direct) 1-503-494-7199
HP Customer Care Line
(Toll-free within the US) 1-800-474-6836
(Direct) 1-208-323-2551
Email: hpcustomer.inquiries@hp.com

2. Hazards Identification

Emergency overview Contact with skin and eyes may result in irritation.

Acute health effects

Skin contact Any potential hazards are presumed to be due to exposure to the components.
1,5-pentanediol
Contact with skin may result in irritation.
2-pyrrolidone
Contact with skin may result in irritation.
Alkyldiol ethoxylate
Contact with skin may result in severe irritation.
Ethyl alkyldiol
Contact with skin may result in mild irritation.

Eye contact *1,5-pentanediol*
Contact with eyes may result in irritation.
2-pyrrolidone
Contact with eyes may result in irritation.
Alkyldiol ethoxylate
Contact can cause moderate to severe irritation and possible injury to the eyes.
Ethyl alkyldiol
Contact with eyes may result in mild irritation.

Inhalation *2-pyrrolidone*
Inhalation may result in respiratory irritation.

Ingestion *2-pyrrolidone*
Ingestion may result in nausea, vomiting and diarrhea.
Alkyldiol ethoxylate
Ingestion may cause irritation of mouth, throat, nausea, vomiting and diarrhea.
Substituted phthalocyanine salt # 2
Harmful if swallowed.

Potential health effects

Routes of exposure

Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects

Substituted phthalocyanine salt: Prolonged ingestion exposure may cause serious damage to health.

Carcinogenicity

None of the components present in this formulation at concentrations equal to or greater than 0.1% are listed by EU, MAK, IARC, NTP or OSHA.

3. Composition / Information on Ingredients

Components	CAS #	Percent
1,5-pentanediol	111-29-5	< 2.5
2-pyrrolidone	616-45-5	< 7.5
Alkyldiol ethoxylate	Proprietary	< 2.5
Ethyl alkyldiol	Proprietary	< 15
Substituted phthalocyanine salt # 2	Proprietary	< 2.5
Water	7732-18-5	> 70

Composition comments

This ink supply contains an aqueous ink formulation.
This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard Communication Standard).

4. First Aid Measures

First aid procedures

Eye contact

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.

Skin contact

Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.

Inhalation

Move to fresh air. If symptoms persist, get medical attention.

Ingestion

If ingestion of a large amount does occur, seek medical attention.

5. Fire Fighting Measures

Flammable properties

None known.

Extinguishing media

Suitable extinguishing media

CO₂, water, dry chemical, or foam

Unsuitable extinguishing media

None known.

Specific methods

None established.

Hazardous combustion products

Refer to section 10.

6. Accidental Release Measures

Personal precautions

Wear appropriate personal protective equipment.

Environmental precautions

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Methods for containment

Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

Methods for cleaning up

Soak up with inert absorbent material.

Other information

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also section 13 Disposal considerations.

7. Handling and Storage

Handling	Avoid contact with skin, eyes and clothing.
Storage	Keep out of the reach of children. Keep away from excessive heat or cold.

8. Exposure Controls / Personal Protection

Exposure guidelines	Exposure limits have not been established for this product.
Engineering controls	Use in a well ventilated area.
Personal protective equipment	
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.
General	Use personal protective equipment to minimize exposure to skin and eye.

9. Physical & Chemical Properties

Appearance	Not available.
Color	Cyan
Odor	Not available.
Odor threshold	Not available.
Physical state	Liquid
Form	Not available.
pH	7.8
Melting point	Not available.
Freezing point	Not available.
Boiling point	Not determined
Flash point	200 °F (93.3 °C) Pensky-Martens Closed Cup
Evaporation rate	Not determined
Flammability limits in air, upper, % by volume	Not available.
Flammability limits in air, lower, % by volume	Not determined
Vapor pressure	Not determined
Vapor density	Not available.
Specific gravity	1
Relative density	Not available.
Solubility (water)	Soluble in water
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	2 cp
VOC	Not available.

10. Chemical Stability & Reactivity Information

Chemical stability	Stable under recommended storage conditions.
Incompatible materials	Incompatible with strong bases and oxidizing agents.
Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.
Possibility of hazardous reactions	Will not occur.

11. Toxicological Information

Serious eye damage/eye irritation	Not available.
Further information	This ink formulation has not been tested for toxicological effects. Refer to Section 2 for potential health effects and Section 4 for first aid measures.

12. Ecological Information

Ecotoxicity	EC50: > 100 mg/l, Algae, 72.00 hr EC50: > 100 mg/l, Daphnia, 48.00 hr NOEC: 100 mg/l, Algae, 72.00 hr NOEC: 100 mg/l, Daphnia, 48.00 hr Information given is based on data on the components and the ecotoxicology of similar products
Aquatic toxicity	LC50/96h/Fathead minnows =/< 400 mg/L Static acute toxicity (trout), survival (100 mg/L) = 100% Static acute toxicity (trout), survival (10 mg/L) = 100%
Persistence and degradability	Not available.

13. Disposal Considerations

Disposal instructions	Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle .
------------------------------	---

14. Transport Information

Further information	Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.
DOT	Not regulated as dangerous goods.
IATA	Not regulated as dangerous goods.
IMDG	Not regulated as dangerous goods.
RID	Not regulated as dangerous goods.

15. Regulatory Information

US federal regulations US TSCA 12(b): Does not contain listed chemicals.

CERCLA (Superfund) reportable quantity

None

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical No

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

Section 302 extremely hazardous substance No

Section 311 hazardous chemical No

State regulations

US - Pennsylvania RTK - Hazardous Substances: Listed substance

2-pyrrolidone (CAS 616-45-5) Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Other information

Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).

Exposure Limits (See Section 8): Executive regulation of Minister of Labour and Social Policy dated Nov. 29, 2002 concerning the highest exposure limits and volume of factors harmful for health and environment at work (Official Journal of Laws no 217/2002 item 1833 with further amendments).

16. Other Information**Other information**

This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).

HMIS® ratings

Health: 1
Flammability: 1
Physical hazard: 0

NFPA ratings

Health: 1
Flammability: 1
Instability: 0

Disclaimer

This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Issue date

12-Nov-2011

This data sheet contains changes from the previous version in section(s):

Product and Company Identification: Alternate Trade Names
1. Product and Company Identification: Product use
Hazards Identification: Chronic health effects
Composition / Information on Ingredients: Ingredients
4. First Aid Measures: Skin contact
4. First Aid Measures: Inhalation
5. Fire Fighting Measures: Suitable extinguishing media
8. Exposure Controls / Personal Protection: Engineering controls
13. Disposal Considerations: Disposal instructions
15. Regulatory Information: US federal regulations
15. Regulatory Information: Other information

Manufacturer information

Hewlett-Packard Company
3000 Hanover Street
Palo Alto, California 94304-1112 US
(Direct) 1-503-494-7199
(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds



MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Identification of the preparation	Q2367Series[M]
Product use	Inkjet printing
Version #	09
Revision date	12-Nov-2011
CAS #	Mixture
Company identification	Hewlett-Packard Company 3000 Hanover Street Palo Alto, CA 94304-1185 United States Telephone 650-857-1501 Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-503-494-7199 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com

2. Hazards Identification

Emergency overview Contact with skin and eyes may result in irritation.

Acute health effects

Skin contact	Any potential hazards are presumed to be due to exposure to the components. <i>1,5-pentanediol</i> Contact with skin may result in irritation. <i>2-pyrrolidone</i> Contact with skin may result in irritation. <i>Alkyldiol ethoxylate</i> Contact with skin may result in severe irritation. <i>Ethyl alkyldiol</i> Contact with skin may result in mild irritation.
Eye contact	<i>1,5-pentanediol</i> Contact with eyes may result in irritation. <i>2-pyrrolidone</i> Contact with eyes may result in irritation. <i>Alkyldiol ethoxylate</i> Contact can cause moderate to severe irritation and possible injury to the eyes. <i>Ethyl alkyldiol</i> Contact with eyes may result in mild irritation.
Inhalation	<i>2-pyrrolidone</i> Inhalation may result in respiratory irritation.
Ingestion	<i>2-pyrrolidone</i> Ingestion may result in nausea, vomiting and diarrhea. <i>Alkyldiol ethoxylate</i> Ingestion may cause irritation of mouth, throat, nausea, vomiting and diarrhea.

Potential health effects

Routes of exposure

Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects

None known.

Carcinogenicity

None of the components present in this formulation at concentrations equal to or greater than 0.1% are listed by EU, MAK, IARC, NTP or OSHA.

3. Composition / Information on Ingredients

Components	CAS #	Percent
1,5-pentanediol	111-29-5	< 2.5
2-pyrrolidone	616-45-5	< 7.5
Alkyldiol ethoxylate	Proprietary	< 2.5
Ethyl alkyldiol	Proprietary	< 15
Water	7732-18-5	> 70

Composition comments

This ink supply contains an aqueous ink formulation. This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard Communication Standard).

4. First Aid Measures

First aid procedures

Eye contact

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.

Skin contact

Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.

Inhalation

Move to fresh air. If symptoms persist, get medical attention.

Ingestion

If ingestion of a large amount does occur, seek medical attention.

5. Fire Fighting Measures

Flammable properties

None known.

Extinguishing media

Suitable extinguishing media

CO2, water, dry chemical, or foam

Unsuitable extinguishing media

None known.

Specific methods

None established.

Hazardous combustion products

Refer to section 10.

6. Accidental Release Measures

Personal precautions

Wear appropriate personal protective equipment.

Environmental precautions

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Methods for containment

Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

Methods for cleaning up

Soak up with inert absorbent material.

Other information

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also section 13 Disposal considerations.

7. Handling and Storage

Handling

Avoid contact with skin, eyes and clothing.

Storage

Keep out of the reach of children. Keep away from excessive heat or cold.

8. Exposure Controls / Personal Protection

Exposure guidelines	Exposure limits have not been established for this product.
Engineering controls	Use in a well ventilated area.
Personal protective equipment	
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.
General	Use personal protective equipment to minimize exposure to skin and eye.

9. Physical & Chemical Properties

Appearance	Not available.
Color	Magenta
Odor	Not available.
Odor threshold	Not available.
Physical state	Liquid
Form	Not available.
pH	7.7
Melting point	Not available.
Freezing point	Not available.
Boiling point	Not determined
Flash point	200 °F (93.3 °C) Pensky-Martens Closed Cup
Evaporation rate	Not determined
Flammability limits in air, upper, % by volume	Not available.
Flammability limits in air, lower, % by volume	Not determined
Vapor pressure	Not determined
Vapor density	Not available.
Specific gravity	1
Relative density	Not available.
Solubility (water)	Soluble in water
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	2 cp
VOC	Not available.

10. Chemical Stability & Reactivity Information

Chemical stability	Stable under recommended storage conditions.
Incompatible materials	Incompatible with strong bases and oxidizing agents.
Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.
Possibility of hazardous reactions	Will not occur.

11. Toxicological Information

Serious eye damage/eye irritation	Not available.
Further information	This ink formulation has not been tested for toxicological effects. Refer to Section 2 for potential health effects and Section 4 for first aid measures.

12. Ecological Information

Aquatic toxicity	LC50/96h/Fathead minnows =< 400 mg/L Static acute toxicity (trout), survival (100 mg/L) = 100% Static acute toxicity (trout), survival (10 mg/L) = 100%
Persistence and degradability	Not available.

13. Disposal Considerations

Disposal instructions

Do not allow this material to drain into sewers/water supplies.
Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. Transport Information

Further information

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

15. Regulatory Information

US federal regulations

TSCA (Toxic Substances Control Act): All ingredients are on the TSCA Chemical Substances Inventory. A substance in this product is the subject of a Significant New Use Rule (SNUR) at 40 CFR 721.10045. The Significant New Use(s) for this substance (P-02-737) is that it cannot be manufactured domestically and that it cannot be processed or used in solid form.
TSCA 12(b) Components: Reporting not required. SNUR substance is present at less than 1 percent in the final product.

CERCLA (Superfund) reportable quantity

None

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical No

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

Section 302 extremely hazardous substance No

Section 311 hazardous chemical No

State regulations

US - Pennsylvania RTK - Hazardous Substances: Listed substance

2-pyrrolidone (CAS 616-45-5) Listed.

Regulatory information

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

Other information

Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).

Exposure Limits (See Section 8): Executive regulation of Minister of Labour and Social Policy dated Nov. 29, 2002 concerning the highest exposure limits and volume of factors harmful for health and environment at work (Official Journal of Laws no 217/2002 item 1833 with further amendments).

16. Other Information

Other information	This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).
HMIS® ratings	Health: 1 Flammability: 1 Physical hazard: 0
NFPA ratings	Health: 1 Flammability: 1 Instability: 0
Disclaimer	This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
Issue date	12-Nov-2011
This data sheet contains changes from the previous version in section(s):	Product and Company Identification: Alternate Trade Names 1. Product and Company Identification: Product use Composition / Information on Ingredients: Disclosure Overrides 4. First Aid Measures: Skin contact 4. First Aid Measures: Inhalation 5. Fire Fighting Measures: Suitable extinguishing media 8. Exposure Controls / Personal Protection: Engineering controls 13. Disposal Considerations: Disposal instructions 14. Transport Information: Further information 15. Regulatory Information: Other information
Manufacturer information	Hewlett-Packard Company 3000 Hanover Street Palo Alto, California 94304-1112 US (Direct) 1-503-494-7199 (Toll-free within the US) 1-800-457-4209
Explanation of abbreviations	
ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds