



MATERIAL SAFETY DATA SHEET

SILICONE OIL

Page 1 of 3

A-SP-ELMD082-AA-0

Rev A

SECTION 1 - IDENTIFICATION OF SUBSTANCE/COMPANY PREPARING INFORMATION

Product Name: Silicone Oil **Part Number:** LNC2X-AG

Distributor's Name: Digital Equipment Corporation, Maynard, MA USA

Emergency Phone Numbers: **Non-Emergency (U.S.) Phone Number:**
 North America 800-228-5635, ext. 123 (978) 496-9242
 Worldwide [+1] 612-221-3999, ext. 123

Supersedes Date: None

Use: For LNC02 color laser printer **Preparation Date:** September 24, 1998

SECTION 2 - COMPOSITION/INGREDIENTS

INGREDIENTS	CAS	%	ACGIH TLV	OSHA PEL
Silicone Oil	NA	100	NA	NA

SECTION 3 - HAZARD IDENTIFICATION

Hazard to Humans - None during normal use.
 Primary Route of Entry - Dermal and inhalation

SECTION 4 - FIRST-AID MEASURES

If Inhaled - Remove from exposure.

If on Skin - Wash skin with soap and water.

If in Eyes - Flush eyes with large quantities of water for at least 15 minutes. If irritation is present after washing, contact a physician.

If Swallowed - Dilute by drinking water.

SECTION 5 - FIRE-FIGHTING MEASURES

Special Fire-Fighting Procedure - None
 Extinguishing Media - Dry chemical, foam, carbon dioxide

Unusual Fire or Explosion Hazards - None
 Hazardous Combustion Products - Carbon monoxide, carbon dioxide

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Contain spill or leak. Absorb oil on rag.

MATERIAL SAFETY DATA SHEET

SILICONE OIL

Page 2 of 3

A-SP-ELMD082-AA-0

Rev A

SECTION 7 - HANDLING AND STORAGE

Engineer Control - None
Work Practices - None
Storage Requirement - Store in cool place.

Procedure/Equipment - None
Procedures for Leaks or Spills - If spilled, pick up with rag or absorbent material; remove residue with soap and water.

SECTION 8 - EXPOSURE CONTROL/PERSONAL PROTECTION

Engineering Measures - None

Personal Protective Equipment - Gloves and safety glasses

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance - Colorless, transparent oily liquid
Odor and Odor Threshold - Odorless
pH - Not applicable
Boiling Point - Not applicable
Vapor Pressure - Negligible
Vapor Density - Not applicable
Melting/Softening Point - Not available
Specific Gravity - 0.97 @ 25 ° C (77° F)
Flammable Limits - Not available

Explosive Properties - Not applicable
Partition Coefficient - Not applicable
Oxidizing Properties - Not applicable
Solubility in Water - Not soluble
Percent Volatile - Not applicable
Evaporation Rate - Negligible
Freezing Point - Not applicable
Flash Point - 200° C (392° F)
Auto-Ignition Temperature - Not available

SECTION 10 - STABILITY AND REACTIVITY

Stability - Stable
Hazardous Decomposition Products - None
Incompatibility - Strong oxidizing agents

Hazardous Polymerization - Will not occur
Conditions to avoid - Heat, flame, fire; can generate formaldehyde above 150° C (302° F) in the presence of air.

SECTION 11 - TOXICOLOGICAL INFORMATION

Animal Experiment

Acute - No data; not expected to be acutely toxic, but may cause slight skin irritation.

Chronic/Other - None

Additional Information - None

MATERIAL SAFETY DATA SHEET

SILICONE OIL

Page 3 of 3

A-SP-ELMD082-AA-0

Rev A

SECTION 12 - ECOLOGICAL INFORMATION

None

SECTION 13 - DISPOSAL INFORMATION

Waste Disposal - Dispose of used product in accordance with applicable regulations. Can be incinerated.

SECTION 14 - TRANSPORTATION INFORMATION

Proper Shipping Name - None

Hazard Class - None

Identification Number - None

RQ - Not applicable

Packing Group - Not applicable

SECTION 15 - REGULATORY INFORMATION

Not listed by California *Proposition 65*.

Not on the IARC, OSHA, or NTP carcinogen list.

Listed on U.S. TSCA inventory.

Not listed on SARA Title III.

Not a WHMIS controlled product.

See local requirements.

SECTION 16 - OTHER INFORMATION

Disclaimer: Data is the most current known to Digital Equipment Corporation at the time of preparation and is believed to be accurate. No warranty as to its accuracy or completeness is expressed or implied.