



MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Identification of the preparation	HP Indigo Topaz 17 Solution MPS-2088-41
Use of the preparation	For use with HP Indigo Press series 2000, 4000
Manufacturer information	Hewlett Packard Company Limburglaan 5 6221 SH Maastricht, The Netherlands
Hewlett-Packard health effects line	
(Toll-free within the US)	1-800-457-4209
(Direct)	1-503-494-7199
General information telephone number	
HP Customer Care Line	1-800-474-6836
(Toll-free)	1-800-474-6836
(Direct)	1-208-323-2551
Date prepared	Dec 31, 2006
MSDS number	211302

2. COMPOSITION / INFORMATION ON INGREDIENTS

Composition comments	This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard Communication Standard).
-----------------------------	---

3. HAZARDS IDENTIFICATION

Emergency overview	Product is a flammable liquid.
Acute health effects	Any potential hazards are presumed to be due to exposure to the components.
Skin contact	Contact with skin may result in mild irritation.
Eye contact	Contact with eyes may result in severe irritation. High concentration of product vapors can cause severe irritation of eyes.
Inhalation	Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.
Ingestion	Ingestion of this product may cause nausea, vomiting and diarrhea.
Potential health effects	
Routes of exposure	Potential routes of exposure to this product are skin and eye contact, ingestion and inhalation.
Chronic health effects	Prolonged or repeated skin contact may cause skin irritation or allergic skin sensitization reaction.
Carcinogenicity	None of the components present in this formulation at concentrations equal to or greater than 0.1% are listed by EU, MAK, IARC, NTP or OSHA.
Other information	This product is classified for health effects according to EU Directive 1999/45/EC with R11, R41 & R67.

4. FIRST AID MEASURES

First aid procedures	
Skin	Wash affected areas thoroughly with mild soap and water. Immediately take off all contaminated clothing. Wash clothing separately before reuse. Get medical attention if irritation develops or persists.
Eye	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention. Do not apply neutralizing agents.



MATERIAL SAFETY DATA SHEET

Inhalation	If overcome by vapor, remove person from exposure to fresh air. If breathing is difficult, give oxygen. If symptoms persist, get medical attention.
Ingestion	Rinse mouth with water. Drink one to two glasses of water. Do not induce vomiting. Never give anything by mouth to an unconscious person. If ingestion of a large amount does occur, seek medical attention.

5. FIRE FIGHTING MEASURES

Flash point and method	23 °C; Pinsky-Martens Closed Cup
Auto ignition temperature	395 °C
Upper explosion limit	13.2 %
Hazardous combustion products	Refer to section 10.
Extinguishing media	Suitable extinguishing media: Dry chemical, CO ₂ , water spray or regular foam.
Unsuitable extinguishing media	None known.
Fire fighting equipment/instructions	Move containers from fire area if you can do it without risk. Evacuate area and fight fire from a safe distance.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Wear appropriate personal protective equipment.
Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.
Procedures if material is released or spilled	Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also section 13 Disposal considerations.
Evacuation procedures	In case of large spills, follow all facility emergency response procedures.

7. HANDLING AND STORAGE

Handling	Avoid prolonged or repeated skin contact with this material. Avoid contact with skin, eyes and clothing. Keep away from open flames, hot surfaces and sources of ignition. Do not reuse the empty container. Take precautionary measures against static discharges.
Storage	Keep away from excessive heat or cold. Store in a cool and shaded area. Do not store in direct sunlight.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limit values	
OSHA - Final PELs - Time Weighted Averages (TWAs)	
n-Propyl Alcohol	71-23-8 200 ppm TWA; 500 mg/m ³ TWA
ACGIH - Threshold Limits Values - Time Weighted Averages (TLV-TWA)	
n-Propyl Alcohol	71-23-8 200 ppm TWA
Personal protective equipment	
General	Use personal protective equipment to minimize exposure to skin and eye.
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice.
Exposure guidelines	Use in a well ventilated area.

9. PHYSICAL & CHEMICAL PROPERTIES

pH	7
Vapor pressure	19 kPa (based on n-propanol)



MATERIAL SAFETY DATA SHEET

Boiling point	97 °C (based on n-propanol)
Melting point	Not applicable
Softening point	Not applicable
Solubility	miscible
Specific gravity	0.844 g/mL
VOC content	675 g/L
Flash point	23 °C
Flammability	2.4 - 13.2 % by volume
Appearance	clear liquid
Odor	mild alcoholic
Oxidizing properties	Not applicable
Color	Light yellow

10. CHEMICAL STABILITY & REACTIVITY INFORMATION

Stability	Stable under recommended storage conditions.
Hazardous polymerization	Will not occur.
Hazardous decomposition products	Not applicable
Incompatibility	This product may react with strong oxidizing agents.

11. TOXICOLOGICAL INFORMATION

No data is available on the product itself.

Refer to Section 3 for potential health effects and Section 4 for first aid measures.

Symptoms and target organs

NIOSH - Pocket Guide - Target Organs

n-Propyl Alcohol

71-23-8

skin, eyes, respiratory system, GI tract, CNS

12. ECOLOGICAL INFORMATION

Aquatic toxicity	This product has not been tested for ecological effects.
-------------------------	--

13. DISPOSAL CONSIDERATIONS

Disposal instructions	Dispose of in compliance with federal, state, and local regulations.
Contaminated packaging	Empty containers should be taken for local recycling, recovery or waste disposal.

14. TRANSPORTATION INFORMATION

IATA

Proper shipping name	n-Propyl Alcohol
Special precautions	B1, IB2, T4, TP1
Packaging exceptions	150
Identification number (UN)	UN1274
Packing group	II



MATERIAL SAFETY DATA SHEET

15. REGULATORY INFORMATION

International regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
US federal regulations	US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA. US TSCA 12(b): Does not contain listed chemicals.
HMIS ratings	Health: 1 Flammability: 3 Physical hazard: 0
NFPA ratings	Health: 1 Flammability: 3 Instability: 0
Superfund Amendments and Reauthorization Act of 1986 (SARA)	
Section 302 extremely hazardous substance	No
Section 311 hazardous chemical	Yes
Hazard categories	Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

16. OTHER INFORMATION

Other information	This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).
Issue date	Dec 31 2006 3:46PM
Revision	3
Replaces sheet dated	Jul 25 2006 3:48AM
Disclaimer	This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.



MATERIAL SAFETY DATA SHEET

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds