



SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the preparation CB973A

Use of the preparation Inkjet printing

Company identification Hewlett-Packard, Ltd.
Cain Road, Amen Corner
Bracknell, Berkshire, RG12 1HN

Emergency telephone number

Poison Information Center 0207771 5307

Hewlett-Packard health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199

General information telephone number

1 344 36-0000

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Date prepared 14-Jun-2007

SDS number 237374

2. COMPOSITION/INFORMATION ON INGREDIENTS

Component/substance	CAS number	% by weight	EU number	EU classification
Water	7732-18-5	> 70	231-791-2	
2-pyrrolidone	616-45-5	< 15	210-483-1	R36/38
Carbon black	1333-86-4	< 5	435-640-3	
Isopropyl Alcohol	67-63-0	< 5	200-661-7	Xi, F, R11, 36, 67

Composition comments This ink supply contains an aqueous ink formulation. This product has been evaluated using criteria specified in the EU Directives 67/548/EEC and 1999/45/EC, as amended. For the full text of the R phrases mentioned in this Section, see Section 16. This product has been evaluated using criteria specified in the EU Directives 67/548/EEC and 1999/45/EC, as amended.

3. HAZARDS IDENTIFICATION

Classification Xn, R22, S13, 20, 23, 60

Emergency Overview Contact with skin and eyes may result in irritation.

Acute health effects Any potential hazards are presumed to be due to exposure to the components.

Skin contact

2-pyrrolidone
Contact with skin may result in irritation.

Eye contact

2-pyrrolidone
Contact with eyes may result in irritation.

Isopropyl Alcohol
Contact with eyes may result in severe irritation.



SAFETY DATA SHEET

Inhalation

2-pyrrolidone

Inhalation may result in respiratory irritation.

Isopropyl Alcohol

Inhalation may cause drowsiness or dizziness.

Ingestion

2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Potential health effects

Routes of exposure

Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

Complete toxicity data are not available for this specific formulation.

Chronic health effects

Carbon Black: Chronic inhalation studies performed with fine dust particles resulted in lung tumors in animals. The IARC classification was based upon these results. IARC also concluded "there is inadequate evidence in humans for the carcinogenicity of carbon black." Inhalation of fine dust particles is not expected to occur during normal conditions of use of this ink.

Carcinogenicity

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans).

None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

Other information

This black ink is not classified according to EU Directive 1999/45/EC.

4. FIRST AID MEASURES

First aid procedures

Eye

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention. Do not rub eyes, Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed, If irritation persists get medical attention.

Skin

Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention. Wash affected areas thoroughly with mild soap and water and Get medical attention if irritation develops or persists.

Inhalation

Move to fresh air. If symptoms persist, get medical attention. Move to fresh air, If symptoms persist, get medical attention.

Ingestion

If ingestion of a large amount does occur, seek medical attention. If ingestion of a large amount does occur, seek medical attention.

5. FIRE-FIGHTING MEASURES

Flash point and method

55 - 57.8 °C (131 - 136 °F); Pensky-Martens Closed Cup; No ignition, sustained combustion or flashing detected using the Sustained Combustibility Test (method in US 49CFR173, Appendix H).

Hazardous combustion products

Refer to section 10. Carbon monoxide and carbon dioxide.

Extinguishing media

CO₂, water, dry chemical, or foam Dry chemical, CO₂, water spray or regular foam.

Unsuitable extinguishing media

None known. None known.



SAFETY DATA SHEET

Unusual fire and explosion hazard	None known. Flammable Liquid and Will burn if involved in a fire and vapourizes easily at normal temperatures and Vapors may travel to a source of ignition and flash back.
Special firefighting procedures	None established.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Wear appropriate personal protective equipment. Wear appropriate personal protective equipment and Ensure adequate ventilation and Remove all sources of ignition.
Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system. Do not let product enter drains and Do not flush into surface water or sanitary sewer system.
Procedures if material is released or spilled.	Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also section 13 Disposal considerations. Soak up with inert absorbent material, Clean remainder with a damp cloth or vacuum cleaner, Dispose of in compliance with federal, state, and local regulations, See also section 13 Disposal considerations.

7. HANDLING AND STORAGE

Handling	Avoid contact with skin, eyes and clothing. Keep away from heat and sources of ignition and Avoid contact with skin and eyes and Use this product with adequate ventilation.
Storage	Keep out of the reach of children. Keep away from excessive heat or cold. Keep away from excessive heat, sparks, and open flames.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limit values	Exposure limits have not been established for this product.	
United Kingdom - Workplace Exposure Limits (WELs) - TWAs		
Carbon black	1333-86-4	3.5 mg/m ³ TWA
United Kingdom - Workplace Exposure Limits (WELs) - TWAs		
Isopropyl Alcohol	67-63-0	400 ppm TWA; 999 mg/m ³ TWA
United Kingdom - Workplace Exposure Limits (WELs) - STELs		
Isopropyl Alcohol	67-63-0	500 ppm STEL; 1250 mg/m ³ STEL
United Kingdom - Workplace Exposure Limits (WELs) - STELs		
Carbon black	1333-86-4	7 mg/m ³ STEL
Personal protective equipment		
General	Use personal protective equipment to minimize exposure to skin and eye. Use personal protective equipment to minimize exposure to skin and eye.	
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice. Handle in accordance with good industrial hygiene and safety practice.	
Exposure guidelines	Use in a well ventilated area. Use in a well ventilated area.	

9. PHYSICAL AND CHEMICAL PROPERTIES

pH	7.8 - 8.4
Vapour pressure	Not determined
Boiling point	> 93.3 °C (> 200 °F)
Solubility	Soluble in water
Specific gravity	1 - 1.2 g/mL
VOC content	< 3 %
Flash point	55 - 57.8 °C (131 - 136 °F)



SAFETY DATA SHEET

Viscosity	> 2 cp
Vapour density	> 1 (Air = 1.0)
Evaporation rate	Not determined
Oxidising properties	Not determined No information available.
Colour	Black

10. STABILITY AND REACTIVITY

Stability	Stable under recommended storage conditions. Stable under recommended storage conditions.
Hazardous polymerisation	Will not occur. Will not occur.
Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. Carbon monoxide and carbon dioxide.
Incompatibility	Incompatible with strong bases and oxidizing agents. Incompatible with strong acids and bases.

11. TOXICOLOGICAL INFORMATION

Complete toxicity data are not available for this specific formulation..
Refer to Section 3 for potential health effects and Section 4 for first aid measures. Complete toxicity data are not available for this specific formulation and Refer to Section 3 for potential health effects and Section 4 for first aid measures.

12. ECOLOGICAL INFORMATION

Aquatic toxicity	LC50/96h/fathead minnows =>750 mg/L LC50/96h/fathead minnows =9460 mg/L. EC50/48h/daphnia =13299 mg/L. EC50/72h/algae => 1000 mg/L.
-------------------------	---

13. DISPOSAL CONSIDERATIONS

Disposal instructions	Dispose of in compliance with federal, state, and local regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle . Dispose of in compliance with federal, state, and local regulations.
------------------------------	--

14. TRANSPORT INFORMATION

General	Not a regulated article under United States DOT, IATA, ADR, IMDG, or RID.
IATA	
Proper shipping name	Not applicable
Hazard class	Not applicable
Packaging exceptions	None.
Identification number (UN)	None.
Packing group	N/A



SAFETY DATA SHEET

15. REGULATORY INFORMATION

International regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China. All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

EU label

This product does not require a label according to EU Directive 1999/45/EC.

EU classification and labeling



Xn - Harmful

Safety phrases

S13	Keep away from food, drink and animal feedingstuffs.
S20	When using do not eat or drink.
S23	Do not breathe vapour.
S60	This material and its container must be disposed of as hazardous waste.

16. OTHER INFORMATION

Manufacturer information

Hewlett-Packard Company
1000 NE Circle Boulevard
Corvallis, OR 97330-4239 US

Ingredient risk phrase definition(s)

R11	Highly flammable
R22	Harmful if swallowed.
R36	Irritating to eyes.
R36/38	Irritating to eyes and skin.
R67	Vapours may cause drowsiness and dizziness.

Other information

This MSDS was prepared in compliance with EU Directive 91/155/EEC as amended by 2001/58/EC.

Issue date

Jun 14 2007 7:23AM

Revision

4

Replaces sheet dated

Jun 13 2007 5:52PM

Preparation and revision information

Chemical Product and Company Identification: Alternate Trade Names - SKU Numbers
Composition / Information on Ingredients: Ingredients
3. Hazards identification: Chronic health effects
3. Hazards identification: Carcinogenicity
Regulatory Information: Safety Phrases
15. Regulatory information: Canadian regulations

Disclaimer

This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.



SAFETY DATA SHEET

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible exposure limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds