



# SCANJET ENTERPRISE 7000 s2 SHEET-FEED SCANNER

Enhance performance and streamline workflow, using a fast, reliable scanner. The compact, efficient footprint of this PC-connected device saves energy, while producing consistent, high-quality images in black-and-white, grayscale, or color.

- Scan Resolution:** Up to 600 x 600 dpi Hardware, Up to 600 dpi Optical
- Scan Speed ADF (A4/Letter)<sup>1</sup>:** Up to 45 ppm/90 ipm (black-and-white, grayscale, color, both 200 dpi and 300 dpi)
- Scan Media Types:** Paper (plain, inkjet), envelopes, labels, cards (business, insurance, embossed, plastic ID, credit)
- Maximum Scan Size (ADF):** 8.5 x 122 in (216 x 3098 mm)
- Duty Cycle:** Up to 3,000 pages
- Standard Connectivity:** 1 Hi-Speed USB 2.0



## Productive and reliable document capture

- Quickly and easily scan each and every page with confidence, using HP Precision Feed technologies.
- Quickly scan up to 45 ppm and 90 ipm in black-and-white, grayscale, and color.<sup>1</sup>
- Improve productivity and with a robust and reliable, 3000-page duty cycle.
- Get worry-free, consistent, high-quality images with HP AccuPage.

## Easy-to-integrate workflow solutions

- Create profiles for frequent, common jobs and scan directly to a variety of destinations and applications.
- Automatically improve the accuracy of scanned images with included Kofax Virtual ReScan<sup>®</sup> Pro software.
- Convert scans into editable text with IRIS Readiris<sup>™</sup> Pro OCR, and save scans as multiple file types.
- Seamlessly integrate the scanner into existing systems with industry-standard drivers.

## Space- and energy-saving design

- Keep more of your workspace for yourself. A smaller footprint lets you locate the scanner where convenient.
- Help increase your energy efficiency as well as your productivity, thanks to the ENERGY STAR<sup>®</sup> rating.
- Take pride in using a scanner with an EPEAT<sup>®</sup> Silver certification.
- Rely on HP to help you conserve resources with recyclable packaging.<sup>2</sup>



### ecoHIGHLIGHTS

HP SCANJET ENTERPRISE 7000 s2 SHEET-FEED SCANNER

- Packaging is made with up to 90% recycled content and is up to 100% recyclable.<sup>1</sup>
- Save energy by setting the scanner to shut down automatically when not in use.
- Mercury-free bulbs.

<sup>1</sup>Non-recyclable components may include, but are not limited to, small pieces of tape and certain plastics.

[www.hp.com/ecosolutions](http://www.hp.com/ecosolutions)

Please recycle your computing hardware and printing supplies. Find out how at our website.



<sup>1</sup>Scan speeds of up to 45 ppm/90 ipm measured at 200 and 300 dpi (black-and-white, grayscale, and color). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. <sup>2</sup>Non-recyclable components may include, but are not limited to, small pieces of tape and certain plastics.





# SCANJET ENTERPRISE 7000 s2

## SHEET-FEED SCANNER

### TECHNICAL SPECIFICATIONS

<b>SCAN TECHNOLOGY</b>	Charge Coupled Device (CCD)
<b>SCAN TYPE</b>	Sheet-feed; <b>Color Scanning:</b> Yes
<b>SCAN RESOLUTION</b>	<b>Hardware:</b> Up to 600 x 600 dpi; <b>Optical:</b> Up to 600 dpi
<b>SCAN INPUT MODES</b>	Control panel with Simplex or Duplex button, Scanning software
<b>SCAN SPEED ADF (A4/LETTER)<sup>1</sup></b>	Up to 45 ppm/90 ipm (black-and-white, grayscale, color, both 200 dpi and 300 dpi)
<b>STANDARD MEMORY</b>	512 MB
<b>PROCESSOR SPEED</b>	533 MHz
<b>LIGHT SOURCE (SCANNING)</b>	Light Emitting Diode (LED)
<b>OUTPUT RESOLUTION DPI SETTINGS</b>	75, 100, 150, 200, 240, 300, 400, 500, 600
<b>BIT DEPTH/GRAYSCALE LEVELS</b>	48-bit; <b>Grayscale Levels:</b> 256
<b>MULTI FEED DETECTION</b>	Yes
<b>AUTO DOCUMENT FEEDER CAPACITY</b>	Standard, 50 sheets
<b>DUPLEX ADF SCANNING</b>	Yes
<b>SCANNING OPTIONS (ADF)</b>	Single-sided, Two-sided, Single-pass duplex
<b>MEDIA SIZE (ADF)</b>	Letter; legal; A4; A5; A6; A8; custom sizes; long page support up to 122 in (3098 mm)
<b>MEDIA WEIGHT (ADF)</b>	11 to 56 lb (41 to 209 g/m <sup>2</sup> )
<b>STANDARD CONNECTIVITY</b>	1 Hi-Speed USB 2.0
<b>CONTROL PANEL</b>	2 line, 16 character LCD; Buttons (Simplex, Duplex)
<b>DUTY CYCLE (DAILY)</b>	Up to 3,000 pages
<b>SCANNER ADVANCED FEATURES</b>	Scan to Google docs and Sharepoint, HP Precision Feed technologies, Ultrasonic multi-feed detection, Blank page removal, Color dropout, Long page support, Quick Set scan profiles, 48-bit internal/24-bit external bit depth
<b>MEDIA TYPES SUPPORTED</b>	Paper (plain, inkjet), envelopes, labels, cards (business, insurance, embossed, plastic ID, credit)
<b>SCAN FILE FORMAT</b>	JPG, TIFF, MTIFF, PDF (image-only, searchable, compressed and RC4 encrypted), PDF/A, TXT, Unicode TXT, RTF, HTML, XPS (image-only and searchable)
<b>TWAIN VERSION</b>	Version 2.1
<b>SOFTWARE INCLUDED</b>	HP TWAIN, Smart Document Scan Software, EMC ISIS, Readiris Pro, Nuance PaperPort, Cardiris Pro, Kofax VirtualRescan Professional
<b>COMPATIBLE OPERATING SYSTEMS</b>	Microsoft® Windows® 7 (32-bit, 64-bit), Windows Vista® (32-bit, 64-bit), Windows® XP, service pack 3
<b>MINIMUM SYSTEM REQUIREMENTS</b>	<b>PC:</b> Microsoft® Windows® 7, Windows Vista®, (32-bit and 64-bit): 2 GHz processor, 2 GB RAM, 150 MB for TWAIN and ISIS drivers, USB 2.0, 1024 x 768 SVGA monitor, Windows® XP, SP 3: 1.6 GHz processor, 1 GB RAM, 150 MB for TWAIN and ISIS drivers, USB 2.0, 1024 x 768 SVGA monitor
<b>RECOMMENDED SYSTEM REQUIREMENTS</b>	Intel® Core™ 2, 2 GHz, Duo Processor or equivalent; 4 GB RAM; 1.6 GB hard disk; USB 2.0; 1024 x 768 SVGA monitor
<b>ACCOUSTIC</b>	<b>Acoustic Power Emissions:</b> 6.3 B(A)

<b>OPERATING ENVIRONMENT</b>	<b>Operating Temperature Range:</b> 50 to 95° F (10 to 35° C); <b>Storage Temperature Range:</b> -40 to 140° F (-40 to 60° C); <b>Recommended Operating Temperature Range:</b> 50 to 95° F (10 to 35° C); <b>Humidity Operating Range:</b> 15 to 80% RH (non-condensing); <b>Recommended Humidity Operating Range:</b> 15 to 80% RH (non-condensing); <b>Non-Operating Humidity:</b> 0 to 90% RH (non-condensing)
<b>POWER</b>	<b>Power Supply Type:</b> External; <b>Power Consumption<sup>2</sup>:</b> 8.5 watts (Ready), 1.822 watts (Sleep), 0.203 watts (Auto-Off); <b>Power Requirements:</b> Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3%), 1.3 amp; <b>Power Features:</b> Universal AC adapter: 100 to 240 VAC (50/60 Hz), 1.56 amp output
<b>PRODUCT DIMENSIONS</b>	<b>W x D x H:</b> 12.2 x 7.09 x 7.13 in (310 x 181 x 180 mm)
<b>PRODUCT WEIGHT</b>	11.77 lb (5.35 kg)
<b>WHAT'S IN THE BOX</b>	HP Scanjet Enterprise 7000 s2 Sheet-feed Scanner, Install Guide, Power supply and power cord, HP Scanning Software and Third-party software, ADF cleaning cloth
<b>HP CARE PACKS</b>	HP 3y NBD Exch Scanjet 7000s2 Service, U1Q59E HP 4y NBD Exch Scanjet 7000s2 Service, U5X49E HP 5y NBD Exch Scanjet 7000s2 Service, U5X50E HP 3y NBD Onsite Exch Scanjet 7000s2 HW Support, U1Q60E HP 4y NBD Onsite Exch Scanjet 7000s2 HW Support, U5X51E HP 5y NBD Onsite Exch Scanjet 7000s2 HW Support, U1Q62E HP 1y PW NBD Exch Scanjet 7000s2 Service, U5X46PE HP 1y PW NBD OnsiteExch Scanjet 7000s2 HW Support, U5X47PE
<b>WARRANTY</b>	One-year limited hardware warranty; 24-hour, 7 days a week phone support. Warranty may vary by country as required by law. Go to <a href="http://www.hp.com/support">http://www.hp.com/support</a> to learn about HP award winning service and support options in your region.

### FOR MORE INFORMATION VISIT OUR WEBSITE AT [WWW.HP.COM](http://WWW.HP.COM)

HP SCANJET ENTERPRISE 7000 s2 SHEET-FEED SCANNER Product Number: L2730A  
ENERGY STAR<sup>®</sup> qualified models; see <http://www.hp.com/go/energystar>

<sup>1</sup>Scan speeds of up to 45 ppm/90 ipm measured at 200 and 300 dpi (black-and-white, grayscale, and color). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software..

<sup>2</sup>Power requirements are based on the country or region where the product is sold. Do not convert operating voltages or use with other voltages. Doing so might cause damage that would not be covered under the HP product warranty.