HP Color LaserJet Pro MFP M476 series



Connect the office to a wired or wireless MFP with vibrant color printing and scanning features.

This HP Color LaserJet Pro MFP connects the whole office to vibrant color printing, even on the go^{1,3,4}—and improves productivity with fast, versatile scanning that can send documents directly to email, network folders, and the cloud.



HP Color LaserJet Pro MFP M476 series

Print on your terms

- Just go and print—easily send print jobs wirelessly without a network.¹
- Enable touch-to-print convenience from mobile devices.²
- Easily print from smartphone, tablets and notebooks at work, home, or on-the-go; Mopria-certified.³
- Share all your printer has to offer—set up, print, and share with Ethernet and wireless connectivity. $^{\rm 4}$

Scan fast, send securely

- Finish faster—with less standing around—using single-pass, dual-head scanning.
- Control access to walkup features and easily look up network email addresses, using LDAP connectivity.
- Scan, send, simple—capture and route digital files directly to the cloud, email, or network folders.⁷
- With HP Flow CM Professional, you can easily collaborate on, search, and share your business content. $^{\rm S}$

Move jobs fast

- Save time and help reduce paper costs, using automatic two-sided printing.⁶
- Work smarter—access content and quickly launch tasks from the 3.5-inch color touchscreen.⁷
- Finish projects fast—use the 50-page automatic document feeder to save time.
- Just walk up and print on this MFP from your USB drive, using the easy-access USB port.

¹ Wireless direct printing is standard on the HP Color Laser Jet Pro MFP M476nw and dw only. ² Touch-to-print capability is standard on the HP Color Laser Jet Pro MFP M476 dw only. ³ Local printing requires mobile device and printer to be on the same wireless network or have a direct wireless connection. Wireless performance is dependent on physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an Internet connection to an HP web-connected printer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See hp.com/go/businessmobileprinting for more details. Mopria-certified devices adhere to a common standard that enables easy mobile printing with little or no set up. ⁴ Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections. ⁵ HP Flow CM Professional is available in the United States and Canada only and through select HP partners. ⁶ Automatic two-sided printing is not available on the HP Color Laser Jet Pro MFP M476nw. ⁷ Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see <u>hp.connected.com</u>


Product walkaround

- 1 50-sheet automatic document feeder (ADF) with single-pass, dual-head scanning
- 2 Flatbed scanner
- 3 150-sheet output bin
- 4 One-door access to the preinstalled cartridges
- 5 50-sheet multipurpose tray
- 6 250-sheet input tray 2
- 7 3.5-inch (8.89 cm) color touchscreen control panel with HP Business Apps
- 8 Built-in wireless direct and touch-to-print capabilities^{1,3}
- 9 Easy-access USB port
- 10 Built-in automatic two-sided printing²
- 11 Convenient front on/off button
- 12 Telephone line out port
- 13 RJ-11 fax port
- 14 Built-in wireless networking ⁴
- 15 Fast Ethernet network port
- 16 Hi-Speed USB 2.0 printing port



HP Color LaserJet Pro MFP M476dw shown

Front view



Rear I/O panel close-up

Series at a glance







Model	HP Color LaserJet Pro MFP M476nw	HP Color LaserJet Pro MFP M476dn	HP Color LaserJet Pro MFP M476dw
Part number	CF385A	CF386A	CF387A
50-sheet multipurpose tray 1	√	\checkmark	\checkmark
250-sheet tray 2	\checkmark	\checkmark	\checkmark
250-sheet tray 3	Optional	Optional	Optional
Wireless direct ³	\checkmark	Not available	\checkmark
Touch-to-print ¹	Not available	Not available	\checkmark
Ethernet networking	\checkmark	✓	\checkmark
Wireless networking	✓	Not available	\checkmark
Automatic duplexer	Not available	\checkmark	\checkmark

¹ Touch-to-print capability is standard on M476dw only.² Available on the M476dw and M476dw models.³ Wireless direct printing is standard on the HP Color LaserJet Pro MFP M476nw and M476dw model only. ⁴ Wireless networking is standard on the HP Color LaserJet Pro MFP M476nw and M476dw model only.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. Choose from:

Optimized Care (optimum performance

and stability): 4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime): Next

Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended

support): Next Business Day Onsite Support

4 hour Onsite Support: Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support: Onsite service the next business day after the service call is received

Installation with Network Configuration Service: Assembly, network configuration, and basic administrator familiarization

For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices











Top Features

Easily print how you want, where you want. Across the office or on the go, printing to this MFP is simple and direct—even without a network—using Ethernet, wireless options, or touch-to-print technology.^{1,2,3}

Capture scans in a single pass and send them quickly to their next destination—email, network folders, or the cloud.⁵ Help boost productivity with fast, secure sign-on and advanced processing, routing, and retrieval tools.

Make copying and scanning more hands free, with a 50-page automatic document feeder and automatic two-sided printing.⁴ Let your fingers fly through tasks at the touchscreen. The easy-access USB makes it simple to walk up and print.

Accessories			
CF106A	HP LaserJet 250-sheet Paper Feeder		
Supplies ⁶			
CF380A	HP 312A Black LaserJet Toner Cartridge		
CF380X	HP 312X Black LaserJet Toner Cartridge		
CF381A	HP 312A Cyan LaserJet Toner Cartridge		
CF382A	HP 312A Yellow LaserJet Toner Cartridge		
CF383A	HP 312A Magenta LaserJet Toner Cartridge		
Services			
U1H64E	HP 3-year Next Business Day Color LaserJet M475/M476 MFP Hardware Support		
U1H65E	HP 3-year 4hr 9 x 5 Color LaserJet M475/M476 MFP Hardware Support		
U1H66E	HP 3-year 4hr 13 x 5 Color LaserJet M475/M476 MFP Hardware Support		
U1H72PE	HP 1-year Post Warranty 4hr 9 x 5 Color Laser Jet M475/M476 MFP Hardware Support		
U1H74PE	HP 1-year Post Warranty Next Business Day Color LaserJet M475/M476 MFP		
	Hardware Support		

HP Color LaserJet Pro MFP M476 series

Icehnical specifications NO functions Duplex print options Print speed' First page out Print resolution Print technology Print resolution technologies Print resolution technologies	HP Color LaserJet Pro MFP M476nw (CF385A)	HP Color LaserJet Pro MFP M476dn (CF386A)			
Duplex print options Print speed ¹ First page out Print resolution Print technology Print resolution technologies	M 1/11 1 11 0	Print, copy, scan, fax; AiO multitasking supported: Yes	HP Color LaserJet Pro MFP M476dw (CF387A)		
rint speed' irst page out rint resolution rint technology rint resolution technologies	Manual (driver support provided)		(standard)		
irst page out rint resolution rint technology rint resolution technologies	Manual (driver support provided) Automatic (standard) Normal, letter: Up to 21 ppm black, Up to 21 ppm color				
rint resolution rint technology rint resolution technologies	nonnai, tetteri o più za riprintazi, opiù za riprintazi, opiù za riprintazi Biakt (ready): Asfasta 31.6.5 sec				
int technology int resolution technologies		Black (best): Up to 600 × 600 dpi; Color (best): Up to 600 × 600 dpi			
		Laser			
rint cartridges number	HP ImageRE 3600				
		4 (1 each black, cyan, yellow, magenta)			
obile printing capability ²	HP ePrint, Apple AirPrint™, Wireless direct printing, Mopria-certified, Mobile Apps	HP ePrint, Apple AirPrint™, Mopria-certified, Mobile Apps	HP ePrint, Apple AirPrint™, Wireless direct printing, NFC touch-to-print, Mopria-certified, Mobile Apps		
tandard print languages		HP PCL 6, HP PCL 5c, HP postscript level 3 emulation, PCLm, PDF, URF			
rinter smart software features	HP ePrint, Apple AirPrint™, Wireless Direct Print, Mopria-certified, HP Auto-On/Auto-Off Technology, Intuitive 3.5" touchscreen control panel, Print from Cloud using business apps on the control panel, Print from USB	HP ePrint, Apple AirPrint [™] , Mopria-certified, HP Auto-On/Auto-Off Technology, Intuitive 3.5" touchscreen control panel, Print from Cloud using business apps on the control panel, Print from USB	HP ePrint, Apple AirPrint™, Wireless Direct Print, Mopria-certified, HP Auto-On/Auto-Off Technology, Intuitive 3.5" touchscreen control pan Print from Cloud using business apps on the control panel, Print from U		
rinter management	HP Web Jetadmin; HP Utility (Mac); HP Imaging & Printing Security Center; Device Toolbox				
an type/technology	Type: Flatbed, ADF; Technology: Contact Image Sensor (CLS)				
an speed ³	Normal, A4: Up to 17 ppm (b&w), up to 13 ppm (color); Duplex: Up to 31 ipm (b&w), up to 11 ipm (color)				
an resolution	Enhanced: Up to 300 x 300 dpi (ADF); up to 1200 x 1200 dpi (Flatbed); Hardware: Up to 300 x 300 dpi (color and mono ADF); up to 300 x 300 dpi, 600 x 600 dpi, 1200 x 1200 dpi (Flatbed) Optical: Up to 300 x 300 dpi (color and mono ADF); up to 300 x 300 dpi, 600 x 600 dpi, 1200 x 1200 dpi (Flatbed)				
can file format	PDF, searchable PDF, JPG, RTF, TXT, BMP, PNG, TIFF				
can input modes	From PC: Solution Center Lite (Windows Vista, Windows XP) or Device Stage (Windows 7); TWAIN-compliant or WIA-compliant software				
an size maximum		8.5 x 14 in (216 x 356 mm)			
anner advanced features	Scan-to-e-mail, scan-to-cloud, Scan-to-USB, Scan-to-network folder, LDAP e-mail lookup				
t depth/Grayscale levels	Bit Depth: 24-bit (color); 8-bit (mono); Grayscale: 256				
py speed⁴	Normal, letter: Up to 21 cpm black, Up to 21 cpm color				
opy resolution	Black (text and graphics): Up to 300 × 420 dpi; Color (text and graphics): Up to 300 × 420 dpi (Flatbed); 300 × 360 dpi (ADF)				
ax. no. of copies	Up to 99 copies				
opier resize	25 to 400%				
opier settings	Number of copies; Reduce/Enlarge; Lighter/Darker; Optimize; Paper; Multi-page copy; Collation; Tray Select; Two-Sided; Draft Mode; Image Adjustment; Set as New Defaults; Restore Defaults				
ax speed	3 sec per page				
ax resolution		(fine): 203 × 196 dpi; Black Photo Grayscale: 300 × 300 dpi (halftone); Black			
ax smart software features	Permanent fax memory backup, auto fax reduction, auto redialing, delayed sending, fax forwarding, TAM interface, polling, junk barrier, distinctive ring detection, cover page wizard, block fax, billing codes, save and load, poll receive, fax activity reports, dial prefix setting, receive to PC (not available with Macintosh), print fax log				
ax features	Auto fax reduction supported: Yes; Auto-Redialing: Yes; Fax delayed sending: No; Distinctive ring detection supported: Yes; Fax forwarding supported: Yes; Junk barrier supported: Yes; Maximum speed dialing numbers: Up to 120 numbers; PC interface supported: Yes, PC fax send only				
tandard connectivity	Hi-Speed USB 2.0; Fast Ethernet 10/100Base-TX; Wireless 802.11b/g/n; Host USB	Hi-Speed USB 2.0; Fast Ethernet 10/100Base-TX; Host USB	Hi-Speed USB 2.0; Fast Ethernet 10/100Base-TX; Wireless 802.11b/g/n; Host USB		
etwork capabilities		Via built-in 10/100 Base-TX Ethernet; authentication via 802.11x			
etwork ready	Standard (built-in Fast Ethernet, WiFi 802.11 b/g/n)	Standard (built-in Fast Ethernet)	Standard (built-in Fast Ethernet, WiFi 802.11 b/g/n)		
lireless capability	Yes, 802.11 b/g/n; authentication via WEP, WPA, or 802.11x; encryption via AES or TKIP	No	Yes, 802.11 b/g/n; authentication via WEP, WPA, or 802.11x; encryption via AES or TKIP; NFC		
Aemory		256 MB			
rocessor speed		800 MHz			
uty cycle (monthly) ^s aper handling		40,000 pages; Recommended monthly page volume: ⁶ Up to 1,000 to 2,500	pages		
Input	50 cbo	at multipurpose trav. 250, sheet input trav. 50, sheet Automatic Document Food			
Output	50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF)				
Media type	150-sheet output bin Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, transparencies, labels, envelopes				
Media weight	Tray 1: 16 to 47 lb (up to 58 lb with HP Color laser glossy photo papers); Tray 2, optional Tray 3: 16 to 43 lb (up to 47 lb with postcards, up to 58 lb with HP Color laser glossy photo papers); Automatic duplexer: 16 to 43 lb				
Media sizes custom		Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2, optional Tray 3: 3.94 x 5.83 to 8.5 x 14 in			
ADF capacity		Standard, 50 sheets			
imensions (W x D x H)	16.5 x 18.4 x 19.7 in; Max: 16.5 x 26.7 x 19.7 in	16.5 x 19.1 x 19.7 in; Max: 16.5 x 27.3 x 19.7 in	16.5 x 18.4 x 19.7 in; Max: 16.5 x 26.7 x 19.7 in		
leight That's in the box ⁷		63.8 lb 61.2 l			
nergy efficiency compliance					
	Not applicable ENERGY STAR® qualified; Blue Angel UZ 171 certified				
Jarranty features ompatible operating systems	One-year limited warranty Windows full software installs supported on: Windows 8 & 8.1 (32 & 64-bit) Windows 7 (32 & 64-bit), Windows Vista (32 & 64-bit), Windows VF (32-bit) (SP2 or higher); Mac full software installs: Mac OS X v 10.6 Leopard, v 10.7 Lion, v 10.8 Mountain Lion, v 10.9 Mavericks; Mobile OS native print support: IOS, Android, Windows 8 RT. Other OSs driver support: Linux (9.4, 9.5), Red Hat Enterprise Linux 5.0 (supported with a pre-built package); SUSE Linux (10.3, 11.0, 11, 11.1, 11.2), Fedora (9, 9.0, 10, 10.0, 11.0, 11, 12, 12.0), Ubuntu (8.04, 8.04.1, 8.04.2, 8.0.1, 9.04, 9.10, 10.04), Debian (5.0, 5.0.1, 5.0.2, 5.0.3) (supported by the automatic installer); HPUX 11 and Solaris 8/9				
ompatible network operating systems	IP-UX 10.20, 11.x, 11.1; IBM ANX 3.2.5 or higher; OS X 10.7 Lion; OS X 10.9 Mountain Lion; OS				
	(32-bit and 64-bit); Windows Server 2008 R2 (64-bit); Windows Server 2012 (64-bit)				
linimum system requirements	PC: Windows 8; Windows Vista; Windows 7 (SP1+); Windows Server 2003 (SP1+); Windows Server 2008; Windows Server 2008 (264-bit); Windows Server 2012 (64-bit); Windows XP (SP2+); CD-ROM or DVD drive, or internet connection; dedicated universal serial bus (USB 1.1 or 2.0 or 3.0) or network connection or Wireless connection; 200 MB available hard disk space; Operating system compatible hardware system requirements see microsoft.com; Mac: OS X 10.6 Leopard, OS X 10.7 Lion, OS X 10.8 Mountain Lion; OS X 10.9 Mavericks; Internet connection; Dedicated universal serial bus (USB 1.1 or 2.0), network or wireless connection;				
	Operating temperature range: 50 to 86° E (15 to 20° C		rating humidity range: 10 to 95% PH (non-condensing)		
	Operating temperature range: 59 to 86° F (15 to 30° C); Recommended operating temperature: 59 to 80.6° F (15 to 27° C); Non-operating humidity range: 10 to 95% RH (non-condensing); Operating humidity range: 20 to 70% RH (non-condensing); Recommended operating humidity range: 20 to 70% RH (non-condensing)				
	Operating nummery ange: 20 0 Towner transcript, net commence operating nummery range: 20 0 Towner transcript, net of the second provide the second				
nvironmental ranges	Rootsuit power emissions: 25 bit/, Rootsuit pressure emissions: 26 bit/v Power supply type: Built-in power supply. Power supply required: 110-volt input voltage: 110 to 127 VAC (+/- 10%), 60 k + (-/- 3142), 60 k dual voltage, power supply varies by part number with # Option code identifier):				
nvironmental ranges coustic ^e	Power supply type: Built-in power supply: Power supply required: 1	Power supply type: Built-in power supply. Fourer supply requiree: 10-Voit input voitage: 10 to 12 / NL (+7 - 10%, 60 H2 (+7 - 14%, 60 H2 (+7 - 14%), 60 H2 (+7 - 14\%), 60 H2 (
nvironmental ranges coustic ^a	Power supply type: Built-in power supply; Power supply required: Power consumption:9 397 watts (brint	(copy), 17.6 watts (ready), 1.5 watts (sleen), 0.8 watts (Auto-Off/Auto-On), 0.2 wa	atts (Auto-off/Manual-On), 0.2 watts (Off)		
nvironmental ranges coustic ^a Dwer	Power supply type: Built-in power supply; Power supply required: Power consumption: ⁹ 397 watts (print	(copy), 17.6 watts (ready), 1.5 watts (sleep), 0.8 watts (Auto-Off/Auto-On), 0.2 wa 3.5" (8.89 cm) intuitive touchscreen Color Graphic Display (CGD)	tts (Auto-off/Manual-On), 0.2 watts (Off)		
nvironmental ranges coustic ^a ower isplay	Power supply type: Built-in power supply. Power supply required: Power consumption:* 397 watts (print	(copy), 17.6 watts (ready), 1.5 watts (sleep), 0.8 watts (Auto-Off/Auto-On), 0.2 wa 3.5" (8.89 cm) intuitive touchscreen Color Graphic Display (CGD)	ttts (Auto-off/Manual-On), 0.2 watts (Off)		
Environmental ranges Acoustic ^a Power Display Fonts and typefaces Software included	Power consumption:• 397 watts (print	(copy), 17.6 watts (ready), 1.5 watts (sleep), 0.8 watts (Auto-Off/Auto-On), 0.2 wa 3.5" (8.89 cm) intuitive touchscreen Color Graphic Display (CGD) 84 scalable TrueType fonts CL 6 print driver, HP WIA Scan Driver, HP TwAIN Scan Driver, HP Scan, HP Fax Sett E Experience), HP Help & Learn Center, HP Product Improvement Study; Mac: HF	itts (Auto-off/Manual-On), 0.2 watts (Off) up Wizard, Scan to Folder Setup Wizard, Scan-to-e-mail setup Wizard,		
invironmental ranges Acoustic ^a Power Display Fonts and typefaces	Power consumptions ² 397 watts (print Windows: HP Installer/Uninstaller (with Wireless setup assist), HP PC HP Send Fax, HP Fax Print Driver, Status Alerts, HP Update, DXP (Device	(ropy), 17.6 watts (ready), 1.5 watts (sleep), 0.8 watts (Auto-Off/Auto-On), 0.2 wa 3.5° (8.89 cm) Intuitive touchscreen Color Graphic Display (CGD) 84 scalable TrueType fonts 21.6 print driver, HP WA Scan Driver, HP TWAIN Scan Driver, HP Scan, HP Fax Sett	tts (Auto-off/Manual-On), 0.2 watts (Off) up Wizard, Scan to Folder Setup Wizard, Scan-to-e-mail setup Wizard, I Installer/Uninstaller, HP Postscript driver, HP Scan, HP Setup Assistant,		

Neasured using ISO/IEC 24734, excludes first set of test documents. For more information see bp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ²Requires an Internet connection to the printer. Feature works with any connected Internet- and email-capable device. Requires HP Web Services Account Registration. Print times may vary. For a list of supported documents, and image types, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ²Requires and Internet connection to the printer, Feature works with any connected Internet- and email-capable device. Requires HP Web Services Account Registration. Print times may vary. For a list of supported documents, and image types, see hp.com/go/eprintereter. And for additional solutions, see hp.com/go/mobile-printing-solutions. Supports the following devices running iOS 4.2 or later: IPad[®] 2, IPhone[®] (IGS or later), IPAd[®] 2, IPAd[®] 2,

To learn more, visit hp.com

© Copyright 2014 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. Marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. All Print, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Toxalds.

