HP Latex 3100 Printer

Produce a wide range of applications, delivering on short turnaround times

Offer a diverse range of high-quality applications

- Versatile HP Latex Technology and HP Latex Optimizer deliver high image quality at speed[1]

- Handle diverse campaign and production needs from high-value indoor to economical outdoor applications

- Superb quality for signage and decoration—wide color gamut, sharp, repeatable quality, 6 colors, 1200 dpi

- Retain media value—HP Latex Inks conform to the media surface, preserving gloss and texture, unlike UV

Handle peaks in production

- Respond to increasingly shorter turnaround times without sacrificing quality—77 m^2/hr (830 ft^2/hr) indoor high quality[2]

- Proof while printing with the LED Proofing Lights for on-printer visual assessment and proofing

- Increase efficiency—Printer Status Beacon enables one person to operate multiple printers effectively

- Confidently increase unattended printing with HP Latex Mobile app[3] for remote production monitoring

Enable higher profitability

- Help reduce maintenance costs—with ramp-up training, HP Print Care preventive maintenance, uptime kits

- Help reduce support and service fees with easy servicing your operator can perform

- Maintain control over your costs and contract commitments by keeping peaks of production in-house

- JDF enabled for integrating production data—for more accurate data analysis, accounting, and cost control

For more information, please visit
hp.com/go/Latex3100

Join the community, find tools, and talk to experts.
Visit the HP Latex Knowledge Center at
hp.com/communities/HPLatex

---

[1] The HP Latex 3100 Printer is based on HP Thermal Inkjet technology—seven printheads providing over 70,000 nozzles with 12 picoliter drops, nozzle redundancy, and automatic maintenance features—enabling high image quality at high speed over long runs compared to piezo-based technology.

[2] Printed in Indoor High Quality mode (6-pass 6-color 100%).

[3] HP Latex Mobile is compatible with Android™ 4.1.2 or later and iPhone mobile digital devices running iOS 6 or later, and requires the printer and the smart phone to be connected to the Internet. Support for tablet devices available as of September, 2015.

Technical specifications

Printing	Printing modes	27 m²/hr (290 ft²/hr) - High Saturation Backlits (18-pass 6c 230%)
		44 m²/hr (470 ft²/hr) - Textiles and Canvas (10-pass 6c 170%)
		77 m²/hr (830 ft²/hr) - Indoor High Quality (6-pass 6c 100%)
		120 m²/hr (1290 ft²/hr) - Outdoor (3-pass 6c 80%)
		180 m²/hr (1950 ft²/hr) - Billboard (2-pass 4c 70%)
	Print resolution	Up to 1200 x 1200 dpi
	Ink cartridges	Black, cyan, light cyan, light magenta, magenta, yellow, HP Latex Optimizer
	Cartridge size	5 liter
	Color consistency	Maximum color difference (95% of colors) <= 2 dE2000[4]
Media	Handling	Roll-to-roll, roll-to-free fall, roll-to-collector, dual-roll, double sided
	Media types	Banners, self-adhesive vinyls, films, papers, wallcoverings, canvas. Mesh and porous textiles with optional ink collector.
	Roll size	Single roll up to 3.2 m (126 in) Dual roll up to 2 x 1.60 m (2 x 63 in)
	Roll weight	Single roll up to 160 kg (350 lb) Dual roll up to 2 x 70 kg (2 x 155 lb)
	Roll diameter	Up to 30 cm (11.8 in)
	Thickness	Up to 0.4 mm (0.015 in), by default Up to 2.0 mm (0.08 in), with custom carriage height setting
	Double sided	Registration accuracy 5 mm/m (0.06 in/ft), intended for double-sided PVC blockout banners
Dimensions (w x d x h)		Printer: 598 x 172 x 187 cm (235 x 68 x 74 in) Shipping: 586 x 193 x 216 cm (231 x 76 x 85 in)
Weight		Printer: 1740 kg (3840 lb); Shipping: 2500 kg (5510 lb)
What's in the box		HP Latex 3100 Printer, HP 881 Latex Printheads, HP 881 Latex Cleaning Roll, 126-in spindles (x2), 126-in dual roll spindles (x2), dual roll center support, HP Internal Print Server, HP webcam, documentation software, user manual, media edge holders (x4), Original HP sample media, cleaning supplies, spindle supports (x2), pneumatic gun
Environmental ranges		Standard operating conditions: Temperature: 15 to 30°C (59 to 86°F) Humidity: 20 to 70% RH (non-condensing)
		Optimal IQ operating conditions: Temperature: 20 to 25°C (68 to 77°F) Humidity: 30 to 60% RH (non-condensing)
Power consumption		9 kW (typical) - high-quality indoor mode (6-pass)
		11 kW (typical) - outdoor mode (3-pass)
Certification	Safety	IEC 60950-1+A1 compliant; United States and Canada (CSA listed); EU (LVD and MD compliant, EN60950-1, EN12100-1, EN60204-1, and EN1010); Russia, Belarus and Kazakhstan (EAC); Australia, New Zealand (RCM)
	Electromagnetic	Compliant with Class A requirements, including USA (FCC rules), Canada (ICES), EU (EMC Directive), Australia (ACMA), New Zealand (RSM)
	Environmental	WEEE, EU RoHS, China RoHS, REACH
Warranty		One-year limited hardware warranty

Ordering information

Product	L2E27A	HP Latex 3100 Printer
Accessories	CQ755B	HP Scitex Caldera RIP Software
	D9Z41A	HP Scitex Onyx Thrive 211 RIP Software
	M2J33A	HP Latex In-line Slitters
	CZ065A	HP Latex 3000 Ink Collector Kit
	F1V49A	HP Latex 3000 Ink Collector Foams Kit
	F0D27A	HP Latex 3000 Edge Holder Kit
	CZ059A	HP Latex 126-in Carbon Fiber Spindle
	G1K80A	HP Latex 126-in Dual Roll Spindle
Original HP printheads	CR327A	HP 881 Yellow/Magenta Latex Printhead
	CR328A	HP 881 Cyan/Black Latex Printhead
	CR329A	HP 881 Light Magenta/Light Cyan Latex Printhead
	CR330A	HP 881 Latex Optimizer Printhead
Original HP ink cartridges and maintenance supplies	CR331A	HP 881 5-liter Cyan Latex Ink Cartridge
	CR332A	HP 881 5-liter Magenta Latex Ink Cartridge
	CR333A	HP 881 5-liter Yellow Latex Ink Cartridge
	CR334A	HP 881 5-liter Black Latex Ink Cartridge
	CR335A	HP 881 5-liter Light Cyan Latex Ink Cartridge
	CR336A	HP 881 5-liter Light Magenta Latex Ink Cartridge
	CR337A	HP 881 5-liter Latex Optimizer Ink Cartridge
	CR339A	HP 881 Latex Cleaning Roll
Original HP large format printing materials		HP printing materials are designed together with HP Latex Inks and HP Latex printers to provide optimal image quality, consistency, and reliability.
		HP PVC-free Wall Paper (FSC® and UL GREENGUARD GOLD Certified)[5]
		HP Permanent Gloss Adhesive Vinyl REACH[6]
		HP Backlit Polyester Film ♺[7]
		HP Premium Satin Canvas
		For the entire HP Large Format Printing Materials portfolio, please see HPLFMedia.com.
Service kits	D4J02A	HP Latex 3000 Series Standard Uptime kit D4J02A
	M7J62A/K4G10-67076	HP Latex 3000 Series Extended Uptime Kit
	M7J49A/K4G10-67078	HP Latex 3100/3500 Printer Maint. Kit
	CZ056-67310	HP Latex 3000 Series Service Maintenance Kit
Service contracts	HK707AC-L2E27A	HP Parts and Remote Hardware Support Contract

[4] The color variation inside a printed job has been measured to be within this limit: maximum color difference (95% of colors) <= 2 dE2000. Reflective measurements on a 943 color target under CIE standard illuminant D50, and according to the standard CIEDE2000 as per CIE Draft Standard DS 014-6/E:2012. 5% of colors may experience variations above 2 dE2000. Backlit substrates measured in transmission mode may yield different results.

[5] BMG trademark license code FSC®-C115319, see fsc.org. HP trademark license code FSC®-C017543, see fsc.org. Not all FSC®-certified products are available in all regions. UL GREENGUARD GOLD Certification to UL 2818 demonstrates that products are certified to UL's GREENGUARD standards for low chemical emissions into indoor air during product usage. For more information, visit ul.com/gg or greenguard.org.

[6] This product does not contain substances listed as SVHC (155) per Annex XIV of the EU REACH directive published as of June 16, 2014 in concentrations exceeding 0.1%. To determine the status of SVHC in HP products, see the HP REACH Declaration published at HP Printing Products and Consumable Supplies.

[7] HP Large Format Media take-back program availability varies. Recycling programs may not exist in your area. See HPLFMedia.com/hp/ecosolutions for details.

3M™ MCS™ Warranty

This is an HP Indigo digital print.