

ISO/IEC 24734 Printing Productivity Report: Office Category

Full Detailed Test Report - LETTER

Dell C2665dnf	
---------------	--

Printing device and settings		
Test Start Date and Time	12/8/2015 10:51	
Tester	CA	
Machine name/model	Dell C2665dnf	
Colour or B&W	Colour	
FW Version	201410241149	
Temperature and Humidity	77 degF / 25 degC, 31 %rH	
Voltage	110V	
Test End Date and Time	12/8/2015 13:54	

	Item	Value
Mode and Setting	Driver Version	6.7.1 (Build 3 : 1033.1) (X64)
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	Grayscale
	Duplex B&W Settings	Grayscale
	Setting N set count	Application
Paper Path	Collating function	Activated (application)
	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
Paper	Output Orientation	Default (face down)
	Duplexing Unit (Yes/No)	Yes
	Paper Manufacturer	Xerox / HP
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

Summary Report: Letter			
	Office Category Test for Color Device	FSOT (seconds)	ESAT (ipm)
Color	Simplex	16.2	28.1
	Duplex	20.1	18.6
B&W	Simplex	15.4	28.0
	Duplex	18.7	18.6

Notes  
 1) All printing device and driver settings were default mode.  
 2) For the B/W results, the print driver was set to "print in B/W".  
 3) For more information see <http://www.hp.com/go/printerclaims>.  
 4) Port monitor not configured to follow device if the IP address changes.

Detailed Report: LETTER						
	Office Category Test	FSOT (secs)	EFTP (ipm)		ESAT (ipm)	
		1 set only (1 set)	1 set only (1 set)	1 set + 30sec (# of sets)	1 set + 4min (# of sets)	1 set + 30sec
Color Mode	Simplex - Adobe Reader	16.50	14.54 ( 1 set )	23.67 ( 5 sets )	23.99 ( 31 sets )	28.10
	Simplex - Word	16.00	15.00 ( 1 set )	23.91 ( 5 sets )		28.10
	Simplex - Excel	15.97	15.02 ( 1 set )	23.93 ( 5 sets )		28.11
	Simplex - Average	16.2	14.8	23.8	23.9	28.1
	Duplex - Adobe Reader	20.71	11.58 ( 1 set )	16.12 ( 4 sets )		18.60
	Duplex - Word	19.75	12.14 ( 1 set )	16.42 ( 4 sets )		18.60
	Duplex - Excel	19.64	12.20 ( 1 set )	16.46 ( 4 sets )		18.60
	Duplex - Average	20.1	11.9	16.3		18.6
B&W mode (optional for color device)	Simplex - Adobe Reader	15.63	15.35 ( 1 set )	24.05 ( 5 sets )	24.28 ( 31 sets )	28.08
	Simplex - Word	15.16	15.83 ( 1 set )	24.33 ( 5 sets )		28.09
	Simplex - Excel	15.15	15.84 ( 1 set )	24.33 ( 5 sets )		28.09
	Simplex - Average	15.4	15.6	24.2	24.2	28.0
	Duplex - Adobe Reader	18.97	12.64 ( 1 set )	16.62 ( 4 sets )		18.60
	Duplex - Word	18.48	12.98 ( 1 set )	16.78 ( 4 sets )		18.62
	Duplex - Excel	18.49	12.96 ( 1 set )	16.78 ( 4 sets )		18.60
	Duplex - Average	18.7	12.8	16.7		18.6

Notes  
 1) All printing device and driver settings were default mode.  
 2) For the B/W results, the print driver was set to "print in B/W".  
 3) For more information see <http://www.hp.com/go/printerclaims>.  
 4) Port monitor not configured to follow device if the IP address changes.

Test System Parameters	
Item	Value
Computer	HP Compaq Elite 8300 Small Form Factor
Processor	Intel Core i7 -3770, 3.4 GHz
System Chip Set	Intel C216 Chipset Family SMBus Host Controller
System Board	system devices, default system BIOS
System Memory	4 GB
Hard Drive Subsystem	Standard disk drive (Seagate)
Video Subsystem	AMD Radeon HD 6350
Optical Drive	HP DVD A DH16aCSHR ATA
I/O Subsystem	Builtin
USB Subsystem	USB 2.0/3.0
TCP/IP	TCP/IP 10/1000
Operating System	Windows 7 64 Bit
Printing Applications	Microsoft Office 2010
Microsoft Office	Office 2010
Adobe Reader	10
Test files and location	Office category files, hard drive

**ISO/IEC 24734 Printing Productivity Report: Office Category**

**Full Detailed Test Report - A4**

Dell C2665dnf

**Printing device and settings**

Test Start Date and Time	12/8/2015 10:51
Tester	CA
Machine name/model	Dell C2665dnf
Colour or B&W	Colour
FW Version	201410241149
Temperature and Humidity	77 degF / 25 degC, 31 %rH
Voltage	110V
Test End Date and Time	12/8/2015 13:54

Item	Value	
<b>Mode and Setting</b>	Driver Version	6.7.1 (Build 3 : 1033.1) (X64)
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	Grayscale
	Duplex B&W Settings	Grayscale
	Setting N set count	Application
	Collating function	Activated (application)
<b>Paper Path</b>	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
	Output Orientation	Default (face down)
	Duplexing Unit (Yes/No)	Yes
<b>Paper</b>	Paper Manufacturer	Xerox / HP
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

**Summary Report: A4**

Office Category Test for Color Device		FSOT (seconds)	ESAT (ipm)
<b>Colour</b>	Simplex	16.5	27.0
	Duplex	20.5	18.1
<b>B&amp;W</b>	Simplex	15.7	27.0
	Duplex	19.1	18.1

**Notes**

- 1) All printing device and driver settings were default mode.
- 2) For the B/W results, the print driver was set to "print in B/W".
- 3) For more information see <http://www.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.

**Detailed Report: A4**

	Office Category Test	FSOT (secs)	EFTP (ipm)			ESAT (ipm)
		1 set only (1 set)	1 set only (1 set)	1 set + 30sec (# of sets)	1 set + 4min (# of sets)	1 set + 30sec
<b>Colour Mode</b>	Simplex - Adobe Reader	16.78	14.29 ( 1 set )	22.92 ( 5 sets )	24.72 ( 30 sets )	27.04
	Simplex - Word	16.36	14.66 ( 1 set )	23.08 ( 5 sets )		27.04
	Simplex - Excel	16.34	14.68 ( 1 set )	23.15 ( 5 sets )		27.04
	Simplex - Average	16.5	14.5	23.0	24.7	27.0
	Duplex - Adobe Reader	21.17	11.32 ( 1 set )	15.76 ( 4 sets )		18.14
	Duplex - Word	20.19	11.88 ( 1 set )	16.04 ( 4 sets )		18.14
	Duplex - Excel	20.02	11.98 ( 1 set )	16.06 ( 4 sets )		18.14
	Duplex - Average	20.5	11.7	15.9		18.1
<b>B&amp;W mode</b> (optional for color device)	Simplex - Adobe Reader	15.92	15.07 ( 1 set )	23.31 ( 5 sets )	24.73 ( 30 sets )	27.04
	Simplex - Word	15.50	15.48 ( 1 set )	23.51 ( 5 sets )		27.05
	Simplex - Excel	15.50	15.48 ( 1 set )	23.53 ( 5 sets )		27.05
	Simplex - Average	15.7	15.3	23.4	24.7	27.0
	Duplex - Adobe Reader	19.37	12.38 ( 1 set )	16.24 ( 4 sets )		18.14
	Duplex - Word	18.87	12.70 ( 1 set )	16.40 ( 4 sets )		18.14
	Duplex - Excel	18.82	12.74 ( 1 set )	16.40 ( 4 sets )		18.14
	Duplex - Average	19.1	12.6	16.3		18.1

**Notes**

- 1) All printing device and driver settings were default mode.
- 2) For the B/W results, the print driver was set to "print in B/W".
- 3) For more information see <http://www.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.

**Test System Parameters**

Item	Value
Computer	HP Compaq Elite 8300 Small Form Factor
Processor	Intel Core i7 -3770, 3.4 GHz
System Chip Set	Intel C216 Chipset Family SMBus Host Controller
System Board	system devices, default system BIOS
System Memory	4 GB
Hard Drive Subsystem	Standard disk drive (Seagate)
Video Subsystem	AMD Radeon HD 6350
Optical Drive	HP DVD A DH16aCSHR ATA
I/O Subsystem	Builtin
USB Subsystem	USB 2.0/3.0
TCP/IP	TCP/IP 10/1000
Operating System	Windows 7 64 Bit
Printing Applications	Microsoft Office 2010
Microsoft Office	Office 2010
Adobe Reader	10
Test files and location	Office category files, hard drive

**ISO/IEC 17629 First Print Out Time Report: Office Category**

**Full Detailed Test Report - LETTER**

Dell C2665dnf	
<b>Printing device and settings</b>	
Test Start Date and Time	12/7/2015 15:57
Tester	CA
Machine name/model	Dell C2665dnf
Colour or B&W	Colour
FW Version	201410241149
Configuration (options)	Default
Controller	
Printing device page count	Not Specified
Printing supplies page count	Not Specified
Temperature and Humidity	77 degF / 25 degC, 29 %RH
Voltage	110V
Test End Date and Time	1/19/2016 9:54

Item	Value
<b>Mode and Setting</b>	
PDL and driver version	6.7.1 (Build 3 : 1033.1) (X64)
Print Quality mode	default
B&W settings	default
Paper feed orientation	Short Edge
<b>Paper</b>	
Paper type setting	default
Paper feeding	Standard cassette
Paper exit	Standard exit tray
<b>Paper Path</b>	
Output orientation	default (face up or face down)

**ISO First Page Out Time Summary Report: Office Category**

Summary Report: Letter		
<b>FPOT from Ready (seconds)</b>		
Color	Simplex	9.51
	Duplex	13.40
B&W	Simplex	8.72
	Duplex	12.05

- Notes
- 1) All printing device and driver settings were default mode.
  - 2) For the B/W results, the print driver was set to "print in B/W".
  - 3) For more information see <http://www.hp.com/go/printerclaims>.
  - 4) Port monitor not configured to follow device if the IP address changes.
  - 5) Page counts were collected after completion of the tests.

**ISO First Page Out Time Report: Office Category**

Detailed Report: LETTER						
		Word (seconds)	Excel (seconds)	Adobe Reader (seconds)	Average (seconds)	Delay Time
Color Mode	FPOT from Ready - Simplex	9.34	9.45	9.73	9.51	48 Seconds
	FPOT from Ready - Duplex	13.02	13.08	14.10	13.4	48 Seconds
	FPOT from Sleep - Simplex			21.14		80 Minutes
	Recovery Time			11.4		
	FPOT from Off - Simplex			69.85		
	Warm-up Time			60.12		
B&W Mode	FPOT from Ready - Simplex	8.47	8.60	9.08	8.72	48 Seconds
	FPOT from Ready - Duplex	11.85	11.94	12.36	12.05	48 Seconds
	FPOT from Sleep - Simplex			20.40		80 Minutes
	Recovery Time			11.3		
	FPOT from Off - Simplex			59.59		
	Warm-up Time			50.51		

- Notes
- 1) All printing device and driver settings were default mode.
  - 2) For the B/W results, the print driver was set to "print in B/W".
  - 3) For more information see <http://www.hp.com/go/printerclaims>.
  - 4) Port monitor not configured to follow device if the IP address changes.
  - 5) Page counts were collected after completion of the tests.
  - 6) Details for FPOT from Sleep are shown below.

**HP Data Table**

Detailed Report: LETTER							
		FPOT Avg (secs)	FPOT (secs) Iteration 1	FPOT (secs) Iteration 2	FPOT (secs) Iteration 3	Application	Delay Time
Color Mode	FPOT from Sleep	21.14	21.22	21.05	N/A	Adobe Reader	80 Minutes
	FPOT from Sleep (60 minutes) HP/Non ISO Test	21.14	21.22	21.05	N/A	Adobe Reader	80 Minutes
B&W Mode	FPOT from Sleep	20.40	20.49	20.30	N/A	Adobe Reader	80 Minutes
	FPOT from Sleep (60 minutes) HP/Non ISO Test	20.40	20.49	20.30	N/A	Adobe Reader	80 Minutes

- Notes
- 1) All printing device and driver settings were default mode.
  - 2) For the B/W results, the print driver was set to "print in B/W".
  - 3) DLP includes detailed iterations as data measurements may vary run to run.

**Test System Parameters**

Item	Value
<b>Test System</b>	
Computer	HP Compaq Elite 8300 Small Form Factor
Processor	Intel Core i7 -3770, 3.4 GHz
System Chip Set	Intel C216 Chipset Family SMBus Host Controller
System Board	system devices, default system BIOS
System Memory	4 GB
Hard Drive Subsystem	Standard disk drive (Seagate)
Video Subsystem	AMD Radeon HD 6350
Optical Drive	HP DVD A DH16aCSHR ATA
I/O Subsystem	Builtin
USB Subsystem	USB 2.0/3.0
<b>Printing Device Connection</b>	
TCP/IP	10/1000
<b>Software</b>	
Operating System	Windows 7 Business/Ultimate, 64 bit, Build 7601, SP 1
Printing Applications	Microsoft Office 2010 SP2
Print Driver	Adobe Reader 10.1.4
	6.7.1 (Build 3 : 1033.1) (X64)

**ISO/IEC 17629 First Print Out Time Report: Office Category**

Full Detailed Test Report - A4

Dell C2665dnf

Printing device and settings	
Test Start Date and Time	12/7/2015 15:57
Tester	CA
Machine name/model	Dell C2665dnf
Colour or B&W	Colour
FW Version	201410241149
Configuration (options)	Default
Controller	
Printing device page count	Not Specified
Printing supplies page count	Not Specified
Temperature and Humidity	77 degF / 25 degC, 29 %rH
Voltage	110V
Test End Date and Time	1/19/2016 9:54

Item	Value	
Mode and Setting	PDL and driver version	6.7.1 (Build 3 : 1033.1) (X64)
	Print Quality mode	default
	B&W settings	default
	Paper feed orientation	Short Edge
Paper	Paper type setting	default
	Paper feeding	Standard cassette
	Paper exit	Standard exit tray
Paper Path	Output orientation	default (face up or face down)

**ISO First Page Out Time Summary Report: Office Category**

Summary Report: A4		FPOT from Ready (seconds)
Colour	Simplex	9.60
	Duplex	13.64
B&W	Simplex	8.80
	Duplex	12.21

- Notes
- 1) All printing device and driver settings were default mode.
  - 2) For the B&W results, the print driver was set to "print in B/W".
  - 3) For more information see <http://www.hp.com/go/printerclaims>.
  - 4) Port monitor not configured to follow device if the IP address changes.
  - 5) Page counts were collected after completion of the tests.

**ISO First Page Out Time Report: Office Category**

Detailed Report: A4						
		Word (seconds)	Excel (seconds)	Adobe Reader (seconds)	Average (seconds)	Delay Time
Color Mode	FPOT from Ready - Simplex	9.43	9.53	9.83	9.60	48 Seconds
	FPOT from Ready - Duplex	13.29	13.30	14.31	13.64	48 Seconds
	FPOT from Sleep - Simplex			21.29		80 Minutes
	Recovery Time			11.5		
	FPOT from Off - Simplex			73.67		
	Warm-up Time			63.84		
B&W Mode	FPOT from Ready - Simplex	8.61	8.72	9.06	8.80	48 Seconds
	FPOT from Ready - Duplex	12.02	12.10	12.49	12.21	48 Seconds
	FPOT from Sleep - Simplex			20.30		80 Minutes
	Recovery Time			11.2		
	FPOT from Off - Simplex			72.62		
	Warm-up Time			63.56		

- Notes
- 1) All printing device and driver settings were default mode.
  - 2) For the B&W results, the print driver was set to "print in B/W".
  - 3) For more information see <http://www.hp.com/go/printerclaims>.
  - 4) Port monitor not configured to follow device if the IP address changes.
  - 5) Page counts were collected after completion of the tests.
  - 6) Details for FPOT from Sleep are shown below.

**HP Data Table**

Detailed Report: A4							
		FPOT Avg (secs)	FPOT (secs) Iteration 1	FPOT (secs) Iteration 2	FPOT (secs) Iteration 3	Application	Delay Time
Color Mode	FPOT from Sleep	21.29	21.22	21.35	N/A	Adobe Reader	80 Minutes
	FPOT from Sleep (60 minutes) HP/Non ISO Test	21.29	21.22	21.35	N/A	Adobe Reader	80 Minutes
B&W Mode	FPOT from Sleep	20.30	20.13	20.46	N/A	Adobe Reader	80 Minutes
	FPOT from Sleep (60 minutes) HP/Non ISO Test	20.30	20.13	20.46	N/A	Adobe Reader	80 Minutes

- Notes
- 1) All printing device and driver settings were default mode.
  - 2) For the B&W results, the print driver was set to "print in B/W".
  - 3) DLP includes detailed iterations as data measurements may vary run to run.

**Test System Parameters**

Item	Value	
Test System	Computer	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 GHz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Board	system devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 6350
	Optical Drive	HP DVD A DH16aCSHR ATA
	I/O Subsystem	Builtin
	USB Subsystem	USB 2.0/3.0
Printing Device Connection	TCP/IP	10/1000
	Operating System	Windows 7 Business/Ultimate, 64 bit, Build 7601, SP 1
Software	Printing Applications	Microsoft Office 2010 SP2
	Print Driver	Adobe Reader 10.1.4
	Print Driver	6.7.1 (Build 3 : 1033.1) (X64)

# ISO/IEC 29183 Copy Productivity Report

Full Detailed Test Report - LETTER

Dell C2665dnf	
---------------	--

Machine Setup Information	
Test Start Date and Time	12/10/2015 13:23
Tester	CA
Machine name/model	Dell C2665dnf
Colour or B&W	Colour
FW Version	201410241149
Configuration (options)	Not Specified
Temperature and Humidity	77 degF / 25 degC, 26 %rH
Test End Date and Time:	1/13/2016 10:34

	Pre-set Item	Pre-set Value
<b>Mode</b>	Output Resolution	Default
	Output Quality	Default
	Copying Mode	Colour for Colour and B&W for B&W
	Auto Density Adjustment	Default
	Collating function	Set in Control Panel
<b>Paper</b>	Paper Sending Direction	Default
	Paper Type Setting	Default
<b>Paper Path</b>	Paper Feeding	Tray 2
	Paper Exit	Default
	Face Up Exit	Default (face down)
<b>Temporary Stop</b>	Fixing Capability	Default
	Image Quality Stability	Default
	Capacity of Paper	Default
	Others	None

<b>Paper</b>	Paper Manufacturer	Xerox / HP
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

Summary Report: <b>Letter</b>		
	sFCOT	sESAT (ipm)
<b>Color</b>	15.0	28.0
<b>B&amp;W</b>	12.7	28.0

Notes  
 First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration and document.  
 Copy count is limited to 99, so the 4 minute test is shortened.

Detailed Report: <b>LETTER</b>						
	Target	sFCOT (secs)	sEFTP (ipm)			sESAT (ipm)
			1copy	1copy+30sec	1copy+4minutes	
<b>Color</b>	A	15.85	3.78	21.01 17 sets	23.69 99 sets	28.09
	B	15.13	3.97	20.77 17 sets	<del>23.69</del> <del>99 sets</del>	28.10
	C	14.39	4.16	21.02 17 sets	<del>23.69</del> <del>99 sets</del>	28.08
	D	14.32	4.18	19.96 16 sets	<del>23.69</del> <del>99 sets</del>	28.08
	Average	15.0	4.0	20.6	23.6	28.0
<b>B&amp;W</b>	A	12.90	4.64	21.40 16 sets	24.00 99 sets	28.09
	B	11.30	5.30	21.29 16 sets	<del>24.00</del> <del>99 sets</del>	28.08
	C	13.03	4.60	22.24 17 sets	<del>24.00</del> <del>99 sets</del>	28.07
	D	13.26	4.52	22.45 17 sets	<del>24.00</del> <del>99 sets</del>	28.09
	Average	12.7	4.7	21.8	24.0	28.0

Notes  
 First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration and document.

# ISO/IEC 29183 Copy Productivity Report

## Full Detailed Test Report - A4

Dell C2665dnf	
---------------	--

Machine Setup Information	
Test Start Date and Time	12/10/2015 13:23
Tester	CA
Machine name/model	Dell C2665dnf
Colour or B&W	Colour
FW Version	201410241149
Configuration (options)	Not Specified
Temperature and Humidity	77 degF / 25 degC, 26 %rH
Test End Date and Time:	1/13/2016 10:34

	Pre-set Item	Pre-set Value
<b>Mode</b>	Output Resolution	Default
	Output Quality	Default
	Copying Mode	Colour for Colour and B&W for B&W
	Auto Density Adjustment	Default
	Collating function	Set in Control Panel
<b>Paper</b>	Paper Sending Direction	Default
	Paper Type Setting	Default
<b>Paper Path</b>	Paper Feeding	Tray 2
	Paper Exit	Default
	Face Up Exit	Default (face down)
<b>Temporary Stop</b>	Fixing Capability	Default
	Image Quality Stability	Default
	Capacity of Paper	Default
	Others	None

<b>Paper</b>	Paper Manufacturer	Xerox / HP
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

Summary Report: A4		
	sFCOT	sESAT (ipm)
<b>Colour</b>	14.8	27.0
<b>B&amp;W</b>	12.1	27.0

Notes  
 First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration and document.  
 Copy count is limited to 99, so the 4 minute test is shortened.

Detailed Report: A4						
	Target	sFCOT (secs)	sEFTP (ipm)			sESAT (ipm)
			1copy	1copy+30sec	1copy+4minutes	
<b>Colour</b>	A	14.65	4.09	20.05 16 sets	21.68 99 sets	27.04
	B	14.63	4.10	19.91 16 sets	<del>21.68 99 sets</del>	27.05
	C	15.28	3.93	20.04 16 sets	<del>21.68 99 sets</del>	27.04
	D	14.64	4.09	20.03 16 sets	<del>21.68 99 sets</del>	27.05
	Average	14.8	4.0	20.0	21.6	27.0
<b>B&amp;W</b>	A	13.28	4.51	20.67 16 sets	24.02 99 sets	27.05
	B	11.43	5.24	20.64 16 sets	<del>24.02 99 sets</del>	27.05
	C	12.18	4.93	20.59 16 sets	<del>24.02 99 sets</del>	27.05
	D	11.46	5.23	21.47 16 sets	<del>24.02 99 sets</del>	27.05
	Average	12.1	4.9	20.8	24.0	27.0

Notes  
 First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration and document.

# ISO/IEC 24735 Copy Productivity Report

Full Detailed Test Report - LETTER

Machine Setup Information	
Test Start Date and Time	12/17/2015 9:32
Tester	CA
Machine name/model	Dell C2665dnf
Colour or B&W	Colour
FW Version	201410241149
Configuration (options)	Not Specified
Temperature and Humidity	76 degF / 24 degC, 14 %rH
Test End Date and Time:	1/12/2016 8:53
Pre-set Item	Pre-set Value
Output Resolution	Default
Output Quality	Default
Copying Mode	Default
Auto Density Adjustment	Default
Collating function	Activated (if not activated in default mode)
Paper Sending Direction	Default
Paper Type Setting	Default
Paper Feeding	Standard cassette
Paper Exit	Standard exit tray
Face Up Exit	Default
Fixing Capability	Default
Image Quality Stability	Default
Capacity of Paper	Default
Others	Default
Paper Manufacturer	Xerox / HP
Paper Weight	20lb / 75 g/m2
Paper Size	Letter / A4

ISO/IEC 24735 Copy Productivity Report						
Detailed Report: LETTER						
	Copying Mode	FSOT (secs)	EFTP (ipm)			ESAT (ipm)
		1 set only	1 set only	1 set + 30sec	1 set + 4min	1 set + 30sec
Color Mode	1:1	27.07	8.86	19.30	24.59	27.12
			( 1 set )	5 sets	28 sets	
	1:2	32.63	7.34	13.42	<del>XXXXXX</del>	18.60
			( 1 set )	4 sets	<del>XXXXXX</del>	
	2:2	44.78	5.34	12.02	<del>XXXXXX</del>	18.60
			( 1 set )	4 sets	<del>XXXXXX</del>	
B&W mode	1:1	19.30	12.43	22.43	23.98	28.09
				5 sets	31 sets	
	1:2	27.82	8.62	14.40	<del>XXXXXX</del>	18.60
				4 sets	<del>XXXXXX</del>	
	2:2	29.54	8.10	14.06	<del>XXXXXX</del>	18.60
				4 sets	<del>XXXXXX</del>	

Notes  
Reports located: <http://www.hp.com/go/printerclaims>

# ISO/IEC 24735 Copy Productivity Report

## Full Detailed Test Report - A4

Machine Setup Information	
Test Start Date and Time	12/17/2015 9:32
Tester	CA
Machine name/model	Dell C2665dnf
Colour or B&W	Colour
FW Version	201410241149
Configuration (options)	Not Specified
Temperature and Humidity	76 degF / 24 degC, 14 %rH
Test End Date and Time:	1/12/2016 8:53
Pre-set Item	Pre-set Value
Output Resolution	Default
Output Quality	Default
Copying Mode	Default
Auto Density Adjustment	Default
Collating function	Activated (if not activated in default mode)
Paper Sending Direction	Default
Paper Type Setting	Default
Paper Feeding	Standard cassette
Paper Exit	Standard exit tray
Face Up Exit	Default
Fixing Capability	Default
Image Quality Stability	Default
Capacity of Paper	Default
Others	Default
Paper Manufacturer	Xerox / HP
Paper Weight	20lb / 75 g/m2
Paper Size	Letter / A4

# ISO/IEC 24735 Copy Productivity Report

Detailed Report: A4						
	Copying Mode	FSOT (secs)	EFTP (ipm)			ESAT (ipm)
		1 set only	1 set only	1 set + 30sec	1 set + 4min	1 set + 30sec
Colour Mode	1:1	28.02	8.56	18.62	22.89	26.20
			( 1 set )	5 sets	27 sets	
	1:2	33.38	7.18	13.12	<del>XXXXXX</del>	18.14
			( 1 set )	4 sets	<del>XXXXXX</del>	
	2:2	45.99	5.20	11.24	<del>XXXXXX</del>	18.14
			( 1 set )	4 sets	<del>XXXXXX</del>	
B&W mode	1:1	20.67	11.61	21.27	23.61	27.04
				5 sets	30 sets	
	1:2	27.71	8.66	14.24	<del>XXXXXX</del>	18.14
				4 sets	<del>XXXXXX</del>	
	2:2	30.03	7.98	13.74	<del>XXXXXX</del>	18.14
				4 sets	<del>XXXXXX</del>	

Notes  
 Reports located: <http://www.hp.com/go/printerclaims>