

ISO/IEC 24734 Printing Productivity Report: Office Category

Full Detailed Test Report - LETTER

HP LaserJet Pro M501

Printing device and settings	
Test Start Date and Time	1/1/0001 12:00:00 AM
Tester	JB
Machine name/model	HP LaserJet Pro M501
Colour or B&W	B&W
FW Version	20150924
Temperature and Humidity	74 degF / 23 degC 40.5 %rH
Voltage	110V
Test End Date and Time	10/19/2015 12:55

Item	Value	
Mode and Setting	Driver Version	Release15287_209-183
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	Default
	Duplex B&W Settings	Default
	Setting N set count	Application
	Collating function	Activated (application)
Paper Path	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
	Output Orientation	Default (face down)
	Duplexing Unit (Yes/No)	Yes
Paper	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

Summary Report: Letter			
Office Category	Test for B&W Device	FSOT (seconds)	ESAT (ipm)
B&W	Simplex	9.6	45.8
	Duplex	15.7	37.6

Notes
 1) All printing device and driver settings were default mode.
 2) For the B/W results, the print driver was set to "print in B/W".
 3) For more information see <http://www.hp.com/go/printerclaims>.
 4) Port monitor not configured to follow device if the IP address changes.

Detailed Report: LETTER						
	Office Category Test	FSOT (secs) 1 set only (1 set)	EFTP (ipm)			ESAT (ipm) 1 set + 30sec
			1 set only (1 set)	1 set + 30sec (# of sets)	1 set + 4min (# of sets)	
Color Mode	Simplex - Adobe Reader		(1 set)			
	Simplex - Word		(1 set)			
	Simplex - Excel		(1 set)			
	Simplex - Average					
	Duplex - Adobe Reader	N/A	N/A	N/A		N/A
	Duplex - Word	N/A	N/A	N/A		N/A
	Duplex - Excel	N/A	N/A	N/A		N/A
	Duplex - Average	N/A	N/A	N/A		N/A
B&W mode (optional for color device)	Simplex - Adobe Reader	9.93	24.16 (1 set)	41.25 (8 sets)	35.53 (50 sets)	45.89
	Simplex - Word	9.29	25.83 (1 set)	41.80 (8 sets)		45.88
	Simplex - Excel	9.42	25.48 (1 set)	41.63 (8 sets)		45.84
	Simplex - Average	9.6	25.1	41.5	35.5	45.8
	Duplex - Adobe Reader	17.46	13.74 (1 set)	30.04 (7 sets)		38.50
	Duplex - Word	16.75	14.32 (1 set)	29.14 (6 sets)		37.26
	Duplex - Excel	12.79	18.76 (1 set)	31.46 (6 sets)		37.26
	Duplex - Average	15.7	15.6	30.2		37.6

Notes
 1) All printing device and driver settings were default mode.
 2) For the B/W results, the print driver was set to "print in B/W".
 3) For more information see <http://www.hp.com/go/printerclaims>.
 4) Port monitor not configured to follow device if the IP address changes.

Test System Parameters	
Item	Value
Computer	HP Compaq Elite 8300 Small Form Factor
Processor	Intel Core i7 -3770, 3.4 GHz
System Chip Set	Intel C216 Chipset Family SMBus Host Controller
System Board	system devices, default system BIOS
System Memory	4 GB
Hard Drive Subsystem	Standard disk drive (Seagate)
Video Subsystem	AMD Radeon HD 6350
Optical Drive	HP DVD A DH16aCSHR ATA
I/O Subsystem	Builtin
USB Subsystem	USB 2.0/3.0
TCP/IP	TCP/IP 10/1000
Operating System	Windows 7 64 Bit
Printing Applications	Microsoft Office 2010
Microsoft Office	Office 2010
Adobe Reader	10
Test files and location	Office category files, hard drive

ISO/IEC 24734 Printing Productivity Report: Office Category

Full Detailed Test Report - A4

HP LaserJet Pro M501

Printing device and settings	
Test Start Date and Time	1/1/0001 12:00:00 AM
Tester	JB
Machine name/model	HP LaserJet Pro M501
Colour or B&W	B&W
FW Version	20150924
Temperature and Humidity	74 degF / 23 degC 40.5 %rH
Voltage	110V
Test End Date and Time	10/19/2015 12:55

Item	Value	
Mode and Setting	Driver Version	Release15287_209-183
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	Default
	Duplex B&W Settings	Default
	Setting N set count	Application
Paper Path	Collating function	Activated (application)
	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
	Output Orientation	Default (face down)
Paper	Duplexing Unit (Yes/No)	Yes
	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
Paper type/name		HP Multipurpose Ultra White / HP Office

Summary Report: A4			
Office Category Test for B&W Device		FSOT (seconds)	ESAT (ipm)
B&W	Simplex	9.9	43.3
	Duplex	13.5	35.4

Notes
 1) All printing device and driver settings were default mode.
 2) For the B/W results, the print driver was set to "print in B/W".
 3) For more information see <http://www.hp.com/go/printerclaims>.
 4) Port monitor not configured to follow device if the IP address changes.

Detailed Report: A4						
	Office Category Test	FSOT (secs)	EFTP (ipm)			ESAT (ipm)
			1 set only (1 set)	1 set only (1 set)	1 set + 30sec (# of sets)	
Colour Mode	Simplex - Adobe Reader		(1 set)			
	Simplex - Word		(1 set)			
	Simplex - Excel		(1 set)			
	Simplex - Average					
	Duplex - Adobe Reader	N/A	N/A	N/A		N/A
	Duplex - Word	N/A	N/A	N/A		N/A
	Duplex - Excel	N/A	N/A	N/A		N/A
	Duplex - Average	N/A	N/A	N/A		N/A
B&W mode (optional for color device)	Simplex - Adobe Reader	10.24	23.43 (1 set)	38.62 (7 sets)	36.17 (48 sets)	43.33
	Simplex - Word	9.61	24.97 (1 set)	39.23 (7 sets)		43.32
	Simplex - Excel	9.72	24.69 (1 set)	39.07 (7 sets)		43.29
	Simplex - Average	9.9	24.3	38.9	36.1	43.3
	Duplex - Adobe Reader	13.84	17.32 (1 set)	29.74 (6 sets)		35.46
	Duplex - Word	13.21	18.16 (1 set)	27.96 (6 sets)		35.46
	Duplex - Excel	13.34	17.98 (1 set)	30.18 (6 sets)		35.50
	Duplex - Average	13.5	17.8	29.2		35.4

Notes
 1) All printing device and driver settings were default mode.
 2) For the B/W results, the print driver was set to "print in B/W".
 3) For more information see <http://www.hp.com/go/printerclaims>.
 4) Port monitor not configured to follow device if the IP address changes.

Test System Parameters	
Item	Value
Computer	HP Compaq Elite 8300 Small Form Factor
Processor	Intel Core i7 - 3770, 3.4 GHz
System Chip Set	Intel C216 Chipset Family SMBus Host Controller
System Board	system devices, default system BIOS
System Memory	4 GB
Hard Drive Subsystem	Standard disk drive (Seagate)
Video Subsystem	AMD Radeon HD 6350
Optical Drive	HP DVD A DH16aCSHR ATA
I/O Subsystem	Builtin
USB Subsystem	USB 2.0/3.0
TCP/IP	TCP/IP 10/1000
Operating System	Windows 7 64 Bit
Printing Applications	Microsoft Office 2010
Microsoft Office	Office 2010
Adobe Reader	10
Test files and location	Office category files, hard drive

ISO/IEC 24734 Printing Productivity Report: Office Category

Feature Performance Full Report - 'Office Feature Performance Test - A5

HP LaserJet Pro M501

Printing device and settings	
Test Start Date and Time	1/1/0001 12:00:00 AM
Tester	JB
Machine name/model	HP LaserJet Pro M501
Colour or B&W	B&W
FW Version	20150924
Temperature and Humidity	74 degF / 23 degC 40.5 %rH
Voltage	110V
Test End Date and Time	10/19/2015 12:55

Item	Value	
Mode and Setting	Driver Version	Release15287_209-183
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	Default
	Duplex B&W Settings	Default
	Setting N set count	Application
Collating function	Activated (application)	
Paper Path	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
	Output Orientation	Default (face down)
	Duplexing Unit (Yes/No)	Yes
Paper	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

ISO Print Productivity Report: Feature Performance Test Summary

Printing Modes (Feature Adobe Reader - Office test file)		Feature Performance Ratio	
		A5	
		FSOT (base)	ESAT (feature)
		FSOT (feature)	ESAT (base)
A5 Landscape Feed - Colour	Simplex	N/A	N/A
A5 Portrait Feed - Colour	Simplex	N/A	N/A
A5 Landscape Feed - B/W	Simplex	181%	152%
A5 Portrait Feed - B/W	Simplex	N/S	N/S

- Notes
- 1) All printing device and driver settings were default mode.
 - 2) Test conducted with 8-paper Office Feature Performance file.
 - 3) For more information see <http://www.hp.com/go/printerclaims>.
 - 4) Port monitor not configured to follow device if the IP address changes.
 - 5) N/S is Not Supported.

Feature Performance Full Report - Feature Printing Mode: 'Office' Feature Performance Test

Printing Modes Feature Adobe Reader - Office test file (8-page)	Base Printing Mode		Feature Performance			
			A5			
	FSOT Base	ESAT Base	1 set FSOT (secs)	1 set + 30 sec ESAT (ipm)	FSOT (base) FSOT (feature)	ESAT (feature) ESAT (base)
Simplex A5 Landscape Feed - Colour	N/A	N/A	N/A	N/A	N/A	N/A
Simplex A5 Portrait Feed - Colour	N/A	N/A	N/A	N/A	N/A	N/A
Simplex A5 Landscape Feed - B/W	21.78	43.33	12.09	66.0	181%	152%
Simplex A5 Portrait Feed - B/W	N/S	N/S	N/S	N/S	N/S	N/S

- Notes
- 1) All printing device and driver settings were default mode.
 - 2) Test conducted with 8-paper Office Feature Performance file.
 - 3) For more information see <http://www.hp.com/go/printerclaims>.
 - 4) Port monitor not configured to follow device if the IP address changes.
 - 5) N/S is Not Supported.

Test System Parameters		
Item	Value	
Test System	Computer	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 GHz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Board	system devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 6350
	Optical Drive	HP DVD A DH16aCSHR ATA
	I/O Subsystem	Builtin
	USB Subsystem	USB 2.0/3.0
I/O	TCP/IP	TCP/IP 10/1000
Software	Operating System	Windows 7 64 Bit
	Printing Applications	Microsoft Office 2010
	Microsoft Office	Office 2010
	Adobe Reader	10
	Test files and location	Office category files, hard drive

ISO/IEC 17629 First Print Out Time Report: Office Category

Full Detailed Test Report - LETTER

HP LaserJet Pro M501

Printing device and settings		
Test Start Date and Time	1/1/0001 12:00:00 AM	
Tester	JB	
Machine name/model	HP LaserJet Pro M501	
Colour or B&W	B&W	
FW Version	20150924	
Configuration (options)	Default	
Controller	11803	
Printing device page count	Not Specified	
Printing supplies page count	Not Specified	
Temperature and Humidity	74 degF / 23 degC 40.5 %rH	
Voltage	110V	
Test End Date and Time	10/20/2015 7:29	
Item	Value	
Mode and Setting	PDL and driver version	Release15287_209-183
	Print Quality mode	default
	B&W settings	default
Paper	Paper feed orientation	Short Edge
	Paper type setting	default
Paper Path	Paper feeding	Standard cassette
	Paper exit	Standard exit tray
	Output orientation	default (face up or face down)

ISO First Page Out Time Summary Report: Office Category

Summary Report: LETTER		
		FPOT from Ready (seconds)
B&W	Simplex	5.63
	Duplex	11.86

- Notes
- 1) All printing device and driver settings were default mode.
 - 2) For the B/W results, the print driver was set to "print in B/W".
 - 3) For more information see <http://www.hp.com/go/printerclaims>.
 - 4) Port monitor not configured to follow device if the IP address changes.
 - 5) Page counts were collected after completion of the tests.
 - 6) Page counts were collected after completion of the tests.

ISO First Page Out Time Report: Office Category

Detailed Report: LETTER						
		Word (seconds)	Excel (seconds)	Adobe Reader (seconds)	Average (seconds)	Delay Time
Color Mode	FPOT from Ready - Simplex					
	FPOT from Ready - Duplex					
	FPOT from Sleep - Simplex			N/A		
	Recovery Time					
	FPOT from Off - Simplex					
	Warm-up Time					
B&W Mode	FPOT from Ready - Simplex	5.40	5.51	5.98	5.63	49 Seconds
	FPOT from Ready - Duplex	10.74	10.15	14.67	11.86	49 Seconds
	FPOT from Sleep - Simplex			7.29		65 Minutes
	Recovery Time			1.3		
	FPOT from Off - Simplex			44.10		
	Warm-up Time			38.13		

- Notes
- 1) All printing device and driver settings were default mode.
 - 2) For the B/W results, the print driver was set to "print in B/W".
 - 3) For more information see <http://www.hp.com/go/printerclaims>.
 - 4) Port monitor not configured to follow device if the IP address changes.
 - 5) Page counts were collected after completion of the tests.
 - 6) Details for FPOT from Sleep are shown below.

HP Data Table

Detailed Report: LETTER							
		FPOT Avg (secs)	FPOT (secs) Iteration 1	FPOT (secs) Iteration 2	FPOT (secs) Iteration 3	Application	Delay Time
Color Mode	FPOT from Sleep	N/A	N/A	N/A	N/A	Adobe Reader	
	FPOT from Sleep (60 minutes) HP/Non ISO Test	N/A	N/A	N/A	N/A	Adobe Reader	
B&W Mode	FPOT from Sleep	7.29	7.16	7.42	N/A	Adobe Reader	65 Minutes
	FPOT from Sleep (60 minutes) HP/Non ISO Test	7.29	7.16	7.42	N/A	Adobe Reader	65 Minutes

- Notes
- 1) All printing device and driver settings were default mode.
 - 2) For the B/W results, the print driver was set to "print in B/W".
 - 3) DUP includes detailed iterations as data measurements may vary run to run.

Test System Parameters		
Item	Value	
Test System	Computer	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 GHz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Board	system devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 6350
	Optical Drive	HP DVD A DH16aCSHR ATA
	I/O Subsystem	Builtin
	USB Subsystem	USB 2.0/3.0
Printing Device Connection	TCP/IP	10/1000
	Operating System	Windows 7 Business/Ultimate, 64 bit, Build 7601, SP 1
Software	Printing Applications	Microsoft Office 2010 SP2
		Adobe Reader 10.1.4
	Print Driver	Release15287_209-183

ISO/IEC 17629 First Print Out Time Report: Office Category

Full Detailed Test Report - A4

HP LaserJet Pro M501		
Printing device and settings		
Test Start Date and Time	1/1/0001 12:00:00 AM	
Tester	JB	
Machine name/model	HP LaserJet Pro M501	
Colour or B&W	B&W	
FW Version	20150924	
Configuration (options)	Default	
Controller	11803	
Printing device page count	Not Specified	
Printing supplies page count	Not Specified	
Temperature and Humidity	74 degF / 23 degC 40.5 %rH	
Voltage	110V	
Test End Date and Time	10/20/2015 7:29	

	Item	Value
Mode and Setting	PDL and driver version	Release15287_209-183
	Print Quality mode	default
	B&W settings	default
Paper	Paper feed orientation	Short Edge
	Paper type setting	default
	Paper feeding	Standard cassette
Paper Path	Paper exit	Standard exit tray
	Output orientation	default (face up or face down)

ISO First Page Out Time Summary Report: Office Category

Summary Report: A4		
		FPOT from Ready (seconds)
B&W	Simplex	5.71
	Duplex	11.95

Notes
1) All printing device and driver settings were default mode.
2) For the B/W results, the print driver was set to "print in B/W".
3) For more information see <http://www.hp.com/go/printerclaims>.
4) Port monitor not configured to follow device if the IP address changes.
5) Page counts were collected after completion of the tests.

ISO First Page Out Time Report: Office Category

Detailed Report: A4						
		Word (seconds)	Excel (seconds)	Adobe Reader (seconds)	Average (seconds)	Delay Time
Color Mode	FPOT from Ready - Simplex					
	FPOT from Ready - Duplex					
	FPOT from Sleep - Simplex			N/A		
	Recovery Time					
	FPOT from Off - Simplex					
	Warm-up Time					
B&W Mode	FPOT from Ready - Simplex	5.45	5.59	6.08	5.71	49 Seconds
	FPOT from Ready - Duplex	10.85	10.27	14.72	11.95	49 Seconds
	FPOT from Sleep - Simplex			7.18		65 Minutes
	Recovery Time			1.1		
	FPOT from Off - Simplex			47.48		
	Warm-up Time			41.40		

Notes
1) All printing device and driver settings were default mode.
2) For the B/W results, the print driver was set to "print in B/W".
3) For more information see <http://www.hp.com/go/printerclaims>.
4) Port monitor not configured to follow device if the IP address changes.
5) Page counts were collected after completion of the tests.
6) Details for FPOT from Sleep are shown below.

HP Data Table

Detailed Report: A4							
		FPOT Avg (secs)	FPOT (secs) Iteration 1	FPOT (secs) Iteration 2	FPOT (secs) Iteration 3	Application	Delay Time
Color Mode	FPOT from Sleep	N/A	N/A	N/A	N/A	Adobe Reader	
	FPOT from Sleep (60 minutes) HP/Non ISO Test	N/A	N/A	N/A	N/A	Adobe Reader	
	FPOT from Sleep	7.18	7.23	7.13	N/A	Adobe Reader	65 Minutes
B&W Mode	FPOT from Sleep (60 minutes) HP/Non ISO Test	7.18	7.23	7.13	N/A	Adobe Reader	65 Minutes

Notes
1) All printing device and driver settings were default mode.
2) For the B/W results, the print driver was set to "print in B/W".
3) DLP includes detailed iterations as data measurements may vary run to run.

Test System Parameters		
	Item	Value
Test System	Computer	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 GHz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Board	system devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 6350
	Optical Drive	HP DVD A DH16aC5HR ATA
	I/O Subsystem	Built-in
	USB Subsystem	USB 2.0/3.0
Printing Device Connection	TCP/IP	10/1000
	Operating System	Windows 7 Business/Ultimate, 64 bit, Build 7601, SP 1
Software	Printing Applications	Microsoft Office 2010 SP2
		Adobe Reader 10.1.4
	Print Driver	Release15287_209-183