

ISO/IEC 24734 Printing Productivity Report: Office Category

Full Detailed Test Report - LETTER

HP LaserJet MFP M230FDW

Printing device and settings	
Test Start Date and Time	9/14/2016 14:04
Tester	Barry
Machine name/model	HP LaserJet MFP M230FDW
Colour or B&W	B&W
FW Version	20160908
Temperature and Humidity	75 degF / 24 degC 25.0 %rH
Voltage	220V
Test End Date and Time	9/18/2016 17:22

Item	Value
Mode and Setting	Driver Version 40.2.1082
	Media/Quality Setting Default / Default
	Simplex B&W Settings Not Specified
	Duplex B&W Settings Not Specified
	Setting N set count Application
Paper Path	Collating function Activated (application)
	Paper Sending Direction Default
	Paper Size Setting Default
	Paper Feeding Tray 2
	Paper Exit Standard Exit Tray
Paper	Output Orientation Default (face down)
	Duplexing Unit (Yes/No) Yes
	Paper Manufacturer HP / Xerox
	Paper Weight 20lb / 75 g/m2
	Paper Size Letter / A4
	Paper type/name HP Multipurpose Ultra White / HP Office

Summary Report: Letter		
Office Category Test for B&W Device		FSOT (seconds)
B&W	Simplex	12.64
	Duplex	18.37
		ESAT (ipm)
		30.21
		18.72

Notes:

- 1) All printing device and driver settings were default mode.
- 2) For the B/W results, the print driver was set to "print in B/W".
- 3) For more information see <http://w.w.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.

Detailed Report: LETTER						
	Office Category Test	FSOT (secs)	FSOT (secs)	EFTP (ipm)	EFTP (ipm)	ESAT (ipm)
		1 set only (1 set)	1 set only (1 set)	1 set + 30sec (# of sets)	1 set + 4min (# of sets)	1 set + 30sec
Color Mode	Simplex - Adobe Reader		(1 set)			
	Simplex - Word		(1 set)			
	Simplex - Excel		(1 set)			
	Simplex - Average					
	Duplex - Adobe Reader	N/A	N/A	N/A		N/A
	Duplex - Word	N/A	N/A	N/A		N/A
	Duplex - Excel	N/A	N/A	N/A		N/A
	Duplex - Average	N/A	N/A	N/A		N/A
B&W mode (optional for color device)	Simplex - Adobe Reader	12.89	18.62 (1 set)	27.41 (6 sets)	26.71 (34 sets)	30.18
	Simplex - Word	12.26	19.57 (1 set)	27.71 (6 sets)		30.23
	Simplex - Excel	12.76	18.80 (1 set)	27.48 (6 sets)		30.22
	Simplex - Average	12.64	18.99	27.53	26.7	30.21
	Duplex - Adobe Reader	18.62	12.88 (1 set)	16.80 (4 sets)		18.74
	Duplex - Word	17.84	13.44 (1 set)	17.02 (4 sets)		18.72
	Duplex - Excel	18.64	12.88 (1 set)	16.76 (4 sets)		18.72
	Duplex - Average	18.37	13.06	16.86		18.72

Notes:

- 1) All printing device and driver settings were default mode.
- 2) For the B/W results, the print driver was set to "print in B/W".
- 3) For more information see <http://w.w.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.

Test System Parameters	
Item	Value
Computer	HP Z240 SFF Workstation
Processor	Intel Core i7-6770, 3.4 GHz
System Chip Set	Intel SKL/KBL Mobile/Desktop
System Board	system devices, default system BIOS
System Memory	8 GB
Hard Drive Subsystem	Turbo Drive G2 256GB PCIe SSD
Video Subsystem	Microsoft Basic Display Adaptor
Optical Drive	HP iLDS DVD/CD RW GUD1N
I/O Subsystem	Builtin
USB Subsystem	USB 2.0/3.0
TCP/IP	
10/1000	
Operating System	Win 10 Enterprise 64 Bit (10240)
Printing Applications	Microsoft Office Word 2016
	Acrobat Reader DC
Print Driver	Microsoft Office Excel 2016
	Not Specified
Test files and location	Office category files, hard drive

ISO/IEC 24734 Printing Productivity Report: Office Category

Full Detailed Test Report - A4

HP LaserJet MFP M230FDW

Printing device and settings

Test Start Date and Time	9/14/2016 14:04
Tester	Barry
Machine name/model	HP LaserJet MFP M230FDW
Colour or B&W	B&W
FW Version	20160908
Temperature and Humidity	75 degF / 24 degC 25.0 %rH
Voltage	220V
Test End Date and Time	9/18/2016 17:22

	Item	Value
Mode and Setting	Driver Version	40.2.1082
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	Not Specified
	Duplex B&W Settings	Not Specified
	Setting N set count	Application
Paper Path	Collating function	Activated (application)
	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
	Output Orientation	Default (face down)
	Duplexing Unit (Yes/No)	Yes
Paper	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

Summary Report: A4

Office Category Test for B&W Device		FSOT (seconds)	ESAT (ipm)
B&W	Simplex	13.06	28.71
	Duplex	19.10	18.13

Notes

- 1) All printing device and driver settings were default mode.
- 2) For the B/W results, the print driver was set to "print in B/W".
- 3) For more information see <http://w.w.w.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.

Detailed Report: A4

	Office Category Test	FSOT (secs)	EFTP (ipm)		ESAT (ipm)	
		1 set only (1 set)	1 set only (1 set)	1 set + 30sec (# of sets)	1 set + 4min (# of sets)	1 set + 30sec
Colour Mode	Simplex - Adobe Reader		(1 set)			
	Simplex - Word		(1 set)			
	Simplex - Excel		(1 set)			
	Simplex - Average		(1 set)			
	Duplex - Adobe Reader	N/A	N/A	N/A		N/A
	Duplex - Word	N/A	N/A	N/A		N/A
	Duplex - Excel	N/A	N/A	N/A		N/A
	Duplex - Average	N/A	N/A	N/A		N/A
B&W mode (optional for color device)	Simplex - Adobe Reader	13.16	18.24 (1 set)	25.66 (5 sets)	25.01 (32 sets)	28.75
	Simplex - Word	12.82	18.72 (1 set)	26.05 (5 sets)		28.69
	Simplex - Excel	13.20	18.18 (1 set)	25.77 (5 sets)		28.69
	Simplex - Average	13.1	18.38 (1 set)	25.82 (4 sets)	25.0	28.71
	Duplex - Adobe Reader	18.96	12.66 (1 set)	16.30 (4 sets)		18.14
	Duplex - Word	18.39	13.04 (1 set)	16.56 (4 sets)		18.12
	Duplex - Excel	19.94	12.02 (1 set)	16.06 (4 sets)		18.14
	Duplex - Average	19.1	12.57 (1 set)	16.30 (4 sets)		18.13

Notes

- 1) All printing device and driver settings were default mode.
- 2) For the B/W results, the print driver was set to "print in B/W".
- 3) For more information see <http://w.w.w.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.

Test System Parameters

Item	Value
Computer	HP Z240 SFF Workstation
Processor	Intel Core i7-6770, 3.4 GHz
System Chip Set	Intel SKL/KBL Mobile/Desktop
System Board	system devices, default system BIOS
System Memory	8 GB
Hard Drive Subsystem	Turbo Drive G2 256GB PCIe SSD
Video Subsystem	Microsoft Basic Display Adaptor
Optical Drive	HP iLDS DVD/BD GUD1N
I/O Subsystem	Builtin
USB Subsystem	USB 2.0/3.0
TCPIP	10/1000
Operating System	Win 10 Enterprise 64 Bit (10240)
Printing Applications	Microsoft Office Word 2016
	Acrobat Reader DC
Print Driver	Microsoft Office Excel 2016
	Not Specified
Test files and location	Office category files, hard drive

ISO/IEC 24734 Printing Productivity Report: Office Category

Feature Performance Full Report - Office Feature Performance Test

HP LaserJet MFP M230FDW

Printing device and settings		
	Test Start Date and Time	9/14/2016 14:04
	Tester	Barry
	Machine name/model	HP LaserJet MFP M230FDW
	Colour or B&W	B&W
	FW Version	20160908
	Temperature and Humidity	75 degF / 24 degC 25.0 %rH
	Voltage	220V
	Test End Date and Time	9/18/2016 17:22
Mode and Setting		
Mode and Setting	Item	Value
	Driver Version	40.2.1082
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	Not Specified
Paper Path	Duplex B&W Settings	Not Specified
	Setting N set count	Application
	Collating function	Activated (application)
	Paper Sending Direction	Default
Paper	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
	Output Orientation	Default (face down)
Paper	Duplexing Unit (Yes/No)	Yes
	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
Paper	Paper type/name	HP Multipurpose Ultra White / HP Office

ISO Print Productivity Report: Feature Performance Test Summary			
Printing Modes (Feature Adobe Reader - Office test file)		Feature Performance Ratio	
		FSOT (base) FSOT (feature)	ESAT (feature) ESAT (base)
A5, Landscape Feed, Simplex, Colour	Simplex		
A5, Portrait Feed, Simplex, Colour	Simplex		
Legal, Simplex, Colour	Simplex		
Legal, Duplex, Colour	Duplex		
A4, 1200 dpi, Simplex, Colour	Simplex		
Letter, 1200 dpi, Simplex, Colour	Simplex		
A4, HP High Speed, Simplex, Colour	Simplex		
Letter, HP High Speed, Simplex, Colour	Simplex		
A4, General Office, Simplex, Colour	Simplex		
Letter, General Office, Simplex, Colour	Simplex		
A5, Landscape Feed, Simplex, B/W	Simplex	146%	172%
A5, Portrait Feed, Simplex, B/W	Simplex	28%	21%
Legal, Simplex, B/W	Simplex		
Legal, Duplex, B/W	Duplex		
A4, 1200 dpi, Simplex, B/W	Simplex		
Letter, 1200 dpi, Simplex, B/W	Simplex		
A4, HP High Speed, Simplex, B/W	Simplex		
Letter, HP High Speed, Simplex, B/W	Simplex		
A4, General Office, Simplex, B/W	Simplex		
Letter, General Office, Simplex, B/W	Simplex		

Notes:

- 1) All printing device and driver settings were default mode.
- 2) Test conducted with 8-paper Office Feature Performance file.
- 3) For more information see <http://www.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.

Feature Performance Full Report - Feature Printing Mode: 'Office' Feature Performance Test						
Printing Modes Feature Adobe Reader - Office test file (8-page)	Base Printing Mode		Feature Performance			
	FSOT Base	ESAT Base	1 set FSOT (secs)	1 set + 30 sec ESAT (ipm)	FSOT (base) FSOT (feature)	ESAT (feature) ESAT (base)
A5, Landscape Feed, Simplex, Colour						
A5, Portrait Feed, Simplex, Colour						
Legal, Simplex, Colour						
Legal, Duplex, Colour						
A4, 1200 dpi, Simplex, Colour						
Letter, 1200 dpi, Simplex, Colour						
A4, HP High Speed, Simplex, Colour						
Letter, HP High Speed, Simplex, Colour						
A4, General Office, Simplex, Colour						
Letter, General Office, Simplex, Colour						
A5, Landscape Feed, Simplex, B/W	22.12	28.69	15.21	49.5	146%	172%
A5, Portrait Feed, Simplex, B/W	22.12	28.69	80.89	6.1	28%	21%
Legal, Simplex, B/W						
Legal, Duplex, B/W						
A4, 1200 dpi, Simplex, B/W	22.12	28.69				
Letter, 1200 dpi, Simplex, B/W						
A4, HP High Speed, Simplex, B/W						
Letter, HP High Speed, Simplex, B/W						
A4, General Office, Simplex, B/W	22.12	28.69				
Letter, General Office, Simplex, B/W						

Notes:

- 1) All printing device and driver settings were default mode.
- 2) Test conducted with 8-paper Office Feature Performance file.
- 3) For more information see <http://www.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.

Test System Parameters		
	Item	Value
Test System	Computer	HP Z240 SFF Workstation
	Processor	Intel Core i7 -6770, 3.4 GHz
	System Chip Set	Intel SKL/KBL Mobile/Desktop
	System Board	system devices, default system BIOS
	System Memory	8 GB
	Hard Drive Subsystem	Turbo Drive G2 256GB PCIe SSD
	Video Subsystem	Microsoft Basic Display Adaptor
	Optical Drive	HP HLDS DVD-RW GUD1N
	I/O Subsystem	Built-in
I/O	USB Subsystem	USB 2.0/3.0
	CP/IP	10/1000
Software	Operating System	Win 10 Enterprise 64 Bit (10240)
	Printing Applications	Microsoft Office Word 2016
		Acrobat Reader DC
	Print Driver	Microsoft Office Excel 2016
	Test files and location	Not Specified
Office category files, hard drive		

ISO/IEC 17629 First Print Out Time Report: Office Category

Full Detailed Test Report - LETTER
HP LaserJet MFP M230FDW

Printing device and settings		
Test Start Date and Time	9/14/2016 14:04	
Tester	Barry	
Machine name/model	HP LaserJet MFP M230FDW	
Colour or B&W	B&W	
FW Version	20160908	
Configuration (options)	Default	
Controller	12000	
Printing device page count	Not Specified	
Printing supplies page count	Not Specified	
Temperature and Humidity	75 degF / 24 degC, 25.0 %rH	
Voltage	220V	
Test End Date and Time	10/23/2016 20:37	

Item	Value
PDL and driver version	40.2.1082
Print Quality mode	default
B&W settings	default
Paper feed orientation	Short Edge
Paper type setting	default
Paper feeding	Standard cassette
Paper exit	Standard exit tray
Paper Path	Output orientation
	default (face up or face down)

ISO First Page Out Time Summary Report: Office Category

Summary Report: Letter		
FPOT from Ready (seconds)		
B&W	Simplex	6.28
	Duplex	

Notes
1) All printing device and driver settings were default mode.
2) For the B/W results, the print driver was set to "print in B/W".
3) For more information see <http://www.hp.com/go/printerclaims>.
4) Port monitor not configured to follow device if the IP address changes.
5) Page counts were collected after completion of the tests.

ISO First Page Out Time Report: Office Category

Detailed Report: LETTER		Word (seconds)	Excel (seconds)	Adobe Reader (seconds)	Average (seconds)	Delay Time
Color Mode	FPOT from Ready - Simplex					
	FPOT from Ready - Duplex					
	FPOT from Sleep - Simplex			N/A		
	Recovery Time					
	FPOT from Off - Simplex					
	Warm-up Time					
B&W Mode	FPOT from Ready - Simplex	6.02	6.43	6.37	6.28	49 Seconds
	FPOT from Ready - Duplex					
	FPOT from Sleep - Simplex			7.07		61 Minutes
	Recovery Time			0.7		
	FPOT from Off - Simplex			60.71		
	Warm-up Time			54.34		

Notes
1) All printing device and driver settings were default mode.
2) For the B/W results, the print driver was set to "print in B/W".
3) For more information see <http://www.hp.com/go/printerclaims>.
4) Port monitor not configured to follow device if the IP address changes.
5) Page counts were collected after completion of the tests.
6) Details for FPOT from Sleep are shown below.

HP Data Table							
Detailed Report: LETTER		FPOT Avg (secs)	FPOT (secs) Iteration 1	FPOT (secs) Iteration 2	FPOT (secs) Iteration 3	Application	Delay Time
Color Mode	FPOT from Sleep	N/A	N/A	N/A	N/A	Adobe Reader	
	FPOT from Sleep (15 minutes) HP/Non ISO Test	N/A	N/A	N/A	N/A	Adobe Reader	
	FPOT from Ready, HP High Speed HP/Non ISO Test	N/A	N/A	N/A	N/A	Adobe Reader	
	FPOT from Sleep	7.07	7.00	7.14	N/A	Adobe Reader	61 Minutes
B&W Mode	FPOT from Sleep (15 minutes) HP/Non ISO Test	N/A	N/A	N/A	N/A	Adobe Reader	N/A

Test System Parameters	
Item	Value
Computer	HP Compaq Elite 8300 Small Form Factor
Processor	Intel Core i7 -3770, 3.4 GHz
System Chip Set	Intel C216 Chipset Family SMBus Host Controller
System Board	system devices, default system BIOS
System Memory	4 GB
Hard Drive Subsystem	Standard disk drive (Seagate)
Video Subsystem	AMD Radeon HD 6350
Optical Drive	HP DVD A DH16aCSHR ATA
I/O Subsystem	Built-in
USB Subsystem	USB 2.0/3.0
Printing Device Connection	TCP/IP
	10/1000
Software	Operating System
	Windows 7 Business/Ultimate, 64 bit, Build 7601, SP 1
	Microsoft Office 2010 SP2
Printing Applications	Adobe Reader 10.1.4
	Print Driver
	40.2.1082

ISO/IEC 17629 First Print Out Time Report: Office Category

Full Detailed Test Report - A4

HP LaserJet MFP M230FDW

Printing device and settings		
Test Start Date and Time	9/14/2016 14:04	
Tester	Barry	
Machine name/model	HP LaserJet MFP M230FDW	
Colour or B&W	B&W	
FW Version	20160908	
Configuration (options)	Default	
Controller	12000	
Printing device page count	Not Specified	
Printing supplies page count	Not Specified	
Temperature and Humidity	75 degF / 24 degC, 25.0 %rH	
Voltage	220V	
Test End Date and Time	10/23/2016 20:37	

Item	Value
PDL and driver version	40.2.1082
Print Quality mode	default
B&W settings	default
Paper feed orientation	Short Edge
Paper type setting	default
Paper feeding	Standard cassette
Paper exit	Standard exit tray
Paper Path	Output orientation
	default (face up or face down)

ISO First Page Out Time Summary Report: Office Category

Summary Report: A4

FPOT from Ready (seconds)		
B&W	Simplex	6.44
	Duplex	

Notes

- 1) All printing device and driver settings were default mode.
- 2) For the B/W results, the print driver was set to "print in B/W".
- 3) For more information see <http://www.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.
- 5) Page counts were collected after completion of the tests.

ISO First Page Out Time Report: Office Category

Detailed Report: A4		Word (seconds)	Excel (seconds)	Adobe Reader (seconds)	Average (seconds)	Delay Time
Color Mode	FPOT from Ready - Simplex					
	FPOT from Ready - Duplex					
	FPOT from Sleep - Simplex			N/A		
	Recovery Time					
	FPOT from Off - Simplex					
	Warm-up Time					
B&W Mode	FPOT from Ready - Simplex	6.13	6.65	6.54	6.44	49 Seconds
	FPOT from Ready - Duplex					
	FPOT from Sleep - Simplex			6.81		61 Minutes
	Recovery Time			0.3		
	FPOT from Off - Simplex			60.88		
	Warm-up Time			54.34		

Notes

- 1) All printing device and driver settings were default mode.
- 2) For the B/W results, the print driver was set to "print in B/W".
- 3) For more information see <http://www.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.
- 5) Page counts were collected after completion of the tests.
- 6) Details for FPOT from Sleep are shown below.

HP Data Table

Detailed Report: A4

		FPOT Avg (secs)	FPOT (secs) Iteration 1	FPOT (secs) Iteration 2	FPOT (secs) Iteration 3	Application	Delay Time
Color Mode	FPOT from Sleep	N/A	N/A	N/A	N/A	Adobe Reader	
	FPOT from Sleep (15 minutes) HP/Non ISO Test	N/A	N/A	N/A	N/A	Adobe Reader	
	FPOT from Ready, HP High Speed HP/Non ISO Test	N/A	N/A	N/A	N/A	Adobe Reader	
	FPOT from Sleep	6.81	6.83	6.79	N/A	Adobe Reader	61 Minutes
B&W Mode	FPOT from Sleep (15 minutes) HP/Non ISO Test	N/A	N/A	N/A	N/A	Adobe Reader	N/A

Test System Parameters		
Item	Value	
Test System	Computer	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 GHz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Board	system devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 6350
	Optical Drive	HP DVD A DH16aCSHR ATA
	I/O Subsystem	Built-in
	USB Subsystem	USB 2.0/3.0
Printing Device Connection	TCP/IP	10/1000
Software	Operating System	Windows 7 Business/Ultimate, 64 bit, Build 7601, SP 1
	Printing Applications	Microsoft Office 2010 SP2
	Print Driver	Adobe Reader 10.1.4

Full Detailed Test Report - LETTER

FIR - Easseyetun 1 - M2000 BT		

	Test Start Date and Time	9/19/2016 13:30
	Tester	Barry
	Machine name/model	HP LaserJet MFP M230FDW
	Colour or B&W	B&W
	FW Version	20160908
	Configuration (options)	Not Specified
	Temperature and Humidity	75 degF / 24 degC 25.0 %rH
	Test End Date and Time:	10/12/2019 13:43

Summary Report: Letter		
	sFCOT	sESAT (ipm)
B&W	6.4	30.1

Notes

First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration and document.

	Target	sFCOT (secs)	sEFTP (ipm)			sESAT (ipm)
			1copy	1copy+30sec	1copy+4minutes	
B&W	A	6.45	9.30	26.64	29.43	30.12
				17 sets	99 sets	
	B	6.30	9.52	26.72		30.11
				17 sets		
	C	6.34	9.46	26.65		30.11
				17 sets		
	D	6.44	9.32	26.64		30.11
				17 sets		
	Average	6.4	9.4	26.6	29.4	30.1

First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Control Panel has a limit of 99 copies. The 4 minute test was ran with 99 copies. Exact speed varies depending on the system configuration and document.

Full Detailed Test Report - A4

--	--	--

	Test Start Date and Time	9/19/2016 13:30
	Tester	Bary
	Machine name/model	HP LaserJet MFP M230FDW
	Colour or B&W	B&W
	FW Version	20160908
	Configuration (options)	Not Specified
	Temperature and Humidity	75 degF / 24 degC 25.0 %rH
	Test End Date and Time:	10/12/2019 13:43

Paper	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

--	--	--

Notes
First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration and document.

--	--	--	--	--	--	--

Notes
First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Control Panel has a limit of 99 copies. The 4 minute test was ran with 99 copies. Exact speed varies depending on the system configuration and document.

Full Detailed Test Report - LETTER

ISO/IEC 24735 Copy Productivity Report						
Detailed Report: LETTER						
	Copying Mode	FSOT (secs)	EFTP (ipm)			ESAT (ipm)
		1 set only	1 set only	1 set + 30sec	1 set + 4min	1 set + 30sec
Color Mode	1:1					
		(1 set)				
	1:2					
		(1 set)				
	2:2					
		(1 set)				
B&W mode	1:1	25.76	9.45	23.11	27.14	30.19
				6 sets	32 sets	
	1:2	27.94	8.58	14.68		18.74
				4 sets		
	2:2					

Notes
 Reports located: <http://www.hp.com/go/printerclaims>

ISO/IEC 24735 Copy Productivity Report

Full Detailed Test Report - A4

Machine Setup Information	
Test Start Date and Time	9/19/2016 15:42
Tester	Barry
Machine name/model	HP LaserJet MFP M230FDW
Colour or B&W	B&W
FW Version	20160908
Configuration (options)	Not Specified
Temperature and Humidity	75 degF / 24 degC 25.0 %rH
Test End Date and Time:	10/12/2019 15:45
Pre-set Item	Pre-set Value
Output Resolution	Default
Output Quality	Default
Copying Mode	Default
Auto Density Adjustment	Default
Collating function	Activated (if not activated in default mode)
Paper Sending Direction	Default
Paper Type Setting	Default
Paper Feeding	Standard cassette
Paper Exit	Standard exit tray
Face Up Exit	Default
Fixing Capability	Default
Image Quality Stability	Default
Capacity of Paper	Default
Others	Default
Paper Manufacturer	HP / Xerox
Paper Weight	20lb / 75 g/m2
Paper Size	Letter / A4

ISO/IEC 24735 Copy Productivity Report						
Detailed Report: A4						
	Copying Mode	FSOT (secs)	EFTP (ipm)			ESAT (ipm)
		1 set only	1 set only	1 set + 30sec	1 set + 4min	1 set + 30sec
Colour Mode	1:1					
			(1 set)			
	1:2					
			(1 set)			
	2:2					
			(1 set)			
B&W mode	1:1	23.21	10.34	21.17	26.78	28.72
				5 sets	30 sets	
	1:2	29.05	8.26	14.20		18.10
				4 sets		
	2:2					

Notes

Reports located: <http://www.hp.com/go/printerclaims>

ISO/IEC 17991 Scanning Productivity Report

Full Detailed Test Report - LETTER

Machine Setup Information		
Test Start Date and Time	10/29/2018 14:56	
Tester	Barry	
Machine name/model	HP LaserJet MFP M230FDW	
Colour or B&W	B&W	
Configuration (options)	Default	
Temperature and Humidity	75 degF / 24 degC 25.0 %rH	
Voltage	220V	
Test End Date and Time	10/29/2018 17:29	

Mode and Setting	Preset Item	Preset Value
	Scanning resolution	default (200 dpi)
	Colour or grey scale/B&W	default (colour)
	Duplex / simplex	default (simplex)
	Original page size	default (A4)
	Paper feed orientation	default (long edge)
	Scan destination	default (shared network)
	Storing File Type	default (PDF-multi)
	Auto scan quality adjustment	default (factory preset default setting)
ADF Paper-path	Paper feed direction	default (long edge)
	Output orientation	default
	Scanning unit	default (duplex ADF)

ISO/IEC 17991 - Scan Summary Report: ADF Productivity Measurement

Summary Report: Letter

	Scanning Mode			Measurement result
	File format version	Resolution	Scanning side	scESAT 30secA (ipm)
Colour	PDF 1.4	150	single sided	8.96
			double sided	0.00
B&W	PDF 1.4	150	single sided	15.73
			double sided	0.00

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Summary Report: Network Folder Productivity Measurement

Summary Report: Letter

	Scanning Mode			Measurement result		
	File format version	Resolution	Scanning side	scEFTP 30secF (ipm)	File size 30secF (Mbyte)	Number of Sets (30secF)
Colour	PDF 1.4	150	single sided	8.57	2.61	3.00
			double sided	0.00		
B&W	PDF 1.4	150	single sided	10.70	2.21	3.00
			double sided	0.00		

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Full Report: ADF Productivity Measurement

Summary Report: Letter

	Scanning Mode			Measurement result		
	File format version	Resolution	Scanning side	scEFTP 1setA (ipm)	scEFTP 30secA (ipm)	scESAT 30secA (ipm)
Colour	PDF 1.4	150	single sided	7.79	8.51	8.96
			double sided	0.00	0	0
B&W	PDF 1.4	150	single sided	12.55	14.59	15.73
			double sided	0.00	0	0

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Full Report: Network Folder Productivity Measurement

Summary Report: Letter

	Scanning Mode			Measurement result			
	File format version	Resolution	Scanning side	scEFTP 1setF (ipm)	scEFTP 30secF (ipm)	File size 30secF (Mbyte)	Number of Sets (30secF)
Colour	PDF 1.4	150	single sided	8.00	8.57	2.61	3
			double sided	0.00	0.00		
B&W	PDF 1.4	150	single sided	12.98	10.70	2.21	3
			double sided	0.00	0.00		

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
2) For the B/W results, the device scan setting is set to "Scan in B/W".

Test System Parameters		
Item		Value
System	Computer name	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 GHz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Board	System devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 6350
	Optical Drive	HP DVD A DH16aCSHR ATA
	I/O Subsystem	Builtin
	USB Subsystem	USB 2.0/3.0
	Operating System	Windows 7 Business/Ultimate, 64 bit, Build 7601, SP 1
Scanning Device Connection	Location of network folder	PC
	Internet Protocol	IPv4
	Transfer Protocol	SMB
	Hub	Trendnet Router and Gbit Switch
	Network Speed	TCP 10/1000 Mbit Ethernet
	Connction Cable	Cat6 Straight cable
	Wireless router	No use
	Others	No use

ISO/IEC 17991 Scanning Productivity Report

Full Detailed Test Report - A4

Machine Setup Information		
Test Start Date and Time	10/29/2018 14:56	
Tester	Barry	
Machine name/model	HP LaserJet MFP M230FDW	
Colour or B&W	B&W	
Configuration (options)	Default	
Temperature and Humidity	75 degF / 24 degC 25.0 %rH	
Voltage	220V	
Test End Date and Time	10/29/2018 17:29	

Mode and Setting	Preset Item		Preset Value
	Scanning resolution		default (200 dpi)
	Colour or grey scale/B&W		default (colour)
	Duplex / simplex		default (simplex)
	Original page size		default (A4)
	Paper feed orientation		default (long edge)
	Scan destination		default (shared network)
	Storing File Type		default (PDF-multi)
	Auto scan quality adjustment		default (factory preset default setting)
	Paper feed direction		default (long edge)
ADF Paper-path	Output orientation		default
	Scanning unit		default (duplex ADF)

ISO/IEC 17991 - Scan Summary Report: ADF Productivity Measurement

Summary Report: A4

	Scanning Mode			Measurement result
	File format version	Resolution	Scanning side	scESAT 30secA (ipm)
Colour	PDF 1.4	150	single sided	8.42
			double sided	0.00
B&W	PDF 1.4	150	single sided	15.08
			double sided	0.00

Notes

1) For more information see <http://www.hp.com/go/printerclaims>.

2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Summary Report: Network Folder Productivity Measurement

Summary Report: A4

	Scanning Mode			Measurement result		
	File format version	Resolution	Scanning side	scEFTP 30secF (ipm)	File size 30secF (Mbyte)	Number of Sets (30secF)
Colour	PDF 1.4	150	single sided	8.13	2.24	3.00
			double sided	0.00		
B&W	PDF 1.4	150	single sided	14.11	1.99	3.00
			double sided	0.00		

Notes

1) For more information see <http://www.hp.com/go/printerclaims>.

2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Full Report: ADF Productivity Measurement

Summary Report: A4

	Scanning Mode			Measurement result		
	File format version	Resolution	Scanning side	scEFTP 1setA (ipm)	scEFTP 30secA (ipm)	scESAT 30secA (ipm)
Colour	PDF 1.4	150	single sided	7.39	8.08	8.42
			double sided	0.00	0	0
B&W	PDF 1.4	150	single sided	12.24	13.99	15.08
			double sided	0.00	0	0

Notes

1) For more information see <http://www.hp.com/go/printerclaims>.

2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Full Report: Network Folder Productivity Measurement

Summary Report: A4

	Scanning Mode			Measurement result			
	File format version	Resolution	Scanning side	scEFTP 1setF (ipm)	scEFTP 30secF (ipm)	File size 30secF (Mbyte)	Number of Sets (30secF)
Colour	PDF 1.4	150	single sided	7.50	8.13	2.24	3
			double sided	0.00	0.00		
B&W	PDF 1.4	150	single sided	12.63	14.11	1.99	3
			double sided	0.00	0.00		

Notes

1) For more information see <http://www.hp.com/go/printerclaims>.

2) For the B/W results, the device scan setting is set to "Scan in B/W".

Test System Parameters		
	Item	Value
System	Computer name	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 GHz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Board	System devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 6350
	Optical Drive	HP DVD A DH16aCSHR ATA
	I/O Subsystem	Built-in
	USB Subsystem	USB 2.0/3.0
	Operating System	Windows 7 Business/Ultimate, 64 bit, Build 7601, SP 1
Scanning Device Connection	Location of network folder	PC
	Internet Protocol	IPv4
	Transfer Protocol	SMB
	Hub	Trendnet Router and Gbit Switch
	Network Speed	TCP 10/1000 Mbit Ethernet
	Connection Cable	Cat6 Straight cable
	Wireless router	No use
	Others	No use