

ISO/IEC 24734 Printing Productivity Report: Office Category

Full Detailed Test Report - LETTER
HP LaserJet Pro MFP M227d

Printing device and settings		
Test Start Date and Time	9/20/2016 14:42	
Tester	Barry	
Machine name/model	HP LaserJet Pro MFP M227d	
Colour or B&W	B&W	
FW Version	20160908	
Temperature and Humidity	73 degF / 23 degC 20.0 %RH	
Voltage	220V	
Test End Date and Time	11/14/2018 13:45	

Item	Value	
Mode and Setting	Driver Version	40.2.1082
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	default
	Duplex B&W Settings	default
	Setting N set count	Application
Paper Path	Collating function	Activated (application)
	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
	Output Orientation	Default (face down)
Paper	Duplexing Unit (Yes/No)	Yes
	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

Summary Report: Letter			
Office Category Test for B&W Device		FSOT (seconds)	ESAT (ipm)
B&W	Simplex	12.59	30.22
	Duplex	18.35	18.80

Notes
1) All printing device and driver settings were default mode.
2) For the B/W results, the print driver was set to "print in B/W".
3) For more information see <http://www.hp.com/go/printerclaims>.
4) Port monitor not configured to follow device if the IP address changes.

Detailed Report: LETTER						
Office Category Test	FSOT (secs)	EFTP (ipm)			ESAT (ipm)	
		1 set only (1 set)	1 set + 30sec (# of sets)	1 set + 4min (# of sets)		
Color Mode	Simplex - Adobe Reader		(1 set)			
	Simplex - Word		(1 set)			
	Simplex - Excel		(1 set)			
	Simplex - Average					
	Duplex - Adobe Reader	N/A	N/A	N/A	N/A	
	Duplex - Word	N/A	N/A	N/A	N/A	
	Duplex - Excel	N/A	N/A	N/A	N/A	
	Duplex - Average	N/A	N/A	N/A	N/A	
B&W mode (optional for color device)	Simplex - Adobe Reader	13.02	18.43 (1 set)	26.71 (5 sets)	27.76 (32 sets)	30.22
	Simplex - Word	12.16	19.73 (1 set)	27.31 (5 sets)		30.23
	Simplex - Excel	12.57	19.09 (1 set)	27.06 (5 sets)		30.21
	Simplex - Average	12.59	19.08	27.02	27.8	30.22
	Duplex - Adobe Reader	18.59	12.90 (1 set)	16.62 (4 sets)		18.76
	Duplex - Word	17.83	13.44 (1 set)	17.10 (4 sets)		18.76
	Duplex - Excel	18.61	12.88 (1 set)	16.84 (4 sets)		18.88
	Duplex - Average	18.35	13.07	16.85		18.80

Notes
1) All printing device and driver settings were default mode.
2) For the B/W results, the print driver was set to "print in B/W".
3) For more information see <http://www.hp.com/go/printerclaims>.
4) Port monitor not configured to follow device if the IP address changes.

Test System Parameters	
Item	Value
Computer	HP Compaq Elite 8300 Small Form Factor
Processor	Intel Core i7 -3770, 3.4 GHz
System Chip Set	Intel C216 Chipset Family SMBus Host Controller
System Board	system devices, default system BIOS
System Memory	4 GB
Hard Drive Subsystem	Standard disk drive (Seagate)
Video Subsystem	AMD Radeon HD 6350
Optical Drive	HP DVD A Dh16aC5HR ATA
I/O Subsystem	Builtin
USB Subsystem	USB 2.0/3.0
TCP/IP	USB 2.0
Operating System	Windows 7 64 Bit
Printing Applications	Microsoft Office 2010
Microsoft Office	Office 2010
Adobe Reader	10
Test files and location	Office category files, hard drive

ISO/IEC 24734 Printing Productivity Report: Office Category

Full Detailed Test Report - A4
HP LaserJet Pro MFP M227d

Printing device and settings		
Test Start Date and Time	9/20/2016 14:42	
Tester	Barry	
Machine name/model	HP LaserJet Pro MFP M227d	
Colour or B&W	B&W	
FW Version	20160908	
Temperature and Humidity	73 degF / 23 degC 20.0 %RH	
Voltage	220V	
Test End Date and Time	11/14/2018 13:45	

Item	Value	
Mode and Setting	Driver Version	40.2.1082
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	default
	Duplex B&W Settings	default
	Setting N set count	Application
Paper Path	Collating function	Activated (application)
	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
	Output Orientation	Default (face down)
	Duplexing Unit (Yes/No)	Yes
Paper	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

Summary Report: A4			
Office Category Test for B&W Device		FSOT (seconds)	ESAT (ipm)
B&W	Simplex	13.19	28.65
	Duplex	18.91	18.23

Notes
1) All printing device and driver settings were default mode.
2) For the B/W results, the print driver was set to "print in B/W".
3) For more information see <http://www.hp.com/go/printerclaims>.
4) Port monitor not configured to follow device if the IP address changes.

Detailed Report: A4						
Office Category Test	FSOT (secs)	EFTP (ipm)			ESAT (ipm)	
		1 set only (1 set)	1 set only (1 set)	1 set + 30sec (# of sets)		1 set + 4min (# of sets)
Colour Mode	Simplex - Adobe Reader		(1 set)			
	Simplex - Word		(1 set)			
	Simplex - Excel		(1 set)			
	Simplex - Average					
	Duplex - Adobe Reader	N/A	N/A	N/A		N/A
	Duplex - Word	N/A	N/A	N/A		N/A
	Duplex - Excel	N/A	N/A	N/A		N/A
	Duplex - Average	N/A	N/A	N/A		N/A
B&W mode (optional for color device)	Simplex - Adobe Reader	13.56	17.69 (1 set)	25.50 (5 sets)	23.14 (30 sets)	28.68
	Simplex - Word	12.56	19.11 (1 set)	26.02 (5 sets)		28.57
	Simplex - Excel	13.44	17.86 (1 set)	25.83 (5 sets)		28.70
	Simplex - Average	13.2	18.22 (1 set)	25.78 (5 sets)	23.1	28.65
	Duplex - Adobe Reader	19.01	12.60 (1 set)	18.36 (4 sets)		18.18
	Duplex - Word	18.28	13.12 (1 set)	16.68 (4 sets)		18.30
	Duplex - Excel	19.42	12.34 (1 set)	16.40 (4 sets)		18.22
	Duplex - Average	18.9	12.68 (1 set)	16.48 (4 sets)		18.23

Notes
1) All printing device and driver settings were default mode.
2) For the B/W results, the print driver was set to "print in B/W".
3) For more information see <http://www.hp.com/go/printerclaims>.
4) Port monitor not configured to follow device if the IP address changes.

Test System Parameters	
Item	Value
Computer	HP Compaq Elite 8300 Small Form Factor
Processor	Intel Core i7 -3770, 3.4 GHz
System Chip Set	Intel C216 Chipset Family SMBus Host Controller
System Board	system devices, default system BIOS
System Memory	4 GB
Hard Drive Subsystem	Standard disk drive (Seagate)
Video Subsystem	AMD Radeon HD 6350
Optical Drive	HP DVD A Dh16aCSHR ATA
I/O Subsystem	Builtin
USB Subsystem	USB 2.0/3.0
TCP/IP	USB 2.0
Operating System	Windows 7 64 Bit
Printing Applications	Microsoft Office 2010
Microsoft Office	Office 2010
Adobe Reader	10
Test files and location	Office category files, hard drive

ISO/IEC 24734 Printing Productivity Report: Office Category

Feature Performance Full Report - Office Feature Performance Test
HP LaserJet Pro MFP M227d

Printing device and settings		
Test Start Date and Time	9/20/2016 14:42	
Tester	Barry	
Machine name/model	HP LaserJet Pro MFP M227d	
Colour or B&W	B&W	
FW Version	20160908	
Temperature and Humidity	73 degF / 23 degC 20.0 %rH	
Voltage	220V	
Test End Date and Time	11/14/2018 13:45	

Item	Value	
Mode and Setting	Driver Version	40.2.1082
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	default
	Duplex B&W Settings	default
	Setting N set count	Application
	Collating function	Activated (application)
Paper Path	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
	Output Orientation	Default (face down)
Paper	Duplexing Unit (Yes/No)	Yes
	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

ISO Print Productivity Report: Feature Performance Test Summary

Printing Modes (Feature Adobe Reader - Office test file)		Feature Performance Ratio	
		FSOT (base) FSOT (feature)	ESAT (feature) ESAT (base)
A5, Landscape Feed, Simplex, Colour	Simplex		
A5, Portrait Feed, Simplex, Colour	Simplex		
Legal, Simplex, Colour	Simplex		
Legal, Duplex, Colour	Duplex		
A4, 1200 dpi, Simplex, Colour	Simplex		
Letter, 1200 dpi, Simplex, Colour	Simplex		
A4, General Office, Simplex, Colour	Simplex		
Letter, General Office, Simplex, Colour	Simplex		
A5, Landscape Feed, Simplex, B/W	Simplex	149%	173%
A5, Portrait Feed, Simplex, B/W	Simplex	29%	21%
Legal, Simplex, B/W	Simplex		
Legal, Duplex, B/W	Duplex		
A4, 1200 dpi, Simplex, B/W	Simplex		
Letter, 1200 dpi, Simplex, B/W	Simplex		
A4, General Office, Simplex, B/W	Simplex		
Letter, General Office, Simplex, B/W	Simplex		

- Notes
1) All printing device and driver settings were default mode.
2) Test conducted with 8-paper Office Feature Performance file.
3) For more information see <http://www.hp.com/go/printerclaims>.
4) Port monitor not configured to follow device if the IP address changes.

Feature Performance Full Report - Feature Printing Mode: 'Office' Feature Performance Test

Printing Modes Feature Adobe Reader - Office test file (8-page)	Base Printing Mode		Feature Performance			
	FSOT Base	ESAT Base	1 set FSOT (secs)	1 set + 30 sec ESAT (ipm)	FSOT (base) FSOT (feature)	ESAT (feature) ESAT (base)
A5, Landscape Feed, Simplex, Colour						
A5, Portrait Feed, Simplex, Colour						
Legal, Simplex, Colour						
Legal, Duplex, Colour						
A4, 1200 dpi, Simplex, Colour						
Letter, 1200 dpi, Simplex, Colour						
A4, General Office, Simplex, Colour						
Letter, General Office, Simplex, Colour						
A5, Landscape Feed, Simplex, B/W	22.37	28.63	15.1	49.6	149%	173%
A5, Portrait Feed, Simplex, B/W	22.37	28.63	79.67	6.1	29%	21%
Legal, Simplex, B/W						
Legal, Duplex, B/W						
A4, 1200 dpi, Simplex, B/W	22.37	28.63				
Letter, 1200 dpi, Simplex, B/W						
A4, General Office, Simplex, B/W	22.37	28.63				
Letter, General Office, Simplex, B/W						

- Notes
1) All printing device and driver settings were default mode.
2) Test conducted with 8-paper Office Feature Performance file.
3) For more information see <http://www.hp.com/go/printerclaims>.
4) Port monitor not configured to follow device if the IP address changes.

Test System Parameters

Item	Value	
Test System	Computer	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 GHz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Board	system devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 6350
	Optical Drive	HP DVD A DH16aC5HR ATA
	I/O Subsystem	Built-in
	USB Subsystem	USB 2.0/3.0
I/O	TCP/IP	USB 2.0
Software	Operating System	Windows 7 64 Bit
	Printing Applications	Microsoft Office 2010
	Microsoft Office	Office 2010
	Adobe Reader	10
	Test files and location	Office category files, hard drive

ISO/IEC 17629 First Print Out Time Report: Office Category

Full Detailed Test Report - LETTER

HP LaserJet Pro MFP M227d

Printing device and settings		
Test Start Date and Time	9/20/2016 14:42	
Tester	Barry	
Machine name/model	HP LaserJet Pro MFP M227d	
Colour or B&W	B&W	
FW Version	20160908	
Configuration (options)	Default	
Controller	12000	
Printing device page count	Not Specified	
Printing supplies page count	Not Specified	
Temperature and Humidity	73 degF / 23 degC, 20.0 %rH	
Voltage	220V	
Test End Date and Time	11/14/2018 13:45	

Item	Value
Mode and Setting	PDL and driver version: 40.2.1082
	Print Quality mode: default
	B&W settings: default
	Paper feed orientation: Short Edge
Paper	Paper type setting: default
	Paper feeding: Standard cassette
Paper Path	Paper exit: Standard exit tray
	Output orientation: default (face up or face down)

ISO First Page Out Time Summary Report: Office Category

Summary Report: Letter

FPOT from Ready (seconds)		
B&W	Simplex	6.34
	Duplex	

Notes

- 1) All printing device and driver settings were default mode.
- 2) For the B/W results, the print driver was set to "print in B/W".
- 3) For more information see <http://www.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.
- 5) Page counts were collected after completion of the tests.

ISO First Page Out Time Report: Office Category

Detailed Report: LETTER						
		Word (seconds)	Excel (seconds)	Adobe Reader (seconds)	Average (seconds)	Delay Time
Color Mode	FPOT from Ready - Simplex					
	FPOT from Ready - Duplex					
	FPOT from Sleep - Simplex			N/A		
	Recovery Time					
	FPOT from Off - Simplex					
	Warm-up Time					
B&W Mode	FPOT from Ready - Simplex	5.99	6.24	6.77	6.34	21 Seconds
	FPOT from Ready - Duplex					
	FPOT from Sleep - Simplex			7.74		61 Minutes
	Recovery Time			1.0		
	FPOT from Off - Simplex			33.05		
	Warm-up Time			26.28		

Notes

- 1) All printing device and driver settings were default mode.
- 2) For the B/W results, the print driver was set to "print in B/W".
- 3) For more information see <http://www.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.
- 5) Page counts were collected after completion of the tests.
- 6) Details for FPOT from Sleep are shown below.

HP Data Table

Detailed Report: LETTER

		FPOT Avg (secs)	FPOT (secs) Iteration 1	FPOT (secs) Iteration 2	FPOT (secs) Iteration 3	Application	Delay Time
Color Mode	FPOT from Sleep	N/A	N/A	N/A	N/A	Adobe Reader	
	FPOT from Sleep (15 minutes) HP/Non ISO Test	N/A	N/A	N/A	N/A	Adobe Reader	
B&W Mode	FPOT from Sleep	7.74	7.71	7.76	N/A	Adobe Reader	61 Minutes
	FPOT from Sleep (15 minutes) HP/Non ISO Test	N/A	N/A	N/A	N/A	Adobe Reader	

Notes

- 1) All printing device and driver settings were default mode.
- 2) For the B/W results, the print driver was set to "print in B/W".
- 3) DLP includes detailed iterations as data measurements may vary run to run.

Test System Parameters		
Item	Value	
Test System	Computer	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 Ghz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Board	system devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 8350
	Optical Drive	HP DVD A DH16aC5HR ATA
	I/O Subsystem	Builtin
	USB Subsystem	USB 2.0/3.0
Printing Device Connection	TCP/IP	10/1000
Software	Operating System	Windows 7 Business/Ultimate, 64 bit, Build 7601, SP 1
	Printing Applications	Microsoft Office 2010 SP2
	Print Driver	Adobe Reader 10.1.4 40.2.1082

ISO/IEC 17629 First Print Out Time Report: Office Category

Full Detailed Test Report - A4
HP LaserJet Pro MFP M227d

Printing device and settings		
Test Start Date and Time	9/20/2016 14:42	
Tester	Barry	
Machine name/model	HP LaserJet Pro MFP M227d	
Colour or B&W	B&W	
FW Version	20160908	
Configuration (options)	Default	
Controller	12000	
Printing device page count	Not Specified	
Printing supplies page count	Not Specified	
Temperature and Humidity	73 degF / 23 degC 20.0 %rH	
Voltage	220V	
Test End Date and Time	11/14/2018 13:45	

Item	Value	
Mode and Setting	PDL and driver version	40.2.1082
	Print Quality mode	default
	B&W settings	default
Paper	Paper feed orientation	Short Edge
	Paper type setting	default
	Paper feeding	Standard cassette
Paper Path	Paper exit	Standard exit tray
	Output orientation	default (face up or face down)

ISO First Page Out Time Summary Report: Office Category

Summary Report: A4		
FPOT from Ready (seconds)		
B&W	Simplex	6.58
	Duplex	

Notes
 1) All printing device and driver settings were default mode.
 2) For the B/W results, the print driver was set to "print in B/W".
 3) For more information see <http://www.hp.com/go/printerclaims>.
 4) Port monitor not configured to follow device if the IP address changes.
 5) Page counts were collected after completion of the tests.

ISO First Page Out Time Report: Office Category

Detailed Report: A4						
		Word (seconds)	Excel (seconds)	Adobe Reader (seconds)	Average (seconds)	Delay Time
Color Mode	FPOT from Ready - Simplex					
	FPOT from Ready - Duplex					
	FPOT from Sleep - Simplex			N/A		
	Recovery Time					
	FPOT from Off - Simplex					
	Warm-up Time					
B&W Mode	FPOT from Ready - Simplex	6.09	6.81	6.82	6.58	21 Seconds
	FPOT from Ready - Duplex					
	FPOT from Sleep - Simplex			7.86		61 Minutes
	Recovery Time			1.0		
	FPOT from Off - Simplex			33.64		
	Warm-up Time			26.82		

Notes
 1) All printing device and driver settings were default mode.
 2) For the B/W results, the print driver was set to "print in B/W".
 3) For more information see <http://www.hp.com/go/printerclaims>.
 4) Port monitor not configured to follow device if the IP address changes.
 5) Page counts were collected after completion of the tests.
 6) Details for FPOT from Sleep are shown below.

HP Data Table

Detailed Report: A4							
		FPOT Avg (secs)	FPOT (secs) Iteration 1	FPOT (secs) Iteration 2	FPOT (secs) Iteration 3	Application	Delay Time
Color Mode	FPOT from Sleep	N/A	N/A	N/A	N/A	Adobe Reader	
	FPOT from Sleep (15 minutes) HP/Non ISO Test	N/A	N/A	N/A	N/A	Adobe Reader	
	FPOT from Sleep	7.86	7.81	7.90	N/A	Adobe Reader	61 Minutes
B&W Mode	FPOT from Sleep (15 minutes) HP/Non ISO Test	N/A	N/A	N/A	N/A	Adobe Reader	

Notes
 1) All printing device and driver settings were default mode.
 2) For the B/W results, the print driver was set to "print in B/W".
 3) DLP includes detailed iterations as data measurements may vary run to run.

Test System Parameters		
Item	Value	
Test System	Computer	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 Ghz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Board	system devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 8350
	Optical Drive	HP DVD A DH16aCSHR ATA
	I/O Subsystem	Builtin
	USB Subsystem	USB 2.0/3.0
Printing Device Connection	TCP/IP	10/1000
Software	Operating System	Windows 7 Business/Ultimate, 64 bit, Build 7601, SP 1
	Printing Applications	Microsoft Office 2010 SP2 Adobe Reader 10.1.4
	Print Driver	40.2.1082

ISO/IEC 29183 Copy Productivity Report

Full Detailed Test Report - LETTER

HP LaserJet Pro MFP M227d

Machine Setup Information	
Test Start Date and Time	9/21/2016 14:49
Tester	Barry
Machine name/model	HP LaserJet Pro MFP M227d
Colour or B&W	B&W
FW Version	20160908
Configuration (options)	Not Specified
Temperature and Humidity	75 degF / 24 degC 25.0 %rH
Test End Date and Time:	10/14/2019 16:33

	Pre-set Item	Pre-set Value
Mode	Output Resolution	Default
	Output Quality	Default
	Copying Mode	Colour for Colour and B&W for B&W
	Auto Density Adjustment	Default
	Collating function	Set in Control Panel
Paper	Paper Sending Direction	Default
	Paper Type Setting	Default
Paper Path	Paper Feeding	Tray 2
	Paper Exit	Default
	Face Up Exit	Default (face down)
Temporary Stop	Fixing Capability	Default
	Image Quality Stability	Default
	Capacity of Paper	Default
	Others	None

Paper	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

Summary Report: Letter		
	sFCOT	sESAT (ipm)
B&W	8.64	30.12

Notes
 First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration and document.
 Only Target A was used, all test documents have the same Saturated throughput. Reference ISO/IEC29183:2010 Clause 5, Sections 5.3.1 and 5.3.2

Detailed Report: LETTER							
	Target	sFCOT (secs)	sEFTP (ipm)			sESAT (ipm)	
			1copy	1copy+30sec	1copy+4minutes		
B&W	A	8.64	6.94	25.57	29.16	30.12	
				19 sets	99 sets		
	B			25.57		30.14	
				19 sets			
	C			25.56		30.13	
				19 sets			
	D			25.56		30.14	
				19 sets			
	Average		8.64	6.94	25.57	29.16	30.12

Notes
 First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration and document.
 Only Target A was used, all test documents have the same Saturated throughput. Copy limitation is 99. The 4 minute test was run with 99 copies. Reference ISO/IEC29183:2010 Clause 5, Sections 5.3.1 and 5.3.2

ISO/IEC 29183 Copy Productivity Report

Full Detailed Test Report - A4

HP LaserJet Pro MFP M227d

Machine Setup Information	
Test Start Date and Time	9/21/2016 14:49
Tester	Barry
Machine name/model	HP LaserJet Pro MFP M227d
Colour or B&W	B&W
FW Version	20160908
Configuration (options)	Not Specified
Temperature and Humidity	75 degF / 24 degC 25.0 %rH
Test End Date and Time:	10/14/2019 16:33

	Pre-set Item	Pre-set Value
Mode	Output Resolution	Default
	Output Quality	Default
	Copying Mode	Colour for Colour and B&W for B&W
	Auto Density Adjustment	Default
	Collating function	Set in Control Panel
Paper	Paper Sending Direction	Default
	Paper Type Setting	Default
Paper Path	Paper Feeding	Tray 2
	Paper Exit	Default
	Face Up Exit	Default (face down)
Temporary Stop	Fixing Capability	Default
	Image Quality Stability	Default
	Capacity of Paper	Default
	Others	None

Paper	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

Summary Report: A4		
	sFCOT	sESAT (ipm)
B&W	9.15	28.61

Notes
 First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration and document.
 Only Target A was used, all test documents have the same Saturated throughput. Reference ISO/IEC29183:2010 Clause 5, Sections 5.3.1 and 5.3.2

Detailed Report: A4						
	Target	sFCOT (secs)	sEFTP (ipm)			sESAT (ipm)
			1copy	1copy+30sec	1copy+4minutes	
B&W	A	9.15	6.55	24.07 18 sets	27.61 99 sets	28.61
	B			24.07 18 sets		28.60
	C			24.11 18 sets		28.62
	D			24.10 18 sets		28.62
	Average	9.15	6.55	24.07	27.61	28.61

Notes
 First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration and document.
 Only Target A was used, all test documents have the same Saturated throughput. Copy limitation is 99. The 4 minute test was run with 99 copies. Reference ISO/IEC29183:2010 Clause 5, Sections 5.3.1 and 5.3.2