

APPLICATION		REVISION				
NEXT ASSY	PROJECT NO.	ECN NO.	REV	DESCRIPTION	DATE	APPROVED
	12628	16FGP	B	RELEASE -00D, -00E & -00F	12/12/03	C. MOORE
	12451	1021897	C	CHANGE PER ECO	08/31/05	C. MOORE
		1039172	D	CHANGE PER ECO	05/25/06	C. MOORE
		1056004	E	CHANGE PER ECO	01/25/07	C. MOORE
		1059157	F	REL. -004/00G, -005/00H & -006/00J	03/02/07	C. MOORE
		1144832	G	RELEASE -008/00K THRU -011/00N	04/01/10	C. MOORE

REFERENCE DOCUMENTS

- 106163 "Specification, Cosmetic Requirements, Labels & Logos."
- 109893 "Specification, Supplier Packaging/Material Handling."
- 137124 "Specification, Label Orientation and Liner Format."
- HP-00011-00 "General Specification for the Environment."

REQUIREMENTS

MATERIAL

• FACESTOCK:

- 001 and -006: White Styrene film. Will caliper 0.0024+/-10%
- 003 and -005: White Polypropylene film. Will caliper 0.0024+/-10%
- 002, -004, -008 and -010: White Polyethylene film. Will caliper .0024 ±10%
- 009 and -011: White opaque polyduralyn film. Will caliper .0024 ±10%.

• ADHESIVE:

- 001, -003, -005, -006, -009 and -011 : Type E Permanent bonding pressure sensitive high performance rubber. Will caliper .001 ±10%. Worldmark # 546T-E1 or HP approved equivalent.
- 002, -004, -008 and -010: Permanent bonding pressure sensitive rubber adhesive Flexcon #V-367 adhesive coat at 1.5 mil [38 Microns] or permanent bonding pressure sensitive high performance acrylic. Will caliper .005 ±10%. Worldmark # TDS 1993 or HP approved equivalent.

• OVERLAMINATE: Gloss "P-Coated" polymer coating.

• LINER: 40# to 60# (basis weight) removable, release coated paper liner. Labels will be cut without damage to liner. The matrix will be stripped from liner.

NOTES:

- The product (part) and packaging must comply with the Hewlett-Packard (HP) Document HP-00011-00, General Specification for the Environment (GSE).
- Alternate material (facestock, adhesive, overlaminate or liner) must be pre-approved for production Compatibility by Procurement and/or Product Engineering Groups.

MECHANICAL

- **LABEL ORIENTATION ON LINER:** Unwind will be chosen based on economy of producibility and to ensure delivery of unblemished labels. Reference document 137124.
- **MAXIMUM ROLL DIAMETER:** 8.00 [203.2]

INK

- **TEXT AND GRAPHICS:** Pantone Process Black C.

COSMETIC REQUIREMENTS


The label will conform to document 106163 as a Class II label.

SHIPPING AND QUALITY REQUIREMENTS


Refer to document 109893 and 137124.


ARTWORK AVAILABILITY

Electronic artwork files are available from Documentation Control Group (Houston).


HP RESTRICTED THIS DOCUMENT AND ANY ASSOCIATED DATA CONTAIN RESTRICTED INFORMATION THAT IS HEWLETT-PACKARD (HP) PROPERTY. DO NOT DISCLOSE TO OR DUPLICATE FOR OTHERS EXCEPT AS AUTHORIZED BY HP.	APPROVALS		DATE	 LABEL, KOREA RECYCLE LOGOS		
	DRAWN	J. LINDSEY	12/03/03			
	CHECKED	C. MOORE	12/03/03			
	DSGN ENGR	S. MAHAN	12/03/03			
	ENG	C. MOORE	12/03/03			
	PROD ENG	S. MAHAN	12/03/03			
UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES [MILLIMETERS]. TOLERANCES ARE: FRACTIONS DECIMALS ANGLES ±1/32 .XX ±.02 [0.5] ±1° .XXX ±.010 [0.25]	QA	J. OOLUT	12/03/03	SIZE A	DRAWING NO. 358869	REV G
	LEGAL					
	AGENCY			SUPPLEMENTS: EF, EF-EPS, PDF		SHEET 1 OF 11
	DO NOT SCALE DRAWING					


TYPICAL -001/00D LABEL




	SIZE	DRAWING NO.		REV
	A	358869		G
DRAWN: J.L.		SCALE 2/1	SHEET 2 OF 11	


TYPICAL -002/00E LABEL



	SIZE	DRAWING NO.		REV
	A	358869		G
DRAWN:	J.L.	SCALE	2/1	SHEET 3 OF 11

TYPICAL -003/00F LABEL



	SIZE	DRAWING NO.		REV
	A	358869		G
DRAWN:	J.L.	SCALE	2/1	SHEET 4 OF 11

TYPICAL -004/00G LABEL


This Line Does Not Print

R .06 ±.02
[1.5 ±0.5]
4 Places



1.25 ±.02
[31.8 ±0.5]

1.25 ±.02
[31.8 ±0.5]

	SIZE	DRAWING NO.		REV
	A	358869		G
DRAWN: J.L.		SCALE 2/1	SHEET 5 OF 11	

TYPICAL -005/00H LABEL


This Line Does Not Print

R .06 ±.02
[1.5 ±0.5]
4 Places



1.25 ±.02
[31.8 ±0.5]

1.25 ±.02
[31.8 ±0.5]

	SIZE	DRAWING NO.		REV
	A	358869		G
DRAWN: J.L.		SCALE 2/1	SHEET 6 OF 11	

TYPICAL -006/00J LABEL


This Line Does Not Print

R .06 ±.02
[1.5 ±0.5]
4 Places





1.25 ±.02
[31.8 ±0.5]

1.25 ±.02
[31.8 ±0.5]


	SIZE	DRAWING NO.		REV
	A	358869		G
DRAWN: J.L.		SCALE 2/1	SHEET 7 OF 11	


TYPICAL -008/00K LABEL



	SIZE	DRAWING NO.		REV
	A	358869		G
DRAWN:	J.L.	SCALE	2/1	SHEET 8 OF 11


TYPICAL -009/00L LABEL




	SIZE	DRAWING NO.		REV
	A	358869		G
DRAWN: J.L.		SCALE 2/1	SHEET 9 OF 11	

TYPICAL -010/00M LABEL

This Line Does Not Print



	SIZE	DRAWING NO.		REV
	A	358869		G
DRAWN: J.L.		SCALE 2/1	SHEET 10 OF 11	

TYPICAL -011/00N LABEL


This Line Does Not Print

R .06 ±.02
[1.5 ±0.5]
4 Places



1.25 ±.02
[31.8 ±0.5]

1.25 ±.02
[31.8 ±0.5]

	SIZE	DRAWING NO.		REV
	A	358869		G
DRAWN:	J.L.	SCALE	2/1	SHEET 11 OF 11