

Yield Reporting Form: HP LaserJet CP3525 CE25xA

Declaration of Yield

Toner Cartridge Yield:

Average composite CMY cartridge yield 7000¹ standard pages

Average K cartridge yield 5000¹ standard pages

Declared yield values in accordance with ISO/IEC 19798 based on continuous printing.

90% Lower Confidence	Cyan (CE251A) Cartridge	= 6376 pages
	Magenta (CE253A) Cartridge	= 7317 pages
	Yellow (CE252A) Cartridge	= 7579 pages
	Composite CMY	= 7051 pages
	Black (CE250A) Cartridge	= 6207 pages

Date Tested: 15 Oct 2008 – 21 Oct 2008

For questions concerning testing contact:

Hewlett Packard

11311 Chinden Blvd

Boise, ID 83714

800-474-6836

Number of Cartridges used in testing:	C=9, M=9, Y=9, K=9
Number of Cartridges used in calculations	C=9, M=9, Y=9, K=9
Type of Cartridge	All-in-one
Shake Procedure Used?	No ²
Print mode:	Continuous
Number of engines used in testing:	3
MPACCO mode	Off
Media Used:	HP Multipurpose 20lb paper
Paper Size:	Letter
Paper feed orientation:	Short edge feed
Computer Model:	HP/Compaq 2025 PC
Driver Version:	HP LaserJet CP3525 PCL6
Operating System:	Windows XP Professional
Application Software:	Acrobat version 7.0
Test Page Version	ISO/IEC 24712: FCD test suite-FINAL.pdf
Power (off/on) everyday?	No

K (Black)			Temperature** (Celsius)			Humidity				Cartridge used in calculation
Cartridge Number	Printer Serial #	Lot Code	Avg	Max	Min	Avg	Max	Min	Cart Yield	
CE250A-2	CNBC87G004	8I26S1BK	23.2	23.2	22.9	52	54	39	6455	Y
CE250A-5	CNBC87G004	8J02S3BK	23.2	23.2	22.9	52	54	39	6140	Y
CE250A-8	CNBC87G004	8I26S1BK	23.2	23.2	22.9	52	54	39	6455	Y
CE250A-3	CNBC87G00X	8I26S1BK	23.2	23.2	22.9	52	54	39	6285	Y
CE250A-6	CNBC87G00X	8J02S3BK	23.2	23.2	22.9	52	54	39	6315	Y
CE250A-9	CNBC87G00X	8I26S1BK	23.2	23.2	22.9	52	54	39	6325	Y
CE250A-4	CNBC87G00M	8J07S3BK	23.2	23.2	22.9	52	54	39	6115	Y
CE250A-7	CNBC87G00M	8J02S3BK	23.2	23.2	22.9	52	54	39	6120	Y
CE250A-10	CNBC87G00M	8J02S3BK	23.2	23.2	22.9	52	54	39	6475	Y
								Avg.	6298	
								St. Dev.	147	
								90% LCB	6207	

Y (Yellow)			Temperature** (Celsius)			Humidity				Cartridge used in calculation
Cartridge Number	Printer Serial #	Lot Code	Avg	Max	Min	Avg	Max	Min	Cart Yield	
CE252A-2	CNBC87G004	8J07S3BK	23.2	23.2	22.9	52	54	39	7530	Y
CE252A-5	CNBC87G004	8J03S2BK	23.2	23.2	22.9	52	54	39	8020	Y
CE252A-8	CNBC87G004	8J07S3BK	23.2	23.2	22.9	52	54	39	7435	Y
CE252A-3	CNBC87G00X	8J07S3BK	23.2	23.2	22.9	52	54	39	7950	Y
CE252A-6	CNBC87G00X	8J03S2BK	23.2	23.2	22.9	52	54	39	8320	Y
CE252A-9	CNBC87G00X	8J07S3BK	23.2	23.2	22.9	52	54	39	7650	Y
CE252A-4	CNBC87G00M	8J07S3BK	23.2	23.2	22.9	52	54	39	7565	Y
CE252A-7	CNBC87G00M	8J07S3BK	23.2	23.2	22.9	52	54	39	7730	Y
CE252A-10	CNBC87G00M	8J07S3BK	23.2	23.2	22.9	52	54	39	7605	Y
								Avg.	7756	
								St. Dev.	285	
								90% LCB	7579	

M (Magenta)			Temperature** (Celsius)			Humidity				Cartridge used in calculation
Cartridge Number	Printer Serial #	Lot Code	Avg	Max	Min	Avg	Max	Min	Cart Yield	
CE253A-2	CNBC87G004	8I25S3BK	23.2	23.2	22.9	52	54	39	7350	Y
CE253A-5	CNBC87G004	8J07S1BK	23.2	23.2	22.9	52	54	39	7245	Y
CE253A-8	CNBC87G004	8J07S1BK	23.2	23.2	22.9	52	54	39	7285	Y
CE253A-3	CNBC87G00X	8I25S3BK	23.2	23.2	22.9	52	54	39	7450	Y
CE253A-6	CNBC87G00X	8J07S1BK	23.2	23.2	22.9	52	54	39	7440	Y
CE253A-9	CNBC87G00X	8J07S1BK	23.2	23.2	22.9	52	54	39	7295	Y
CE253A-4	CNBC87G00M	8I25S3BK	23.2	23.2	22.9	52	54	39	7650	Y
CE253A-7	CNBC87G00M	8J07S1BK	23.2	23.2	22.9	52	54	39	7975	Y
CE253A-10	CNBC87G00M	8J07S1BK	23.2	23.2	22.9	52	54	39	7435	Y
								Avg.	7458	
								St. Dev.	229	
								90% LCB	7317	

C (Cyan)			Temperature** (Celsius)			Humidity				Cartridge used in calculation
Cartridge Number	Printer Serial #	Lot Code	Avg	Max	Min	Avg	Max	Min	Cart Yield	
CE251A-2	CNBC87G004	8I25S1AK	23.2	23.2	22.9	52	54	39	6570	Y
CE251A-5	CNBC87G004	8I25S1AK	23.2	23.2	22.9	52	54	39	6375	Y
CE251A-8	CNBC87G004	8J07S1BK	23.2	23.2	22.9	52	54	39	6415	Y
CE251A-3	CNBC87G00X	8I25S1AK	23.2	23.2	22.9	52	54	39	6560	Y
CE251A-6	CNBC87G00X	8I25S1AK	23.2	23.2	22.9	52	54	39	6320	Y
CE251A-9	CNBC87G00X	8I25S1AK	23.2	23.2	22.9	52	54	39	6290	Y
CE251A-4	CNBC87G00M	8I25S1AK	23.2	23.2	22.9	52	54	39	6370	Y
CE251A-7	CNBC87G00M	8I25S1AK	23.2	23.2	22.9	52	54	39	6645	Y
CE251A-10	CNBC87G00M	8I25S1AK	23.2	23.2	22.9	52	54	39	6555	Y
								Avg.	6456	
								St. Dev.	128	
								90% LCB	6376	

**Due to configuration of climate control data logging system the reported temperatures are not exact. At no time did temperature deviate by more than 2 degrees and is within ISO specified range.

¹ Actual yields vary considerably based on images printed and other factors. For more, visit www.hp.com/go/learnaboutesupplies.

² Cartridge judged to be at end of life when Replace <color> Cartridge message displayed along with a printer stop