



SAMSUNG

Samsung cartridge MLT-D203L(5K) Model Yield Reporting Form

Declaration of yield:

Toner cartridge yield: Average Cartridge Yield 5,000 standard pages.
Declared yield value in accordance with ISO/IEC 19752.

Average	5,109
Standard Deviation	5
90% Lower Confidence	5,106
90% Upper Confidence	5,112

Sample reporting form(Cartridge Yield):

Date tested : 2013/03/04 - 2013/11/

For questions concerning testing contact:

Number of Cartridge used in testing :	9
Number of Cartridge used in calculations :	9
Type of Cartridge :	All-in-one
Shake Procedure Used?	Yes
Print mode :	Continuous (100 pages/job)
Number of Engines used in testing :	3
Media Used :	Red flagship (70g)
Paper Size :	A4
Paper feed orientation :	Short edge feed
Computer Model :	
Driver Version :	
Operating System :	
Application Software :	Acrobat version 6.0
Test Page Version :	Version 4.0
Power (off/on) everyday?	Yes
Daily Test break :	8 hours

Cartridge testing data :

No.	Cartridge	Engine	Temperature(°C)			Humidity (%RH)			Cartridge Yield	Cart. Used in Calculation
			Avg	Max	Min	Avg	Max	Min		
1	001	#1	22.3	23.0	21.5	51%	48%	53%	5117	Y
2	002	#2	22.8	23.5	22.0	51%	48%	53%	5102	Y
3	003	#3	22.4	22.9	21.8	51%	48%	53%	5106	Y
3	004	#1	22.4	22.9	21.8	51%	48%	53%	5111	Y
3	005	#2	22.4	22.9	21.8	51%	48%	53%	5109	Y
3	006	#3	22.4	22.9	21.8	51%	48%	53%	5105	Y
3	007	#1	22.4	22.9	21.8	51%	48%	53%	5111	Y
3	008	#2	22.4	22.9	21.8	51%	48%	53%	5109	Y
3	009	#3	22.4	22.9	21.8	51%	48%	53%	5114	Y

** Due to configuration of climate control data logging system the reported temperatures are not exact. At no time did temperature deviate by more than 2 degrees and is within ISO specified range.

Printing solutions as easy as



Please visit: www.samsung.com