

ISO/IEC 24734 Printing Productivity Report: Office Category

Full Detailed Test Report - LETTER

HP PageWide Color 755 Series

Printing device and settings	
Test Start Date and Time	9/4/2018 15:17
Tester	AW
Machine name/model	HP PageWide Color 755 Series
Colour or B&W	Colour
FW Version	2406314_034191
Temperature and Humidity	75 degF / 24 degC 24.2 %rH
Voltage	110V
Test End Date and Time	9/19/2018 11:26

Item	Value	
Mode and Setting	Driver Version	6.6.0.23029
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	Print in Grayscale
	Duplex B&W Settings	Print in Grayscale
	Setting N set count	Application
	Collating function	Activated (application)
Paper Path	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
	Output Orientation	Default (face down)
	Duplexing Unit (Yes/No)	Yes
Paper	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

Summary Report: Letter			
Office Category Test for Color Device		FSOT (seconds)	ESAT (ipm)
Color	Simplex	16.94	36.02
	Duplex	26.72	24.74
B&W	Simplex	15.93	36.01
	Duplex	27.07	24.74

Notes
 1) All printing device and driver settings were default mode.
 2) For the B&W results, the print driver was set to "print in B/W".
 3) For more information see <http://www.hp.com/go/printerclaims>.
 4) Port monitor not configured to follow device if the IP address changes.

Detailed Report: LETTER						
Office Category Test	FSOT (secs)	EFTP (ipm)			ESAT (ipm)	
		1 set only (1 set)	1 set only (1 set)	1 set + 30sec (# of sets)		1 set + 4min (# of sets)
Color Mode	Simplex - Adobe Reader	16.46	14.58 (1 set)	28.94 (6 sets)	34.69 (38 sets)	36.03
	Simplex - Word	15.42	15.56 (1 set)	30.10 (6 sets)		36.03
	Simplex - Excel	18.92	12.68 (1 set)	28.18 (6 sets)		36.01
	Simplex - Average	16.94	14.27 (1 set)	29.07 (6 sets)	34.69 (38 sets)	36.02
	Duplex - Adobe Reader	25.96	9.24 (1 set)	18.78 (5 sets)		24.72
	Duplex - Word	28.97	8.26 (1 set)	19.14 (5 sets)		24.80
	Duplex - Excel	25.23	9.50 (1 set)	18.78 (5 sets)		24.72
	Duplex - Average	26.72	9.00 (1 set)	18.90 (5 sets)		24.74
B&W mode (optional for color device)	Simplex - Adobe Reader	14.74	16.29 (1 set)	28.80 (6 sets)	34.16 (37 sets)	36.02
	Simplex - Word	14.81	16.21 (1 set)	29.10 (6 sets)		36.00
	Simplex - Excel	18.23	13.18 (1 set)	30.16 (6 sets)		36.03
	Simplex - Average	15.93	15.22 (1 set)	29.35 (6 sets)	34.2 (37 sets)	36.01
	Duplex - Adobe Reader	31.34	7.64 (1 set)	19.12 (5 sets)		24.70
	Duplex - Word	25.19	9.52 (1 set)	17.78 (5 sets)		24.74
	Duplex - Excel	24.66	9.72 (1 set)	19.16 (5 sets)		24.78
	Duplex - Average	27.07	8.96 (1 set)	18.68 (5 sets)		24.74

Notes
 1) All printing device and driver settings were default mode.
 2) For the B&W results, the print driver was set to "print in B/W".
 3) For more information see <http://www.hp.com/go/printerclaims>.
 4) Port monitor not configured to follow device if the IP address changes.

Test System Parameters	
Item	Value
Computer	HP Compaq Elite 8300 Small Form Factor
Processor	Intel Core i7 -3770, 3.4 GHz
System Chip Set	Intel C216 Chipset Family SMBus Host Controller
System Board	system devices, default system BIOS
System Memory	4 GB
Hard Drive Subsystem	Standard disk drive (Seagate)
Video Subsystem	AMD Radeon HD 6350
Optical Drive	HP DVD A DH16aCSHR ATA
I/O Subsystem	Builtin
USB Subsystem	USB 2.0/3.0
TCP/IP	TCP/IP 10/1000
Operating System	Windows 7 64 Bit
Printing Applications	Microsoft Office 2010
Microsoft Office	Office 2010
Adobe Reader	10
Test files and location	Office category files, hard drive

ISO/IEC 24734 Printing Productivity Report: Office Category

Full Detailed Test Report - A4
HP PageWide Color 755 Series

Printing device and settings	
Test Start Date and Time	9/4/2018 15:17
Tester	AW
Machine name/model	HP PageWide Color 755 Series
Colour or B&W	Colour
FW Version	2406314_034191
Temperature and Humidity	75 degF / 24 degC 24.2 %rH
Voltage	110V
Test End Date and Time	9/19/2018 11:26

Item	Value	
Mode and Setting	Driver Version	6.6.0.23029
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	Print in Grayscale
	Duplex B&W Settings	Print in Grayscale
	Setting N set count	Application
Paper Path	Collating function	Activated (application)
	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
	Output Orientation	Default (face down)
Paper	Duplexing Unit (Yes/No)	Yes
	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

Summary Report: A4			
Office Category Test for Color Device		FSOT (seconds)	ESAT (ipm)
Colour	Simplex	14.43	36.03
	Duplex	28.99	24.74
B&W	Simplex	16.94	36.04
	Duplex	27.22	24.70

Notes
 1) All printing device and driver settings were default mode.
 2) For the B&W results, the print driver was set to "print in B/W".
 3) For more information see <http://www.hp.com/go/printerclaims>.
 4) Port monitor not configured to follow device if the IP address changes.

Detailed Report: A4						
Office Category Test	FSOT (secs)	EFTP (ipm)			ESAT (ipm)	
		1 set only (1 set)	1 set only (1 set)	1 set + 30sec (# of sets)		1 set + 4min (# of sets)
Colour Mode	Simplex - Adobe Reader	14.57	16.47 (1 set)	29.00 (6 sets)	33.45 (38 sets)	36.03
	Simplex - Word	14.33	16.75 (1 set)	30.32 (6 sets)		36.03
	Simplex - Excel	14.37	16.70 (1 set)	26.34 (6 sets)		36.04
	Simplex - Average	14.43	16.64	28.55	33.45	36.03
	Duplex - Adobe Reader	31.10	7.70 (1 set)	18.00 (5 sets)		24.80
	Duplex - Word	24.72	9.70 (1 set)	18.84 (5 sets)		24.72
	Duplex - Excel	31.14	7.70 (1 set)	18.96 (5 sets)		24.70
	Duplex - Average	29.0	8.36	18.60		24.74
B&W mode (optional for color device)	Simplex - Adobe Reader	16.23	14.80 (1 set)	29.47 (6 sets)	33.84 (37 sets)	36.04
	Simplex - Word	18.09	13.27 (1 set)	29.96 (6 sets)		36.05
	Simplex - Excel	16.50	14.54 (1 set)	27.26 (6 sets)		36.05
	Simplex - Average	16.9	14.20	28.89	33.8	36.04
	Duplex - Adobe Reader	31.25	7.68 (1 set)	18.92 (5 sets)		24.72
	Duplex - Word	24.89	9.64 (1 set)	18.90 (5 sets)		24.70
	Duplex - Excel	25.51	9.40 (1 set)	18.28 (5 sets)		24.70
	Duplex - Average	27.2	8.90	18.70		24.70

Notes
 1) All printing device and driver settings were default mode.
 2) For the B&W results, the print driver was set to "print in B/W".
 3) For more information see <http://www.hp.com/go/printerclaims>.
 4) Port monitor not configured to follow device if the IP address changes.

Test System Parameters	
Item	Value
Computer	HP Compaq Elite 8300 Small Form Factor
Processor	Intel Core i7 -3770, 3.4 GHz
System Chip Set	Intel C216 Chipset Family SMBus Host Controller
System Board	system devices, default system BIOS
System Memory	4 GB
Hard Drive Subsystem	Standard disk drive (Seagate)
Video Subsystem	AMD Radeon HD 6350
Optical Drive	HP DVD A DH16aCSHR ATA
I/O Subsystem	Built-in
USB Subsystem	USB 2.0/3.0
TCP/IP	TCP/IP 10/1000
Operating System	Windows 7 64 Bit
Printing Applications	Microsoft Office 2010
Microsoft Office	Office 2010
Adobe Reader	10
Test files and location	Office category files, hard drive

ISO/IEC 24734 Printing Productivity Report: Office Category

Full Detailed Test Report - Tabloid

HP PageWide Color 755 Series

Printing device and settings		
Test Start Date and Time	9/4/2018 15:17	
Tester	AW	
Machine name/model	HP PageWide Color 755 Series	
Colour or B&W	Colour	
FW Version	2406314_034191	
Temperature and Humidity	75 degF / 24 degC 24.2 %rH	
Voltage	110V	
Test End Date and Time	9/19/2018 11:26	

Item	Value	
Mode and Setting	Driver Version	6.6.0.23029
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	Print in Grayscale
	Duplex B&W Settings	Print in Grayscale
	Setting N set count	Application
	Collating function	Activated (application)
Paper Path	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
	Output Orientation	Default (face down)
	Duplexing Unit (Yes/No)	Yes
Paper	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

Summary Report: Tabloid

Office Category Test for Color Device		FSOT (seconds)	ESAT (ipm)
Color	Simplex	16.94	18.09
	Duplex	26.72	8.95
B&W	Simplex	26.77	18.09
	Duplex	34.70	8.94

Notes

- 1) All printing device and driver settings were default mode.
- 2) For the B&W results, the print driver was set to "print in B/W".
- 3) For more information see <http://www.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.

Detailed Report: Tabloid

Office Category Test	FSOT (secs)	EFTP (ipm)				ESAT (ipm)	
		1 set only (1 set)	1 set only (1 set)	1 set + 30sec (# of sets)	1 set + 4min (# of sets)		
Color Mode	Simplex - Adobe Reader	26.14	9.18 (1 set)	15.30 (4 sets)	17.16 (20 sets)	18.09	
	Simplex - Word	22.11	10.85 (1 set)	15.31 (4 sets)		18.09	
	Simplex - Excel	22.03	10.89 (1 set)	15.50 (4 sets)		18.09	
	Simplex - Average	23.43	10.30 (1 set)	15.37 (4 sets)	17.16 (20 sets)	18.09	
	Duplex - Adobe Reader	35.63	6.72 (1 set)	7.76 (3 sets)		8.94	
	Duplex - Word	34.99	6.84 (1 set)	8.14 (3 sets)		8.96	
	Duplex - Excel	35.19	6.80 (1 set)	7.70 (3 sets)		8.96	
	Duplex - Average	35.27	6.78 (1 set)	7.86 (3 sets)		8.95	
	B&W mode <small>(optional for color device)</small>	Simplex - Adobe Reader	30.51	7.86 (1 set)	15.44 (4 sets)	17.24 (20 sets)	18.09
		Simplex - Word	27.91	8.59 (1 set)	14.76 (4 sets)		18.09
Simplex - Excel		21.89	10.97 (1 set)	15.61 (4 sets)		18.09	
Simplex - Average		26.77	9.14 (1 set)	15.27 (4 sets)	17.24 (20 sets)	18.09	
Duplex - Adobe Reader		35.14	6.82 (1 set)	8.02 (3 sets)		8.94	
Duplex - Word		34.56	6.92 (1 set)	7.72 (3 sets)		8.94	
Duplex - Excel		34.40	6.96 (1 set)	8.10 (3 sets)		8.96	
Duplex - Average		34.70	6.90 (1 set)	7.94 (3 sets)		8.94	

Notes

- 1) All printing device and driver settings were default mode.
- 2) For the B&W results, the print driver was set to "print in B/W".
- 3) For more information see <http://www.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.

Test System Parameters

Item	Value
Computer	HP Compaq Elite 8300 Small Form Factor
Processor	Intel Core i7 -3770, 3.4 GHz
System Chip Set	Intel C216 Chipset Family SMBus Host Controller
System Board	system devices, default system BIOS
System Memory	4 GB
Hard Drive Subsystem	Standard disk drive (Seagate)
Video Subsystem	AMD Radeon HD 6350
Optical Drive	HP DVD A DH16aCSHR ATA
I/O Subsystem	Builtin
USB Subsystem	USB 2.0/3.0
TCP/IP	TCP/IP 10/1000
Operating System	Windows 7 64 Bit
Printing Applications	Microsoft Office 2010
Microsoft Office	Office 2010
Adobe Reader	10
Test files and location	Office category files, hard drive

ISO/IEC 24734 Printing Productivity Report: Office Category

Full Detailed Test Report - A3
HP PageWide Color 755 Series

Printing device and settings	
Test Start Date and Time	9/4/2018 15:17
Tester	AW
Machine name/model	HP PageWide Color 755 Series
Colour or B&W	Colour
FW Version	2406314_034191
Temperature and Humidity	75 degF / 24 degC 24.2 %rH
Voltage	110V
Test End Date and Time	9/19/2018 11:26

Item	Value	
Mode and Setting	Driver Version	6.6.0.23029
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	Print in Grayscale
	Duplex B&W Settings	Print in Grayscale
	Setting N set count	Application
Paper Path	Collating function	Activated (application)
	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
	Output Orientation	Default (face down)
Paper	Duplexing Unit (Yes/No)	Yes
	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

Summary Report: A3			
Office Category Test for Color Device		FSOT (seconds)	ESAT (ipm)
Color	Simplex	16.94	18.09
	Duplex	26.72	8.94
B&W	Simplex	24.48	18.09
	Duplex	38.05	8.94

Notes
1) All printing device and driver settings were default mode.
2) For the B&W results, the print driver was set to "print in B/W".
3) For more information see <http://www.hp.com/go/printerclaims>.
4) Port monitor not configured to follow device if the IP address changes.

Detailed Report: A3						
Office Category Test	FSOT (secs)	EFTP (ipm)			ESAT (ipm)	
		1 set only (1 set)	1 set only (1 set)	1 set + 30sec (# of sets)		1 set + 4min (# of sets)
Color Mode	Simplex - Adobe Reader	22.21	10.80 (1 set)	15.36 (4 sets)	16.93 (20 sets)	18.09
	Simplex - Word	21.27	11.28 (1 set)	15.52 (4 sets)		18.09
	Simplex - Excel	22.09	10.86 (1 set)	15.42 (4 sets)		18.10
	Simplex - Average	21.86	10.98	15.43	16.93	18.09
	Duplex - Adobe Reader	42.83	5.60 (1 set)	7.94 (3 sets)		8.94
	Duplex - Word	34.88	6.86 (1 set)	8.14 (3 sets)		8.94
	Duplex - Excel	35.09	6.82 (1 set)	8.10 (3 sets)		8.94
	Duplex - Average	37.60	6.42	8.06		8.94
B&W mode (optional for color device)	Simplex - Adobe Reader	22.55	10.64 (1 set)	15.49 (4 sets)	17.46 (20 sets)	18.09
	Simplex - Word	21.96	10.92 (1 set)	15.63 (4 sets)		18.09
	Simplex - Excel	28.92	8.30 (1 set)	15.70 (4 sets)		18.11
	Simplex - Average	24.48	9.95	15.60	17.46	18.09
	Duplex - Adobe Reader	41.93	5.72 (1 set)	7.98 (3 sets)		8.94
	Duplex - Word	37.84	6.34 (1 set)	8.06 (3 sets)		8.94
	Duplex - Excel	34.36	6.98 (1 set)	8.14 (3 sets)		8.96
	Duplex - Average	38.05	6.34	8.06		8.94

Notes
1) All printing device and driver settings were default mode.
2) For the B&W results, the print driver was set to "print in B/W".
3) For more information see <http://www.hp.com/go/printerclaims>.
4) Port monitor not configured to follow device if the IP address changes.

Test System Parameters	
Item	Value
Computer	HP Compaq Elite 8300 Small Form Factor
Processor	Intel Core i7 -3770, 3.4 GHz
System Chip Set	Intel C216 Chipset Family SMBus Host Controller
System Board	system devices, default system BIOS
System Memory	4 GB
Hard Drive Subsystem	Standard disk drive (Seagate)
Video Subsystem	AMD Radeon HD 6350
Optical Drive	HP DVD A DH16aCSHR ATA
I/O Subsystem	Built-in
USB Subsystem	USB 2.0/3.0
TCP/IP	TCP/IP 10/1000
Operating System	Windows 7 64 Bit
Printing Applications	Microsoft Office 2010
Microsoft Office	Office 2010
Adobe Reader	10
Test files and location	Office category files, hard drive

ISO/IEC 24734 Printing Productivity Report: Office Category

Feature Performance Full Report - Office Feature Performance Test

HP PageWide Color 755 Series

Printing device and settings		
Test Start Date and Time	9/4/2018 15:17	
Tester	AW	
Machine name/model	HP PageWide Color 755 Series	
Colour or B&W	Colour	
FW Version	2406314_034191	
Temperature and Humidity	75 degF / 24 degC 24.2 %rH	
Voltage	110V	
Test End Date and Time	9/19/2018 11:26	

Item	Value	
Mode and Setting	Driver Version	6.6.0.23029
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	Print in Grayscale
	Duplex B&W Settings	Print in Grayscale
	Setting N set count	Application
	Collating function	Activated (application)
Paper Path	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
	Output Orientation	Default (face down)
	Duplexing Unit (Yes/No)	Yes
Paper	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

ISO Print Productivity Report: Feature Performance Test Summary

Printing Modes (Feature Adobe Reader - Office test file)		Feature Performance Ratio	
		FSOT (base) FSOT (feature)	ESAT (feature) ESAT (base)
A5, Landscape Feed, Simplex, Colour	Simplex	99%	100%
A5, Portrait Feed, Simplex, Colour	Simplex		
Legal, Simplex, Colour	Simplex	75%	73%
Legal, Duplex, Colour	Duplex	55%	68%
A4, 1200 dpi, Simplex, Colour	Simplex		
Letter, 1200 dpi, Simplex, Colour	Simplex		
A4, General Office, Simplex, Colour	Simplex	122%	155%
Letter, General Office, Simplex, Colour	Simplex	105%	155%
A5, Landscape Feed, Simplex, B/W	Simplex	119%	100%
A5, Portrait Feed, Simplex, B/W	Simplex		
Legal, Simplex, B/W	Simplex	81%	73%
Legal, Duplex, B/W	Duplex	57%	68%
A4, 1200 dpi, Simplex, B/W	Simplex		
Letter, 1200 dpi, Simplex, B/W	Simplex		
A4, General Office, Simplex, B/W	Simplex	122%	155%
Letter, General Office, Simplex, B/W	Simplex	115%	154%

- Notes
- 1) All printing device and driver settings were default mode.
 - 2) Test conducted with 8-paper Office Feature Performance file.
 - 3) For more information see <http://w.w.w.hp.com/go/printerclaims>.
 - 4) Port monitor not configured to follow device if the IP address changes.

Feature Performance Full Report - Feature Printing Mode: 'Office' Feature Performance Test

Printing Modes Feature Adobe Reader - Office test file (8-page)	Base Printing Mode		Feature Performance			
	FSOT Base	ESAT Base	1 set FSOT (secs)	1 set + 30 sec ESAT (ipm)	FSOT (base) FSOT (feature)	ESAT (feature) ESAT (base)
A5, Landscape Feed, Simplex, Colour	22.37	36.04	22.78	36.0	99%	100%
A5, Portrait Feed, Simplex, Colour	22.37	36.04				
Legal, Simplex, Colour	23.16	35.98	31.02	26.6	75%	73%
Legal, Duplex, Colour	23.16	35.98	42.7	24.7	55%	68%
A4, 1200 dpi, Simplex, Colour	22.37	36.04				
Letter, 1200 dpi, Simplex, Colour	23.16	35.98				
A4, General Office, Simplex, Colour	22.37	36.04	18.36	56.0	122%	155%
Letter, General Office, Simplex, Colour	23.16	35.98	22.12	55.8	105%	155%
A5, Landscape Feed, Simplex, B/W	26.34	36.02	22.2	36.0	119%	100%
A5, Portrait Feed, Simplex, B/W	26.34	36.02				
Legal, Simplex, B/W	22.57	36.05	27.94	26.6	81%	73%
Legal, Duplex, B/W	22.57	36.05	39.61	24.7	57%	68%
A4, 1200 dpi, Simplex, B/W	26.34	36.02				
Letter, 1200 dpi, Simplex, B/W	22.57	36.05				
A4, General Office, Simplex, B/W	26.34	36.02	21.75	55.8	122%	155%
Letter, General Office, Simplex, B/W	22.57	36.05	19.73	55.7	115%	154%

- Notes
- 1) All printing device and driver settings were default mode.
 - 2) Test conducted with 8-paper Office Feature Performance file.
 - 3) For more information see <http://w.w.w.hp.com/go/printerclaims>.
 - 4) Port monitor not configured to follow device if the IP address changes.

Test System Parameters

Item	Value	
Test System	Computer	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 GHz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Board	system devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 6350
	Optical Drive	HP DVD A DH16aC5HR ATA
	I/O Subsystem	Builtin
	USB Subsystem	USB 2.0/3.0
I/O	TCP/IP	TCP/IP 10/1000
Software	Operating System	Windows 7 64 Bit
	Printing Applications	Microsoft Office 2010
	Microsoft Office	Office 2010
	Adobe Reader	10
Test files and location	Office category files, hard drive	

ISO/IEC 17629 First Print Out Time Report: Office Category

Full Detailed Test Report - LETTER

HP PageWide Color 755 Series

Printing device and settings	
Test Start Date and Time	9/4/2018 15:17
Tester	AW
Machine name/model	HP PageWide Color 755 Series
Colour or B&W	Colour
FW Version	2406314_034191
Configuration (options)	Default
Controller	N/A
Printing device page count	Not Specified
Printing supplies page count	Not Specified
Temperature and Humidity	75 degF / 24 degC 24.2 %rH
Voltage	110V
Test End Date and Time	9/19/2018 11:26

Item	Value
Mode and Setting	
PDL and driver version	6.6.0.23029
Print Quality mode	default
B&W settings	default
Paper feed orientation	Short Edge
Paper	
Paper type setting	default
Paper feeding	Standard cassette
Paper exit	Standard exit tray
Paper Path	
Output orientation	default (face up or face down)

ISO First Page Out Time Summary Report: Office Category

Summary Report: Letter

		FPOT from Ready (seconds)
Color	Simplex	8.71
	Duplex	
B&W	Simplex	9.44
	Duplex	

Notes
 1) All printing device and driver settings w ere default mode.
 2) For the B/W results, the print driver w as set to "print in B/W".
 3) For more information see <http://www.hp.com/go/printerclaims>.
 4) Port monitor not configured to follow device if the IP address changes.
 5) Page counts w ere collected after completion of the tests.

ISO First Page Out Time Report: Office Category

Detailed Report: LETTER

		Word (seconds)	Excel (seconds)	Adobe Reader (seconds)	Average (seconds)	Delay Time
Color Mode	FPOT from Ready - Simplex	7.40	8.43	10.28	8.71	48 Seconds
	FPOT from Ready - Duplex					
	FPOT from Sleep - Simplex			26.14		76 Minutes
	Recovery Time			15.9		
	FPOT from Off - Simplex			120.75		
	Warm-up Time			110.47		
B&W Mode	FPOT from Ready - Simplex	8.56	9.92	9.82	9.44	48 Seconds
	FPOT from Ready - Duplex					
	FPOT from Sleep - Simplex			20.83		76 Minutes
	Recovery Time			11.0		
	FPOT from Off - Simplex			120.76		
	Warm-up Time			110.94		

Notes
 1) All printing device and driver settings w ere default mode.
 2) For the B/W results, the print driver w as set to "print in B/W".
 3) For more information see <http://www.hp.com/go/printerclaims>.
 4) Port monitor not configured to follow device if the IP address changes.
 5) Page counts w ere collected after completion of the tests.
 6) Details for FPOT from Sleep are shown below.

HP Data Table

Detailed Report: LETTER

		FPOT Avg (secs)	FPOT (secs) Iteration 1	FPOT (secs) Iteration 2	FPOT (secs) Iteration 3	Application	Delay Time
Color Mode	FPOT from Sleep	26.14	26.17	26.10	N/A	Adobe Reader	76 Minutes
	FPOT from Sleep (15 minutes) HP/Non ISO Test	11.08	11.60	10.55	N/A	Adobe Reader	15 Minutes
B&W Mode	FPOT from Sleep	20.83	21.25	20.40	N/A	Adobe Reader	76 Minutes
	FPOT from Sleep (15 minutes) HP/Non ISO Test	11.35	11.28	11.41	N/A	Adobe Reader	15 Minutes

Notes
 1) All printing device and driver settings w ere default mode.
 2) For the B/W results, the print driver w as set to "print in B/W".
 3) DLP includes detailed iterations as data measurements may vary run to run.

Test System Parameters		
Item	Value	
Test System	Computer	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 GHz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Memory	system devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 6350
	Optical Drive	HP DVD A DH16aC5HR ATA
	I/O Subsystem	Builtin
	USB Subsystem	USB 2.0/3.0
Printing Device Connection	TCP/IP	10/1000
Software	Operating System	Windows 7 Business/Ultimate, 64 bit, Build 7601, SP 1
	Printing Applications	Microsoft Office 2010 SP2 Adobe Reader 10.1.4
	Print Driver	6.6.0.23029

ISO/IEC 17629 First Print Out Time Report: Office Category

Full Detailed Test Report - A4

HP PageWide Color 755 Series

Printing device and settings	
Test Start Date and Time	9/4/2018 15:17
Tester	AW
Machine name/model	HP PageWide Color 755 Series
Colour or B&W	Colour
FW Version	2406314_034191
Configuration (options)	Default
Controller	N/A
Printing device page count	Not Specified
Printing supplies page count	Not Specified
Temperature and Humidity	75 degF / 24 degC 24.2 %rH
Voltage	110V
Test End Date and Time	9/19/2018 11:26

Item	Value
Mode and Setting	
PDL and driver version	6.6.0.23029
Print Quality mode	default
B&W settings	default
Paper feed orientation	Short Edge
Paper	
Paper type setting	default
Paper feeding	Standard cassette
Paper exit	Standard exit tray
Paper Path	
Output orientation	default (face up or face down)

ISO First Page Out Time Summary Report: Office Category

Summary Report: A4		FPOT from Ready (seconds)
Colour	Simplex	7.90
	Duplex	
B&W	Simplex	7.73
	Duplex	

- Notes
- 1) All printing device and driver settings were default mode.
 - 2) For the B/W results, the print driver was set to "print in B/W".
 - 3) For more information see <http://www.hp.com/go/printerclaims>.
 - 4) Port monitor not configured to follow device if the IP address changes.
 - 5) Page counts were collected after completion of the tests.

ISO First Page Out Time Report: Office Category

Detailed Report: A4		Word (seconds)	Excel (seconds)	Adobe Reader (seconds)	Average (seconds)	Delay Time
Color Mode	FPOT from Ready - Simplex	7.48	7.64	8.57	7.90	48 Seconds
	FPOT from Ready - Duplex					
	FPOT from Sleep - Simplex			21.04		76 Minutes
	Recovery Time			12.5		
	FPOT from Off - Simplex			121.51		
	Warm-up Time			112.94		
B&W Mode	FPOT from Ready - Simplex	7.34	7.63	8.20	7.73	48 Seconds
	FPOT from Ready - Duplex					
	FPOT from Sleep - Simplex			20.79		76 Minutes
	Recovery Time			12.6		
	FPOT from Off - Simplex			121.42		
	Warm-up Time			113.22		

- Notes
- 1) All printing device and driver settings were default mode.
 - 2) For the B/W results, the print driver was set to "print in B/W".
 - 3) For more information see <http://www.hp.com/go/printerclaims>.
 - 4) Port monitor not configured to follow device if the IP address changes.
 - 5) Page counts were collected after completion of the tests.
 - 6) Details for FPOT from Sleep are shown below.

HP Data Table

Detailed Report: A4		FPOT Avg (secs)	FPOT (secs) Iteration 1	FPOT (secs) Iteration 2	FPOT (secs) Iteration 3	Application	Delay Time
Color Mode	FPOT from Sleep	21.04	21.00	21.08	N/A	Adobe Reader	76 Minutes
	FPOT from Sleep (15 minutes) HP/Non ISO Test	11.45	11.48	11.42	N/A	Adobe Reader	15 Minutes
B&W Mode	FPOT from Sleep	20.79	20.97	20.61	N/A	Adobe Reader	76 Minutes
	FPOT from Sleep (15 minutes) HP/Non ISO Test	11.04	10.81	11.27	N/A	Adobe Reader	15 Minutes

- Notes
- 1) All printing device and driver settings were default mode.
 - 2) For the B/W results, the print driver was set to "print in B/W".
 - 3) DLP includes detailed iterations as data measurements may vary run to run.

Test System Parameters		
Item	Value	
Test System	Computer	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 GHz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Board	system devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 6350
	Optical Drive	HP DVD A DH16aC5HR ATA
	I/O Subsystem	Builtin
	USB Subsystem	USB 2.0/3.0
Printing Device Connection	TCP/IP	10/1000
Software	Operating System	Windows 7 Business/Ultimate, 64 bit, Build 7601, SP 1
	Printing Applications	Microsoft Office 2010 SP2 Adobe Reader 10.1.4
	Print Driver	6.6.0.23029