

ISO/IEC 24734 Printing Productivity Report: Office Category

Full Detailed Test Report - LETTER

HP PageWide Color P75250 Series

Printing device and settings		
Test Start Date and Time	5/1/2018 14:31	
Tester	TQW	
Machine name/model	HP PageWide Color P75250 Series	
Colour or B&W	Colour	
FW Version	2406029_028984	
Temperature and Humidity	75 degF / 24 degC 24.2 %rH	
Voltage	110V	
Test End Date and Time	7/26/2018 11:40	

Item	Value	
Mode and Setting	Driver Version	6.5.0.22695
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	print in grayscale black only
	Duplex B&W Settings	print in grayscale black only
	Setting N set count	Application
Paper Path	Collating function	Activated (application)
	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
	Output Orientation	Default (face down)
Paper	Duplexing Unit (Yes/No)	Yes
	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

Summary Report: Letter			
Office Category Test for Color Device		FSOT (seconds)	ESAT (ipm)
Color	Simplex	12.57	51.28
	Duplex	22.74	35.94
B&W	Simplex	12.50	51.41
	Duplex	22.30	35.92

Notes

- 1) All printing device and driver settings were default mode.
- 2) For the B&W results, the print driver was set to "print in B/W".
- 3) For more information see <http://www.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.

Detailed Report: LETTER						
Office Category Test	FSOT (secs)	EFTP (ipm)			ESAT (ipm)	
		1 set only (1 set)	1 set only (1 set)	1 set + 30sec (# of sets)		1 set + 4min (# of sets)
Color Mode	Simplex - Adobe Reader	13.08	18.36 (1 set)	41.40 (8 sets)	47.50 (53 sets)	51.36
	Simplex - Word	12.19	19.69 (1 set)	42.08 (8 sets)		51.20
	Simplex - Excel	12.43	19.31 (1 set)	41.79 (8 sets)		51.28
	Simplex - Average	12.57	19.12	41.75	47.50	51.28
	Duplex - Adobe Reader	23.51	10.20 (1 set)	26.24 (6 sets)		35.94
	Duplex - Word	22.36	10.72 (1 set)	26.86 (6 sets)		35.94
	Duplex - Excel	22.35	10.72 (1 set)	26.94 (6 sets)		35.94
	Duplex - Average	22.74	10.54	26.68		35.94
B&W mode (optional for color device)	Simplex - Adobe Reader	13.20	18.20 (1 set)	41.60 (8 sets)	48.99 (53 sets)	51.30
	Simplex - Word	12.09	19.85 (1 set)	42.38 (8 sets)		51.47
	Simplex - Excel	12.19	19.69 (1 set)	42.53 (8 sets)		51.48
	Simplex - Average	12.50	19.24	42.17	49.0	51.41
	Duplex - Adobe Reader	22.78	10.52 (1 set)	26.52 (6 sets)		35.94
	Duplex - Word	21.91	10.94 (1 set)	26.96 (6 sets)		35.92
	Duplex - Excel	22.20	10.80 (1 set)	27.06 (6 sets)		35.92
	Duplex - Average	22.30	10.75	26.84		35.92

Notes

- 1) All printing device and driver settings were default mode.
- 2) For the B&W results, the print driver was set to "print in B/W".
- 3) For more information see <http://www.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.

Test System Parameters	
Item	Value
Computer	HP Compaq Elite 8300 Small Form Factor
Processor	Intel Core i7 -3770, 3.4 GHz
System Chip Set	Intel C216 Chipset Family SMBus Host Controller
System Board	system devices, default system BIOS
System Memory	4 GB
Hard Drive Subsystem	Standard disk drive (Seagate)
Video Subsystem	AMD Radeon HD 6350
Optical Drive	HP DVD A DH16aCSHR ATA
I/O Subsystem	Builtin
USB Subsystem	USB 2.0/3.0
TCP/IP	TCP/IP 10/1000
Operating System	Windows 7 64 Bit
Printing Applications	Microsoft Office 2010
Microsoft Office	Office 2010
Adobe Reader	10
Test files and location	Office category files, hard drive

ISO/IEC 24734 Printing Productivity Report: Office Category

Full Detailed Test Report - A4

HP PageWide Color P75250 Series

Printing device and settings		
Test Start Date and Time	5/1/2018 14:31	
Tester	TQW	
Machine name/model	HP PageWide Color P75250 Series	
Colour or B&W	Colour	
FW Version	2406029_028984	
Temperature and Humidity	75 degF / 24 degC 24.2 %rH	
Voltage	110V	
Test End Date and Time	7/26/2018 11:40	

Item	Value	
Mode and Setting	Driver Version	6.5.0.22695
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	print in grayscale black only
	Duplex B&W Settings	print in grayscale black only
	Setting N set count	Application
Paper Path	Collating function	Activated (application)
	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
	Output Orientation	Default (face down)
	Duplexing Unit (Yes/No)	Yes
Paper	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

Summary Report: A4

Office Category Test for Color Device		FSOT (seconds)	ESAT (ipm)
Colour	Simplex	12.70	51.42
	Duplex	22.75	35.93
B&W	Simplex	12.61	51.43
	Duplex	22.49	35.92

Notes

- 1) All printing device and driver settings were default mode.
- 2) For the B&W results, the print driver was set to "print in B/W".
- 3) For more information see <http://www.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.

Detailed Report: A4

Office Category Test	FSOT (secs)	EFTP (ipm)				ESAT (ipm)
		1 set only (1 set)	1 set only (1 set)	1 set + 30sec (# of sets)	1 set + 4min (# of sets)	
Colour Mode	Simplex - Adobe Reader	13.22	18.15 (1 set)	41.32 (8 sets)	49.30 (53 sets)	51.36
	Simplex - Word	12.38	19.39 (1 set)	42.44 (8 sets)		51.48
	Simplex - Excel	12.48	19.22 (1 set)	42.31 (8 sets)		51.44
	Simplex - Average	12.70	18.92 (1 set)	42.02 (8 sets)	49.30	51.42
	Duplex - Adobe Reader	23.33	10.28 (1 set)	26.32 (6 sets)		35.94
	Duplex - Word	22.42	10.70 (1 set)	27.04 (6 sets)		35.94
	Duplex - Excel	22.48	10.68 (1 set)	26.88 (6 sets)		35.92
	Duplex - Average	22.8	10.55 (1 set)	26.74 (6 sets)		35.93
B&W mode <small>(optional for color device)</small>	Simplex - Adobe Reader	13.20	18.18 (1 set)	41.58 (8 sets)	49.23 (53 sets)	51.36
	Simplex - Word	12.18	19.70 (1 set)	42.59 (8 sets)		51.48
	Simplex - Excel	12.43	19.31 (1 set)	42.37 (8 sets)		51.47
	Simplex - Average	12.6	19.06 (1 set)	42.18 (8 sets)	49.2	51.43
	Duplex - Adobe Reader	22.91	10.46 (1 set)	26.52 (6 sets)		35.92
	Duplex - Word	22.36	10.72 (1 set)	27.06 (6 sets)		35.92
	Duplex - Excel	22.19	10.80 (1 set)	27.06 (6 sets)		35.94
	Duplex - Average	22.5	10.66 (1 set)	26.88 (6 sets)		35.92

Notes

- 1) All printing device and driver settings were default mode.
- 2) For the B&W results, the print driver was set to "print in B/W".
- 3) For more information see <http://www.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.

Test System Parameters

Item	Value
Computer	HP Compaq Elite 8300 Small Form Factor
Processor	Intel Core i7 -3770, 3.4 GHz
System Chip Set	Intel C216 Chipset Family SMBus Host Controller
System Board	system devices, default system BIOS
System Memory	4 GB
Hard Drive Subsystem	Standard disk drive (Seagate)
Video Subsystem	AMD Radeon HD 6350
Optical Drive	HP DVD A DH16aCSHR ATA
I/O Subsystem	Builtin
USB Subsystem	USB 2.0/3.0
TCP/IP	TCP/IP 10/1000
Operating System	Windows 7 64 Bit
Printing Applications	Microsoft Office 2010
Microsoft Office	Office 2010
Adobe Reader	10
Test files and location	Office category files, hard drive

ISO/IEC 24734 Printing Productivity Report: Office Category

Full Detailed Test Report - Tabloid

HP PageWide Color P75250 Series

Printing device and settings		
Test Start Date and Time	5/1/2018 14:31	
Tester	TQW	
Machine name/model	HP PageWide Color P75250 Series	
Colour or B&W	Colour	
FW Version	2406029_028984	
Temperature and Humidity	75 degF / 24 degC 24.2 %rH	
Voltage	110V	
Test End Date and Time	7/26/2018 11:40	

Item	Value	
Mode and Setting	Driver Version	6.5.0.22695
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	print in grayscale black only
	Duplex B&W Settings	print in grayscale black only
	Setting N set count	Application
Paper Path	Collating function	Activated (application)
	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
	Output Orientation	Default (face down)
	Duplexing Unit (Yes/No)	Yes
Paper	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

Summary Report: Tabloid

Office Category Test for Color Device		FSOT (seconds)	ESAT (ipm)
Color	Simplex	12.57	26.11
	Duplex	22.74	12.94
B&W	Simplex	18.15	26.11
	Duplex	27.65	12.94

Notes

- 1) All printing device and driver settings were default mode.
- 2) For the B&W results, the print driver was set to "print in B/W".
- 3) For more information see <http://www.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.

Detailed Report: Tabloid

Office Category Test	FSOT (secs)	EFTP (ipm)				ESAT (ipm)
		1 set only (1 set)	1 set only (1 set)	1 set + 30sec (# of sets)	1 set + 4min (# of sets)	
Color Mode	Simplex - Adobe Reader	19.41	12.36 (1 set)	21.29 (5 sets)	24.06 (28 sets)	26.12
	Simplex - Word	18.57	12.93 (1 set)	21.47 (5 sets)		26.11
	Simplex - Excel	17.89	13.41 (1 set)	21.96 (5 sets)		26.11
	Simplex - Average	18.63	12.90 (1 set)	21.57 (5 sets)	24.06 (28 sets)	26.11
	Duplex - Adobe Reader	28.46	8.42 (1 set)	10.86 (3 sets)		12.94
	Duplex - Word	27.89	8.60 (1 set)	11.08 (3 sets)		12.94
	Duplex - Excel	27.32	8.78 (1 set)	11.08 (3 sets)		12.94
	Duplex - Average	27.89	8.60 (1 set)	11.00 (3 sets)		12.94
B&W mode (optional for color device)	Simplex - Adobe Reader	18.73	12.81 (1 set)	21.45 (5 sets)	24.30 (28 sets)	26.09
	Simplex - Word	17.94	13.37 (1 set)	21.98 (5 sets)		26.12
	Simplex - Excel	17.78	13.50 (1 set)	21.91 (5 sets)		26.12
	Simplex - Average	18.15	13.22 (1 set)	21.78 (5 sets)	24.30 (28 sets)	26.11
	Duplex - Adobe Reader	28.01	8.56 (1 set)	10.90 (3 sets)		12.94
	Duplex - Word	27.66	8.68 (1 set)	11.14 (3 sets)		12.94
	Duplex - Excel	27.28	8.80 (1 set)	11.14 (3 sets)		12.94
	Duplex - Average	27.65	8.68 (1 set)	11.06 (3 sets)		12.94

Notes

- 1) All printing device and driver settings were default mode.
- 2) For the B&W results, the print driver was set to "print in B/W".
- 3) For more information see <http://www.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.

Test System Parameters

Item	Value
Computer	HP Compaq Elite 8300 Small Form Factor
Processor	Intel Core i7 -3770, 3.4 GHz
System Chip Set	Intel C216 Chipset Family SMBus Host Controller
System Board	system devices, default system BIOS
System Memory	4 GB
Hard Drive Subsystem	Standard disk drive (Seagate)
Video Subsystem	AMD Radeon HD 6350
Optical Drive	HP DVD A DH16aCSHR ATA
I/O Subsystem	Buillim
USB Subsystem	USB 2.0/3.0
TCP/IP	TCP/IP 10/1000
Operating System	Windows 7 64 Bit
Printing Applications	Microsoft Office 2010
Microsoft Office	Office 2010
Adobe Reader	10
Test files and location	Office category files, hard drive

ISO/IEC 24734 Printing Productivity Report: Office Category

Full Detailed Test Report - A3

HP PageWide Color P75250 Series

Printing device and settings	
Test Start Date and Time	5/1/2018 14:31
Tester	TQW
Machine name/model	HP PageWide Color P75250 Series
Colour or B&W	Colour
FW Version	2406029_028984
Temperature and Humidity	75 degF / 24 degC 24.2 %rH
Voltage	110V
Test End Date and Time	7/26/2018 11:40

Item	Value	
Mode and Setting	Driver Version	3.0.22695
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	print in grayscale black only
	Duplex B&W Settings	print in grayscale black only
	Setting N set count	Application
Collating function	Activated (application)	
Paper Path	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
	Output Orientation	Default (face down)
Paper	Duplexing Unit (Yes/No)	Yes
	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

Summary Report: A3

Office Category Test for Color Device		FSOT (seconds)	ESAT (ipm)
Color	Simplex	12.57	26.11
	Duplex	22.74	12.94
B&W	Simplex	17.92	26.11
	Duplex	27.74	12.95

Notes

- 1) All printing device and driver settings were default mode.
- 2) For the B/W results, the print driver was set to "print in B/W".
- 3) For more information see <http://www.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.

Detailed Report: A3

Office Category Test	FSOT (secs)	EFTP (ipm)			ESAT (ipm)	
		1 set only (1 set)	1 set + 30sec (# of sets)	1 set + 4min (# of sets)		
Color Mode	Simplex - Adobe Reader	19.21	12.49 (1 set)	21.35 (5 sets)	24.97 (28 sets)	26.11
	Simplex - Word	17.96	13.36 (1 set)	21.84 (5 sets)		26.12
	Simplex - Excel	18.14	13.23 (1 set)	21.84 (5 sets)		26.12
	Simplex - Average	18.44	13.02	21.67	24.97	26.11
	Duplex - Adobe Reader	28.42	8.42 (1 set)	10.86 (3 sets)		12.96
	Duplex - Word	27.94	8.58 (1 set)	11.00 (3 sets)		12.94
	Duplex - Excel	27.48	8.72 (1 set)	11.06 (3 sets)		12.94
	Duplex - Average	27.95	8.57	10.97		12.94
B&W mode (optional for color device)	Simplex - Adobe Reader	18.58	12.91 (1 set)	21.43 (5 sets)	25.07 (28 sets)	26.11
	Simplex - Word	17.66	13.59 (1 set)	22.04 (5 sets)		26.12
	Simplex - Excel	17.50	13.72 (1 set)	22.06 (5 sets)		26.12
	Simplex - Average	17.92	13.40	21.84	25.07	26.11
	Duplex - Adobe Reader	28.14	8.52 (1 set)	10.86 (3 sets)		12.94
	Duplex - Word	27.66	8.66 (1 set)	11.06 (3 sets)		12.96
	Duplex - Excel	27.41	8.74 (1 set)	11.10 (3 sets)		12.96
	Duplex - Average	27.74	8.64	11.00		12.95

Notes

- 1) All printing device and driver settings were default mode.
- 2) For the B/W results, the print driver was set to "print in B/W".
- 3) For more information see <http://www.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.

Test System Parameters

Item	Value
Computer	HP Compaq Elite 8300 Small Form Factor
Processor	Intel Core i7 -3770, 3.4 GHz
System Chip Set	Intel C216 Chipset Family SMBus Host Controller
System Board	system devices, default system BIOS
System Memory	4 GB
Hard Drive Subsystem	Standard disk drive (Seagate)
Video Subsystem	AMD Radeon HD 6350
Optical Drive	HP DVD A DH16aCSHR ATA
I/O Subsystem	Builtin
USB Subsystem	USB 2.0/3.0
TCP/IP	TCP/IP 10/1000
Operating System	Windows 7 64 Bit
Printing Applications	Microsoft Office 2010
Microsoft Office	Office 2010
Adobe Reader	10
Test files and location	Office category files, hard drive

ISO/IEC 24734 Printing Productivity Report: Office Category

Feature Performance Full Report - Office Feature Performance Test
 HP PageWide Color P75250 Series

Printing device and settings		
Test Start Date and Time	5/1/2018 14:31	
Tester	TQW	
Machine name/model	HP PageWide Color P75250 Series	
Colour or B&W	Colour	
FW Version	2406029_028984	
Temperature and Humidity	75 degF / 24 degC 24.2 %rH	
Voltage	110V	
Test End Date and Time	7/26/2018 11:40	

Item	Value	
Mode and Setting	Driver Version	6.5.0.22695
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	print in grayscale black only
	Duplex B&W Settings	print in grayscale black only
	Setting N set count	Application
Paper Path	Collating function	Activated (application)
	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
	Output Orientation	Default (face down)
	Duplexing Unit (Yes/No)	Yes
Paper	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

ISO Print Productivity Report: Feature Performance Test Summary

Printing Modes (Feature Adobe Reader - Office test file)		Feature Performance Ratio	
		FSOT (base) FSOT (feature)	ESAT (feature) ESAT (base)
A5, Landscape Feed, Simplex, Colour	Simplex	104%	99%
A5, Portrait Feed, Simplex, Colour	Simplex		
Legal, Simplex, Colour	Simplex	79%	65%
Legal, Duplex, Colour	Duplex	61%	52%
A4, 1200 dpi, Simplex, Colour	Simplex		
Letter, 1200 dpi, Simplex, Colour	Simplex		
A4, General Office, Simplex, Colour	Simplex	125%	137%
Letter, General Office, Simplex, Colour	Simplex	128%	138%
A5, Landscape Feed, Simplex, B/W	Simplex	103%	100%
A5, Portrait Feed, Simplex, B/W	Simplex		
Legal, Simplex, B/W	Simplex	73%	65%
Legal, Duplex, B/W	Duplex	55%	52%
A4, 1200 dpi, Simplex, B/W	Simplex		
Letter, 1200 dpi, Simplex, B/W	Simplex		
A4, General Office, Simplex, B/W	Simplex	125%	137%
Letter, General Office, Simplex, B/W	Simplex	119%	137%

- Notes
 1) All printing device and driver settings were default mode.
 2) Test conducted with 8-paper Office Feature Performance file.
 3) For more information see <http://www.hp.com/go/printerclaims>.
 4) Port monitor not configured to follow device if the IP address changes.

Feature Performance Full Report - Feature Printing Mode: 'Office' Feature Performance Test

Printing Modes Feature Adobe Reader - Office test file (8-page)	Base Printing Mode		Feature Performance			
	FSOT Base	ESAT Base	1 set FSOT (secs)	1 set + 30 sec ESAT (ipm)	FSOT (base) FSOT (feature)	ESAT (feature) ESAT (base)
A5, Landscape Feed, Simplex, Colour	18.14	51.48	17.5	51.4	104%	99%
A5, Portrait Feed, Simplex, Colour	18.14	51.48				
Legal, Simplex, Colour	18.45	51.25	23.48	33.5	79%	65%
Legal, Duplex, Colour	18.45	51.25	30.55	26.8	61%	52%
A4, 1200 dpi, Simplex, Colour	18.14	51.48				
Letter, 1200 dpi, Simplex, Colour	18.45	51.25				
A4, General Office, Simplex, Colour	18.14	51.48	14.54	70.9	125%	137%
Letter, General Office, Simplex, Colour	18.45	51.25	14.44	70.9	128%	138%
A5, Landscape Feed, Simplex, B/W	17.87	51.4	17.36	51.5	103%	100%
A5, Portrait Feed, Simplex, B/W	17.87	51.4				
Legal, Simplex, B/W	16.71	51.41	23.07	33.6	73%	65%
Legal, Duplex, B/W	16.71	51.41	30.5	26.9	55%	52%
A4, 1200 dpi, Simplex, B/W	17.87	51.4				
Letter, 1200 dpi, Simplex, B/W	16.71	51.41				
A4, General Office, Simplex, B/W	17.87	51.4	14.3	70.9	125%	137%
Letter, General Office, Simplex, B/W	16.71	51.41	14.14	70.8	119%	137%

- Notes
 1) All printing device and driver settings were default mode.
 2) Test conducted with 8-paper Office Feature Performance file.
 3) For more information see <http://www.hp.com/go/printerclaims>.
 4) Port monitor not configured to follow device if the IP address changes.

Test System Parameters

Item	Value	
Test System	Computer	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 GHz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Board	system devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 6350
	Optical Drive	HP DVD A DH16aCASHR ATA
	I/O Subsystem	Builtin
	USB Subsystem	USB 2.0/3.0
I/O	TCP/IP	TCP/IP 10/1000
Software	Operating System	Windows 7 64 Bit
	Printing Applications	Microsoft Office 2010
	Microsoft Office	Office 2010
	Adobe Reader	10
Test files and location	Office category files, hard drive	

ISO/IEC 17629 First Print Out Time Report: Office Category

Full Detailed Test Report - LETTER

HP PageWide Color P75250 Series

Printing device and settings		
Test Start Date and Time	5/1/2018 14:31	
Tester	TQW	
Machine name/model	HP PageWide Color P75250 Series	
Colour or B&W	Colour	
FW Version	2406029_028984	
Configuration (options)	Default	
Controller	unknown	
Printing device page count	Not Specified	
Printing supplies page count	Not Specified	
Temperature and Humidity	75 degF / 24 degC 24.2 %rH	
Voltage	110V	
Test End Date and Time	7/26/2018 11:40	

Item	Value
Mode and Setting	
PDL and driver version	6.5.0.22695
Print Quality mode	default
B&W settings	default
Paper feed orientation	Short Edge
Paper	
Paper type setting	default
Paper feeding	Standard cassette
Paper exit	Standard exit tray
Paper Path	
Output orientation	default (face up or face down)

ISO First Page Out Time Summary Report: Office Category

Summary Report: Letter		
FPOT from Ready (seconds)		
Color	Simplex	6.61
	Duplex	
B&W	Simplex	6.38
	Duplex	

- Notes
- 1) All printing device and driver settings were default mode.
 - 2) For the B/W results, the print driver was set to "print in B/W".
 - 3) For more information see <http://www.hp.com/go/printerclaims>.
 - 4) Port monitor not configured to follow device if the IP address changes.
 - 5) Page counts were collected after completion of the tests.

ISO First Page Out Time Report: Office Category

Detailed Report: LETTER						
		Word (seconds)	Excel (seconds)	Adobe Reader (seconds)	Average (seconds)	Delay Time
Color Mode	FPOT from Ready - Simplex	6.26	6.48	7.07	6.61	29 Seconds
	FPOT from Ready - Duplex					
	FPOT from Sleep - Simplex			23.87		76 Minutes
	Recovery Time			16.8		
	FPOT from Off - Simplex			149.28		
	Warm-up Time			142.21		
B&W Mode	FPOT from Ready - Simplex	6.11	6.18	6.84	6.38	29 Seconds
	FPOT from Ready - Duplex					
	FPOT from Sleep - Simplex			19.07		76 Minutes
	Recovery Time			12.2		
	FPOT from Off - Simplex			154.11		
	Warm-up Time			147.27		

- Notes
- 1) All printing device and driver settings were default mode.
 - 2) For the B/W results, the print driver was set to "print in B/W".
 - 3) For more information see <http://www.hp.com/go/printerclaims>.
 - 4) Port monitor not configured to follow device if the IP address changes.
 - 5) Page counts were collected after completion of the tests.
 - 6) Details for FPOT from Sleep are shown below.

HP Data Table

Detailed Report: LETTER							
		FPOT Avg (secs)	FPOT (secs) Iteration 1	FPOT (secs) Iteration 2	FPOT (secs) Iteration 3	Application	Delay Time
Color Mode	FPOT from Sleep	23.87	24.42	23.32	N/A	Adobe Reader	76 Minutes
	FPOT from Sleep (15 minutes)	10.64	10.62	10.66	N/A	Adobe Reader	15 Minutes
	HP/Non ISO Test						
B&W Mode	FPOT from Sleep	19.07	19.07	19.07	N/A	Adobe Reader	76 Minutes
	FPOT from Sleep (15 minutes)	10.71	10.68	10.73	N/A	Adobe Reader	15 Minutes
	HP/Non ISO Test						

- Notes
- 1) All printing device and driver settings were default mode.
 - 2) For the B/W results, the print driver was set to "print in B/W".
 - 3) DLP includes detailed iterations as data measurements may vary run to run.

Test System Parameters		
Item	Value	
Test System	Computer	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 GHz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Board	System devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 8350
	Optical Drive	HP DVD A DH16aC5HR ATA
	I/O Subsystem	Builtin
	USB Subsystem	USB 2.0/3.0
Printing Device Connection	TCP/IP	10/1000
Software	Operating System	Windows 7 Business/Ultimate, 64 bit, Build 7601, SP 1
	Printing Applications	Microsoft Office 2010 SP2
	Print Driver	Adobe Reader 10.1.4

ISO/IEC 17629 First Print Out Time Report: Office Category

Full Detailed Test Report - A4

HP PageWide Color P75250 Series

Printing device and settings		
Test Start Date and Time	5/1/2018 14:31	
Tester	TQW	
Machine name/model	HP PageWide Color P75250 Series	
Colour or B&W	Colour	
FW Version	2406029_028984	
Configuration (options)	Default	
Controller	unknown	
Printing device page count	Not Specified	
Printing supplies page count	Not Specified	
Temperature and Humidity	75 degF / 24 degC 24.2 %rH	
Voltage	110V	
Test End Date and Time	7/26/2018 11:40	

Item	Value	
Mode and Setting	PDL and driver version	6.5.0.22695
	Print Quality mode	default
	B&W settings	default
	Paper feed orientation	Short Edge
Paper	Paper type setting	default
	Paper feeding	Standard cassette
	Paper exit	Standard exit tray
Paper Path	Output orientation	default (face up or face down)

ISO First Page Out Time Summary Report: Office Category

Summary Report: A4

FPOT from Ready (seconds)		
Colour	Simplex	6.72
	Duplex	
B&W	Simplex	6.36
	Duplex	

Notes:

- 1) All printing device and driver settings were default mode.
- 2) For the B/W results, the print driver was set to "print in B/W".
- 3) For more information see <http://www.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.
- 5) Page counts were collected after completion of the tests.

ISO First Page Out Time Report: Office Category

Detailed Report: A4

		Word (seconds)	Excel (seconds)	Adobe Reader (seconds)	Average (seconds)	Delay Time
Color Mode	FPOT from Ready - Simplex	6.51	6.65	6.99	6.72	29 Seconds
	FPOT from Ready - Duplex					
	FPOT from Sleep - Simplex			19.20		76 Minutes
	Recovery Time			12.2		
	FPOT from Off - Simplex			160.95		
	Warm-up Time			153.96		
B&W Mode	FPOT from Ready - Simplex	6.14	6.32	6.61	6.36	29 Seconds
	FPOT from Ready - Duplex					
	FPOT from Sleep - Simplex			36.93		76 Minutes
	Recovery Time			30.3		
	FPOT from Off - Simplex			165.31		
	Warm-up Time			158.70		

Notes:

- 1) All printing device and driver settings were default mode.
- 2) For the B/W results, the print driver was set to "print in B/W".
- 3) For more information see <http://www.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.
- 5) Page counts were collected after completion of the tests.
- 6) Details for FPOT from Sleep are shown below.

HP Data Table

Detailed Report: A4

		FPOT Avg (secs)	FPOT (secs) Iteration 1	FPOT (secs) Iteration 2	FPOT (secs) Iteration 3	Application	Delay Time
Color Mode	FPOT from Sleep	19.20	19.20	19.19	N/A	Adobe Reader	76 Minutes
	FPOT from Sleep (15 minutes)	10.56	10.57	10.54	N/A	Adobe Reader	15 Minutes
	HP/Non ISO Test						
B&W Mode	FPOT from Sleep	36.93	36.80	37.06	N/A	Adobe Reader	76 Minutes
	FPOT from Sleep (15 minutes)	10.40	10.40	10.40	N/A	Adobe Reader	15 Minutes
	HP/Non ISO Test						

Notes:

- 1) All printing device and driver settings were default mode.
- 2) For the B/W results, the print driver was set to "print in B/W".
- 3) DLP includes detailed iterations as data measurements may vary run to run.

Test System Parameters		
Item	Value	
Test System	Computer	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 GHz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Board	system devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 6350
	Optical Drive	HP DVD A DH16aC5HR ATA
	I/O Subsystem	Builtin
	USB Subsystem	USB 2.0/3.0
Printing Device Connection	TCP/IP	10/1000
Software	Operating System	Windows 7 Business/Ultimate, 64 bit, Build 7601, SP 1
	Printing Applications	Microsoft Office 2010 SP2 Adobe Reader 10.1.4
	Print Driver	6.5.0.22695