

ISO/IEC 24734 Printing Productivity Report: Office Category

Full Detailed Test Report - LETTER

HP PageWide Managed Color MFP E77650z Series

Printing device and settings	
Test Start Date and Time	11/14/2017 11:47
Tester	AW
Machine name/model	HP PageWide Managed Color MFP E77650z Series
Colour or B&W	Colour
FW Version	2405087_018548
Temperature and Humidity	73 degF / 23 degC 20.0 %rH
Voltage	110V
Test End Date and Time	3/20/2018 10:51

Item	Value	
Mode and Setting	Driver Version	6.5.0.22695
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	print in grayscale black only
	Duplex B&W Settings	print in grayscale black only
	Setting N set count	Application
Paper Path	Collating function	Activated (application)
	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
	Output Orientation	Default (face down)
	Duplexing Unit (Yes/No)	Yes
Paper	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

Summary Report: Letter			
Office Category Test for Color Device		FSOT (seconds)	ESAT (ipm)
Color	Simplex	18.15	51.41
	Duplex	21.94	35.94
B&W	Simplex	15.33	51.37
	Duplex	21.51	35.95

Notes
 1) All printing device and driver settings were default mode.
 2) For the B&W results, the print driver was set to "print in B/W".
 3) For more information see <http://www.hp.com/go/printerclaims>.
 4) Port monitor not configured to follow device if the IP address changes.

Detailed Report: LETTER						
Office Category Test	FSOT (secs)	EFTP (ipm)			ESAT (ipm)	
		1 set only (1 set)	1 set only (1 set)	1 set + 30sec (# of sets)		1 set + 4min (# of sets)
Color Mode	Simplex - Adobe Reader	23.39	10.26 (1 set)	36.40 (8 sets)	48.28 (53 sets)	51.27
	Simplex - Word	19.42	12.35 (1 set)	41.55 (8 sets)		51.50
	Simplex - Excel	11.63	20.66 (1 set)	43.32 (8 sets)		51.47
	Simplex - Average	18.15	14.42 (1 set)	40.42 (8 sets)	48.28 (53 sets)	51.41
	Duplex - Adobe Reader	22.39	10.72 (1 set)	26.62 (6 sets)		35.92
	Duplex - Word	21.59	11.10 (1 set)	27.04 (6 sets)		35.96
	Duplex - Excel	21.82	10.98 (1 set)	26.88 (6 sets)		35.96
	Duplex - Average	21.94	10.93 (1 set)	26.84 (6 sets)		35.94
B&W mode (optional for color device)	Simplex - Adobe Reader	12.21	19.68 (1 set)	42.46 (8 sets)	48.79 (53 sets)	51.31
	Simplex - Word	11.08	21.65 (1 set)	43.25 (8 sets)		51.47
	Simplex - Excel	22.69	10.58 (1 set)	41.57 (8 sets)		51.35
	Simplex - Average	15.33	17.30 (1 set)	42.42 (8 sets)	48.8 (53 sets)	51.37
	Duplex - Adobe Reader	21.73	11.02 (1 set)	26.56 (6 sets)		35.98
	Duplex - Word	21.39	11.20 (1 set)	27.70 (6 sets)		35.94
	Duplex - Excel	21.41	11.20 (1 set)	27.30 (6 sets)		35.94
	Duplex - Average	21.51	11.14 (1 set)	27.18 (6 sets)		35.95

Notes
 1) All printing device and driver settings were default mode.
 2) For the B&W results, the print driver was set to "print in B/W".
 3) For more information see <http://www.hp.com/go/printerclaims>.
 4) Port monitor not configured to follow device if the IP address changes.

Test System Parameters	
Item	Value
Computer	HP Compaq Elite 8300 Small Form Factor
Processor	Intel Core i7 -3770, 3.4 GHz
System Chip Set	Intel C216 Chipset Family SMBus Host Controller
System Board	system devices, default system BIOS
System Memory	4 GB
Hard Drive Subsystem	Standard disk drive (Seagate)
Video Subsystem	AMD Radeon HD 6350
Optical Drive	HP DVD A DH16aCSHR ATA
I/O Subsystem	Builtin
USB Subsystem	USB 2.0/3.0
TCPIP	TCPIP/10/1000
Operating System	Windows 7 64 Bit
Printing Applications	Microsoft Office 2010
Microsoft Office	Office 2010
Adobe Reader	10
Test files and location	Office category files, hard drive

ISO/IEC 24734 Printing Productivity Report: Office Category

Full Detailed Test Report - A4

HP PageWide Managed Color MFP E77650z Series

Printing device and settings		
Test Start Date and Time	11/14/2017 11:47	
Tester	AW	
Machine name/model	HP PageWide Managed Color MFP E77650z Series	
Colour or B&W	Colour	
FW Version	2405087_018548	
Temperature and Humidity	73 degF / 23 degC 20.0 %rH	
Voltage	110V	
Test End Date and Time	3/20/2018 10:51	

Item	Value	
Mode and Setting	Driver Version	6.5.0.22695
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	print in grayscale black only
	Duplex B&W Settings	print in grayscale black only
	Setting N set count	Application
Paper Path	Collating function	Activated (application)
	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
	Output Orientation	Default (face down)
Paper	Duplexing Unit (Yes/No)	Yes
	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

Summary Report: A4

Office Category Test for Color Device				FSOT (seconds)	ESAT (ipm)
Colour	Simplex			11.90	51.37
	Duplex			21.81	35.92
B&W	Simplex			13.17	51.49
	Duplex			23.84	35.94

Notes

- 1) All printing device and driver settings were default mode.
- 2) For the B&W results, the print driver was set to "print in B/W".
- 3) For more information see <http://www.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.

Detailed Report: A4

Office Category Test	FSOT (secs)	EFTP (ipm)				ESAT (ipm)
		1 set only (1 set)	1 set only (1 set)	1 set + 30sec (# of sets)	1 set + 4min (# of sets)	
Colour Mode	Simplex - Adobe Reader	12.48	19.23 (1 set)	42.17 (8 sets)	48.69 (53 sets)	51.33
	Simplex - Word	11.50	20.87 (1 set)	43.31 (8 sets)		51.49
	Simplex - Excel	11.72	20.49 (1 set)	43.06 (8 sets)		51.30
	Simplex - Average	11.90	20.19 (1 set)	42.84 (8 sets)	48.69 (53 sets)	51.37
	Duplex - Adobe Reader	22.37	10.72 (1 set)	26.76 (6 sets)		35.94
	Duplex - Word	21.62	11.10 (1 set)	27.14 (6 sets)		35.92
	Duplex - Excel	21.42	11.20 (1 set)	27.10 (6 sets)		35.92
	Duplex - Average	21.8	11.00 (1 set)	27.00 (6 sets)		35.92
B&W mode (optional for color device)	Simplex - Adobe Reader	13.38	17.94 (1 set)	41.41 (8 sets)	48.76 (53 sets)	51.46
	Simplex - Word	12.86	18.67 (1 set)	40.41 (8 sets)		51.49
	Simplex - Excel	13.27	18.08 (1 set)	41.38 (8 sets)		51.53
	Simplex - Average	13.2	18.23 (1 set)	41.06 (8 sets)	48.8 (53 sets)	51.49
	Duplex - Adobe Reader	22.00	10.90 (1 set)	23.10 (6 sets)		35.94
	Duplex - Word	21.14	11.34 (1 set)	27.36 (6 sets)		35.92
	Duplex - Excel	28.37	8.44 (1 set)	27.00 (6 sets)		35.98
	Duplex - Average	23.8	10.22 (1 set)	25.82 (6 sets)		35.94

Notes

- 1) All printing device and driver settings were default mode.
- 2) For the B&W results, the print driver was set to "print in B/W".
- 3) For more information see <http://www.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.

Test System Parameters

Item	Value
Computer	HP Compaq Elite 8300 Small Form Factor
Processor	Intel Core i7 -3770, 3.4 GHz
System Chip Set	Intel C216 Chipset Family SMBus Host Controller
System Board	system devices, default system BIOS
System Memory	4 GB
Hard Drive Subsystem	Standard disk drive (Seagate)
Video Subsystem	AMD Radeon HD 6350
Optical Drive	HP DVD A DH16aCSHR ATA
I/O Subsystem	Builtin
USB Subsystem	USB 2.0/3.0
TCP/IP	TCP/IP 10/1000
Operating System	Windows 7 64 Bit
Printing Applications	Microsoft Office 2010
Microsoft Office	Office 2010
Adobe Reader	10
Test files and location	Office category files, hard drive

ISO/IEC 24734 Printing Productivity Report: Office Category

Full Detailed Test Report - Tabloid

HP PageWide Managed Color MFP E77650z Series

Printing device and settings	
Test Start Date and Time	11/14/2017 11:47
Tester	AW
Machine name/model	HP PageWide Managed Color MFP E77650z Series
Colour or B&W	Colour
FW Version	2405087_018548
Temperature and Humidity	73 degF / 23 degC 20.0 %rH
Voltage	110V
Test End Date and Time	3/20/2018 10:51

Item	Value	
Mode and Setting	Driver Version	6.5.0.22695
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	print in grayscale black only
	Duplex B&W Settings	print in grayscale black only
	Setting N set count	Application
Paper Path	Collating function	Activated (application)
	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
	Output Orientation	Default (face down)
Paper	Duplexing Unit (Yes/No)	Yes
	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

Summary Report: Tabloid			
Office Category Test for Color Device		FSOT (seconds)	ESAT (ipm)
Color	Simplex	18.15	26.12
	Duplex	21.94	12.94
B&W	Simplex	17.16	26.12
	Duplex	26.49	12.94

Notes
 1) All printing device and driver settings were default mode.
 2) For the B&W results, the print driver was set to "print in B/W".
 3) For more information see <http://www.hp.com/go/printerclaims>.
 4) Port monitor not configured to follow device if the IP address changes.

Detailed Report: Tabloid						
	Office Category Test	FSOT (secs)		EFTP (ipm)		ESAT (ipm)
		1 set only (1 set)	1 set only (1 set)	1 set + 30sec (# of sets)	1 set + 4min (# of sets)	
Color Mode	Simplex - Adobe Reader	18.37	13.06 (1 set)	21.48 (5 sets)	24.30 (28 sets)	26.12
	Simplex - Word	16.78	14.30 (1 set)	22.31 (5 sets)		26.12
	Simplex - Excel	16.78	14.29 (1 set)	22.34 (5 sets)		26.12
	Simplex - Average	17.31	13.88 (1 set)	22.04 (5 sets)	24.30	26.12
	Duplex - Adobe Reader	27.75	8.64 (1 set)	11.00 (3 sets)		12.94
	Duplex - Word	26.47	9.06 (1 set)	11.20 (3 sets)		12.94
	Duplex - Excel	26.41	9.08 (1 set)	11.26 (3 sets)		12.94
	Duplex - Average	26.88	8.92 (1 set)	11.15 (3 sets)		12.94
B&W mode (optional for color device)	Simplex - Adobe Reader	17.84	13.44 (1 set)	21.65 (5 sets)	24.78 (28 sets)	26.12
	Simplex - Word	16.64	14.42 (1 set)	19.55 (5 sets)		26.13
	Simplex - Excel	17.00	14.12 (1 set)	21.18 (5 sets)		26.12
	Simplex - Average	17.16	13.99 (1 set)	20.79 (5 sets)	24.78	26.12
	Duplex - Adobe Reader	27.23	8.80 (1 set)	11.10 (3 sets)		12.94
	Duplex - Word	26.30	9.12 (1 set)	11.26 (3 sets)		12.94
	Duplex - Excel	25.94	9.24 (1 set)	11.32 (3 sets)		12.94
	Duplex - Average	26.49	9.05 (1 set)	11.22 (3 sets)		12.94

Notes
 1) All printing device and driver settings were default mode.
 2) For the B&W results, the print driver was set to "print in B/W".
 3) For more information see <http://www.hp.com/go/printerclaims>.
 4) Port monitor not configured to follow device if the IP address changes.

Test System Parameters	
Item	Value
Computer	HP Compaq Elite 8300 Small Form Factor
Processor	Intel Core i7 -3770, 3.4 GHz
System Chip Set	Intel C216 Chipset Family SMBus Host Controller
System Board	system devices, default system BIOS
System Memory	4 GB
Hard Drive Subsystem	Standard disk drive (Seagate)
Video Subsystem	AMD Radeon HD 6350
Optical Drive	HP DVD A DH16aCSHR ATA
I/O Subsystem	Buillim
USB Subsystem	USB 2.0/3.0
TCPI/P	TCPI/P 10/1000
Operating System	Windows 7 64 Bit
Printing Applications	Microsoft Office 2010
Microsoft Office	Office 2010
Adobe Reader	10
Test files and location	Office category files, hard drive

ISO/IEC 24734 Printing Productivity Report: Office Category

Full Detailed Test Report - A3

HP PageWide Managed Color MFP E77650z Series

Printing device and settings	
Test Start Date and Time	11/14/2017 11:47
Tester	AW
Machine name/model	HP PageWide Managed Color MFP E77650z Series
Colour or B&W	Colour
FW Version	2405087_018548
Temperature and Humidity	73 degF / 23 degC 20.0 %rH
Voltage	110V
Test End Date and Time	3/20/2018 10:51

Item	Value	
Mode and Setting	Driver Version	6.5.0.22695
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	print in grayscale black only
	Duplex B&W Settings	print in grayscale black only
	Setting N set count	Application
Paper Path	Collating function	Activated (application)
	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
	Output Orientation	Default (face down)
	Duplexing Unit (Yes/No)	Yes
Paper	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

Summary Report: A3

Office Category Test for Color Device		FSOT (seconds)	ESAT (ipm)
Color	Simplex	18.15	26.11
	Duplex	21.94	12.94
B&W	Simplex	16.98	26.12
	Duplex	26.53	12.95

Notes

- 1) All printing device and driver settings were default mode.
- 2) For the B&W results, the print driver was set to "print in B/W".
- 3) For more information see <http://w.w.w.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.

Detailed Report: A3

Office Category Test	FSOT (secs)	EFTP (ipm)				ESAT (ipm)
		1 set only (1 set)	1 set only (1 set)	1 set + 30sec (# of sets)	1 set + 4min (# of sets)	
Color Mode	Simplex - Adobe Reader	18.25	13.15 (1 set)	19.11 (5 sets)	24.62 (28 sets)	26.11
	Simplex - Word	25.42	9.44 (1 set)	22.33 (5 sets)		26.12
	Simplex - Excel	16.68	14.38 (1 set)	22.36 (5 sets)		26.12
	Simplex - Average	20.12	12.32 (1 set)	21.26 (5 sets)	24.62 (28 sets)	26.11
	Duplex - Adobe Reader	28.00	8.56 (1 set)	10.96 (3 sets)		12.94
	Duplex - Word	26.68	8.98 (1 set)	11.12 (3 sets)		12.96
	Duplex - Excel	26.51	9.04 (1 set)	11.18 (3 sets)		12.94
	Duplex - Average	27.07	8.86 (1 set)	11.08 (3 sets)		12.94
B&W mode (optional for color device)	Simplex - Adobe Reader	17.91	13.40 (1 set)	21.75 (5 sets)	24.78 (28 sets)	26.12
	Simplex - Word	16.43	14.60 (1 set)	18.68 (5 sets)		26.12
	Simplex - Excel	16.60	14.45 (1 set)	22.41 (5 sets)		26.12
	Simplex - Average	16.98	14.15 (1 set)	20.94 (5 sets)	24.78 (28 sets)	26.12
	Duplex - Adobe Reader	27.37	8.76 (1 set)	11.12 (3 sets)		12.94
	Duplex - Word	26.10	9.18 (1 set)	11.32 (3 sets)		12.96
	Duplex - Excel	26.12	9.18 (1 set)	11.32 (3 sets)		12.96
	Duplex - Average	26.53	9.04 (1 set)	11.25 (3 sets)		12.95

Notes

- 1) All printing device and driver settings were default mode.
- 2) For the B&W results, the print driver was set to "print in B/W".
- 3) For more information see <http://w.w.w.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.

Test System Parameters

Item	Value
Computer	HP Compaq Elite 8300 Small Form Factor
Processor	Intel Core i7 -3770, 3.4 GHz
System Chip Set	Intel C216 Chipset Family SMBus Host Controller
System Board	system devices, default system BIOS
System Memory	4 GB
Hard Drive Subsystem	Standard disk drive (Seagate)
Video Subsystem	AMD Radeon HD 6350
Optical Drive	HP DVD A DH16aCSHR ATA
I/O Subsystem	Builtin
USB Subsystem	USB 2.0/3.0
TCP/IP	TCP/IP 10/1000
Operating System	Windows 7 64 Bit
Printing Applications	Microsoft Office 2010
Microsoft Office	Office 2010
Adobe Reader	10
Test files and location	Office category files, hard drive

ISO/IEC 24734 Printing Productivity Report: Office Category

Feature Performance Full Report - Office Feature Performance Test
HP PageWide Managed Color MFP E77650z Series

Printing device and settings		
Test Start Date and Time	11/14/2017 11:47	
Tester	AW	
Machine name/model	HP PageWide Managed Color MFP E77650z Series	
Colour or B&W	Colour	
FW Version	2405087_018548	
Temperature and Humidity	73 degF / 23 degC 20.0 %rH	
Voltage	110V	
Test End Date and Time	3/20/2018 10:51	

Item	Value	
Mode and Setting	Driver Version	6.5.0.22695
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	print in grayscale black only
	Duplex B&W Settings	print in grayscale black only
	Setting N set count	Application
	Collating function	Activated (application)
Paper Path	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
	Output Orientation	Default (face down)
	Duplexing Unit (Yes/No)	Yes
Paper	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

ISO Print Productivity Report: Feature Performance Test Summary

Printing Modes (Feature Adobe Reader - Office test file)		Feature Performance Ratio	
		FSOT (base) FSOT (feature)	ESAT (feature) ESAT (base)
A5, Landscape Feed, Simplex, Colour	Simplex	106%	99%
A5, Portrait Feed, Simplex, Colour	Simplex		
Legal, Simplex, Colour	Simplex	123%	67%
Legal, Duplex, Colour	Duplex	93%	52%
A4, 1200 dpi, Simplex, Colour	Simplex		
Letter, 1200 dpi, Simplex, Colour	Simplex		
A4, General Office, Simplex, Colour	Simplex	71%	138%
Letter, General Office, Simplex, Colour	Simplex	199%	138%
A5, Landscape Feed, Simplex, B/W	Simplex	105%	99%
A5, Portrait Feed, Simplex, B/W	Simplex		
Legal, Simplex, B/W	Simplex	123%	65%
Legal, Duplex, B/W	Duplex	95%	52%
A4, 1200 dpi, Simplex, B/W	Simplex		
Letter, 1200 dpi, Simplex, B/W	Simplex		
A4, General Office, Simplex, B/W	Simplex	128%	138%
Letter, General Office, Simplex, B/W	Simplex	129%	137%

- Notes
1) All printing device and driver settings were default mode.
2) Test conducted with 8-paper Office Feature Performance file.
3) For more information see <http://www.hp.com/go/printerclaims>.
4) Port monitor not configured to follow device if the IP address changes.

Feature Performance Full Report - Feature Printing Mode: 'Office' Feature Performance Test

Printing Modes Feature Adobe Reader - Office test file (8-page)	Base Printing Mode		Feature Performance			
	FSOT Base	ESAT Base	1 set FSOT (secs)	1 set + 30 sec ESAT (ipm)	FSOT (base) FSOT (feature)	ESAT (feature) ESAT (base)
A5, Landscape Feed, Simplex, Colour	17.23	51.28	16.26	51.1	106%	99%
A5, Portrait Feed, Simplex, Colour	17.23	51.28				
Legal, Simplex, Colour	27.25	51.1	22.23	34.4	123%	67%
Legal, Duplex, Colour	27.25	51.1	29.51	26.9	93%	52%
A4, 1200 dpi, Simplex, Colour	17.23	51.28				
Letter, 1200 dpi, Simplex, Colour	27.25	51.1				
A4, General Office, Simplex, Colour	17.23	51.28	24.52	70.9	71%	138%
Letter, General Office, Simplex, Colour	27.25	51.1	13.72	70.8	199%	138%
A5, Landscape Feed, Simplex, B/W	17.07	51.41	16.28	51.2	105%	99%
A5, Portrait Feed, Simplex, B/W	17.07	51.41				
Legal, Simplex, B/W	27.29	51.33	22.28	33.6	123%	65%
Legal, Duplex, B/W	27.29	51.33	28.75	26.8	95%	52%
A4, 1200 dpi, Simplex, B/W	17.07	51.41				
Letter, 1200 dpi, Simplex, B/W	27.29	51.33				
A4, General Office, Simplex, B/W	17.07	51.41	13.41	71.0	128%	138%
Letter, General Office, Simplex, B/W	27.29	51.33	21.23	70.8	129%	137%

- Notes
1) All printing device and driver settings were default mode.
2) Test conducted with 8-paper Office Feature Performance file.
3) For more information see <http://www.hp.com/go/printerclaims>.
4) Port monitor not configured to follow device if the IP address changes.

Test System Parameters		
Item	Value	
Test System	Computer	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 GHz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Board	system devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 6350
	Optical Drive	HP DVD A DH16aC5HR ATA
	I/O Subsystem	Builtin
	USB Subsystem	USB 2.0/3.0
I/O	TCP/IP	TCP/IP 10/1000
Software	Operating System	Windows 7 64 Bit
	Printing Applications	Microsoft Office 2010
	Microsoft Office	Office 2010
	Adobe Reader	10
Test files and location	Office category files, hard drive	

ISO/IEC 17629 First Print Out Time Report: Office Category

Full Detailed Test Report - LETTER

HP PageWide Managed Color MFP E77650z Series

Printing device and settings		
Test Start Date and Time	11/14/2017 11:47	
Tester	AW	
Machine name/model	HP PageWide Managed Color MFP E77650z Series	
Colour or B&W	Colour	
FW Version	2405087_018548	
Configuration (options)	Default	
Controller	unknown	
Printing device page count	Not Specified	
Printing supplies page count	Not Specified	
Temperature and Humidity	73 degF / 23 degC 20.0 %rH	
Voltage	110V	
Test End Date and Time	3/20/2018 10:51	

Item	Value
Mode and Setting	
PDL and driver version	6.5.0.22695
Print Quality mode	default
B&W settings	default
Paper feed orientation	Short Edge
Paper	
Paper type setting	default
Paper feeding	Standard cassette
Paper exit	Standard exit tray
Paper Path	
Output orientation	default (face up or face down)

ISO First Page Out Time Summary Report: Office Category

Summary Report: Letter		
FPOT from Ready (seconds)		
Color	Simplex	6.82
	Duplex	
B&W	Simplex	6.71
	Duplex	

- Notes
- 1) All printing device and driver settings were default mode.
 - 2) For the B/W results, the print driver was set to "print in B/W".
 - 3) For more information see <http://www.hp.com/go/printerclaims>.
 - 4) Port monitor not configured to follow device if the IP address changes.
 - 5) Page counts were collected after completion of the tests.

ISO First Page Out Time Report: Office Category

Detailed Report: LETTER						
		Word (seconds)	Excel (seconds)	Adobe Reader (seconds)	Average (seconds)	Delay Time
Color Mode	FPOT from Ready - Simplex	6.67	6.54	7.23	6.82	49 Seconds
	FPOT from Ready - Duplex					
	FPOT from Sleep - Simplex			25.00		76 Minutes
	Recovery Time			17.8		
	FPOT from Off - Simplex			198.55		
	Warm-up Time			191.32		
B&W Mode	FPOT from Ready - Simplex	6.40	6.55	7.17	6.71	49 Seconds
	FPOT from Ready - Duplex					
	FPOT from Sleep - Simplex			27.76		76 Minutes
	Recovery Time			20.6		
	FPOT from Off - Simplex			194.93		
	Warm-up Time			187.77		

- Notes
- 1) All printing device and driver settings were default mode.
 - 2) For the B/W results, the print driver was set to "print in B/W".
 - 3) For more information see <http://www.hp.com/go/printerclaims>.
 - 4) Port monitor not configured to follow device if the IP address changes.
 - 5) Page counts were collected after completion of the tests.
 - 6) Details for FPOT from Sleep are shown below.

HP Data Table

Detailed Report: LETTER							
		FPOT Avg (secs)	FPOT (secs) Iteration 1	FPOT (secs) Iteration 2	FPOT (secs) Iteration 3	Application	Delay Time
Color Mode	FPOT from Sleep	25.00	25.08	24.92	N/A	Adobe Reader	76 Minutes
	FPOT from Sleep (15 minutes) HP/Non ISO Test	17.37	16.98	17.76	N/A	Adobe Reader	15 Minutes
B&W Mode	FPOT from Sleep	27.76	28.51	27.00	N/A	Adobe Reader	76 Minutes
	FPOT from Sleep (15 minutes) HP/Non ISO Test	17.88	17.82	17.93	N/A	Adobe Reader	15 Minutes

- Notes
- 1) All printing device and driver settings were default mode.
 - 2) For the B/W results, the print driver was set to "print in B/W".
 - 3) DLP includes detailed iterations as data measurements may vary run to run.

Test System Parameters		
Item	Value	
Test System	Computer	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 GHz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Board	System devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 6350
	Optical Drive	HP DVD A DH16aCSHR ATA
	I/O Subsystem	Builtin
	USB Subsystem	USB 2.0/3.0
Printing Device Connection	TCP/IP	10/1000
Software	Operating System	Windows 7 Business/Ultimate, 64 bit, Build 7601, SP 1
	Printing Applications	Microsoft Office 2010 SP2 Adobe Reader 10.1.4
	Print Driver	6.5.0.22695

ISO/IEC 17629 First Print Out Time Report: Office Category

Full Detailed Test Report - A4

HP PageWide Managed Color MFP E77650z Series

Printing device and settings	
Test Start Date and Time	11/14/2017 11:47
Tester	AW
Machine name/model	HP PageWide Managed Color MFP E77650z Series
Colour or B&W	Colour
FW Version	2405087_018548
Configuration (options)	Default
Controller	unknown
Printing device page count	Not Specified
Printing supplies page count	Not Specified
Temperature and Humidity	73 degF / 23 degC 20.0 %rH
Voltage	110V
Test End Date and Time	3/20/2018 10:51

Item	Value
Mode and Setting	
PDL and driver version	6.5.0.22695
Print Quality mode	default
B&W settings	default
Paper feed orientation	Short Edge
Paper	
Paper type setting	default
Paper feeding	Standard cassette
Paper exit	Standard exit tray
Paper Path	
Output orientation	default (face up or face down)

ISO First Page Out Time Summary Report: Office Category

Summary Report: A4		FPOT from Ready (seconds)
Colour	Simplex	6.72
	Duplex	
B&W	Simplex	6.60
	Duplex	

- Notes
- 1) All printing device and driver settings were default mode.
 - 2) For the B/W results, the print driver was set to "print in B/W".
 - 3) For more information see <http://www.hp.com/go/printerclaims>.
 - 4) Port monitor not configured to follow device if the IP address changes.
 - 5) Page counts were collected after completion of the tests.

ISO First Page Out Time Report: Office Category

Detailed Report: A4		Word (seconds)	Excel (seconds)	Adobe Reader (seconds)	Average (seconds)	Delay Time
Color Mode	FPOT from Ready - Simplex	6.42	6.57	7.16	6.72	49 Seconds
	FPOT from Ready - Duplex					
	FPOT from Sleep - Simplex			24.75		76 Minutes
	Recovery Time			17.6		
	FPOT from Off - Simplex			202.12		
	Warm-up Time			194.96		
B&W Mode	FPOT from Ready - Simplex	6.40	6.50	6.89	6.60	49 Seconds
	FPOT from Ready - Duplex					
	FPOT from Sleep - Simplex			24.38		76 Minutes
	Recovery Time			17.5		
	FPOT from Off - Simplex			197.75		
	Warm-up Time			190.86		

- Notes
- 1) All printing device and driver settings were default mode.
 - 2) For the B/W results, the print driver was set to "print in B/W".
 - 3) For more information see <http://www.hp.com/go/printerclaims>.
 - 4) Port monitor not configured to follow device if the IP address changes.
 - 5) Page counts were collected after completion of the tests.
 - 6) Details for FPOT from Sleep are shown below.

HP Data Table

Detailed Report: A4		FPOT Avg (secs)	FPOT (secs) Iteration 1	FPOT (secs) Iteration 2	FPOT (secs) Iteration 3	Application	Delay Time
Color Mode	FPOT from Sleep	24.75	24.60	24.89	N/A	Adobe Reader	76 Minutes
	FPOT from Sleep (15 minutes) HP/Non ISO Test	17.52	17.49	17.55	N/A	Adobe Reader	15 Minutes
B&W Mode	FPOT from Sleep	24.38	24.42	24.33	N/A	Adobe Reader	76 Minutes
	FPOT from Sleep (15 minutes) HP/Non ISO Test	17.21	16.75	17.67	N/A	Adobe Reader	15 Minutes

- Notes
- 1) All printing device and driver settings were default mode.
 - 2) For the B/W results, the print driver was set to "print in B/W".
 - 3) DLP includes detailed iterations as data measurements may vary run to run.

Test System Parameters		
Item	Value	
Test System	Computer	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 GHz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Board	system devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 6350
	Optical Drive	HP DVD A DH16aC5HR ATA
	I/O Subsystem	Builtin
	USB Subsystem	USB 2.0/3.0
Printing Device Connection	TCP/IP	10/1000
Software	Operating System	Windows 7 Business/Ultimate, 64 bit, Build 7601, SP 1
	Printing Applications	Microsoft Office 2010 SP2 Adobe Reader 10.1.4
	Print Driver	6.5.0.22695

ISO/IEC 29183 Copy Productivity Report

Full Detailed Test Report - LETTER

HP PageWide Managed Color MFP E77650z Series

Machine Setup Information	
Test Start Date and Time	11/20/2017 12:10
Tester	AW
Machine name/model	HP PageWide Managed Color MFP E77650z Series
Colour or B&W	Colour
FW Version	2405087_018548
Configuration (options)	Not Specified
Temperature and Humidity	73 degF / 23 degC 20.0 %rH
Test End Date and Time:	11/21/2017 11:53

	Pre-set Item	Pre-set Value
Mode	Output Resolution	Default
	Output Quality	Default
	Copying Mode	Colour for Colour and B&W for B&W
	Auto Density Adjustment	Default
	Collating function	Set in Control Panel
Paper	Paper Sending Direction	Default
	Paper Type Setting	Default
Paper Path	Paper Feeding	Tray 2
	Paper Exit	Default
	Face Up Exit	Default (face down)
Temporary Stop	Fixing Capability	Default
	Image Quality Stability	Default
	Capacity of Paper	Default
	Others	None
Paper	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

Summary Report: Letter		
	sFCOT	sESAT (ipm)
Color	9.27	51.38
B&W	8.59	51.40

Notes
 First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration and document.
 Only Target A was used, all test documents have the same Saturated throughput. Reference ISO/IEC29183:2010 Clause 5, Sections 5.3.1 and 5.3.2

Detailed Report: LETTER						
	Target	sFCOT (secs)	sEFTP (ipm)			sESAT (ipm)
			1copy	1copy+30sec	1copy+4minutes	
Color	A	9.27	9.90	39.37 27 sets	48.18 208 sets	51.38
	B					
	C					
	D					
	Average	9.27	9.90	39.37	48.18	51.38
B&W	A	8.59	6.99	39.16 28 sets	48.95 214 sets	51.40
	B					
	C					
	D					
	Average	8.59	6.99	39.16	48.95	51.40

Notes
 First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration and document.
 Only Target A was used, all test documents have the same Saturated throughput. Reference ISO/IEC29183:2010 Clause 5, Sections 5.3.1 and 5.3.2

ISO/IEC 29183 Copy Productivity Report

Full Detailed Test Report - A4

HP PageWide Managed Color MFP E77650z Series

Machine Setup Information	
Test Start Date and Time	11/20/2017 12:10
Tester	AW
Machine name/model	HP PageWide Managed Color MFP E77650z Series
Colour or B&W	Colour
FW Version	2405087_018548
Configuration (options)	Not Specified
Temperature and Humidity	73 degF / 23 degC 20.0 %rH
Test End Date and Time:	11/21/2017 11:53

	Pre-set Item	Pre-set Value
Mode	Output Resolution	Default
	Output Quality	Default
	Copying Mode	Colour for Colour and B&W for B&W
	Auto Density Adjustment	Default
	Collating function	Set in Control Panel
Paper	Paper Sending Direction	Default
	Paper Type Setting	Default
Paper Path	Paper Feeding	Tray 2
	Paper Exit	Default
	Face Up Exit	Default (face down)
Temporary Stop	Fixing Capability	Default
	Image Quality Stability	Default
	Capacity of Paper	Default
	Others	None
Paper	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

Summary Report: A4		
	sFCOT	sESAT (ipm)
Colour	8.99	51.51
B&W	8.72	51.56

Notes
 First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration and document.
 Only Target A was used, all test documents have the same Saturated throughput. Reference ISO/IEC29183:2010 Clause 5, Sections 5.3.1 and 5.3.2

Detailed Report: A4						
	Target	sFCOT (secs)	sEFTP (ipm)			sESAT (ipm)
			1copy	1copy+30sec	1copy+4minutes	
Colour	A	8.99	6.67	38.82 29 sets	49.41 222 sets	51.51
	B					
	C					
	D					
	Average	8.99	6.67	38.82	49.41	51.51
B&W	A	8.72	6.87	38.82 28 sets	48.96 216 sets	51.56
	B					
	C					
	D					
	Average	8.72	6.87	38.82	48.96	51.56

Notes
 First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration and document.
 Only Target A was used, all test documents have the same Saturated throughput. Reference ISO/IEC29183:2010 Clause 5, Sections 5.3.1 and 5.3.2

ISO/IEC 24735 Copy Productivity Report

Full Detailed Test Report - LETTER

Machine Setup Information	
Test Start Date and Time	11/21/2017 14:02
Tester	AW
Machine name/model	HP PageWide Managed Color MFP E77650z Series
Colour or B&W	Colour
FW Version	2405087_018548
Configuration (options)	Not Specified
Temperature and Humidity	73 degF / 23 degC 20.0 %rH
Test End Date and Time:	11/27/2017 12:40
Pre-set Item	
Pre-set Value	
Output Resolution	Default
Output Quality	Default
Copying Mode	Default
Auto Density Adjustment	Default
Collating function	Activated (if not activated in default mode)
Paper Sending Direction	Default
Paper Type Setting	Default
Paper Feeding	Standard cassette
Paper Exit	Standard exit tray
Face Up Exit	Default
Fixing Capability	Default
Image Quality Stability	Default
Capacity of Paper	Default
Others	Default
Paper Manufacturer	HP / Xerox
Paper Weight	20lb / 75 g/m2
Paper Size	Letter / A4

ISO/IEC 24735 Copy Productivity Report						
Detailed Report: LETTER						
	Copying Mode	FSOT (secs)	EFTP (ipm)			ESAT (ipm)
		1 set only	1 set only	1 set + 30sec	1 set + 4min	1 set + 30sec
Color Mode	1:1	13.91	17.25	40.26	49.22	51.25
			(1 set)	8 sets	53 sets	
	1:2	26.21	9.14	24.20	 	35.94
			(1 set)	6 sets	 	
	2:2	24.82	9.66	24.92	 	35.96
			(1 set)	6 sets	 	
B&W mode	1:1	14.21	16.89	39.87	48.61	51.28
				8 sets	53 sets	
	1:2	24.23	9.90	25.20	 	35.92
				6 sets	 	
	2:2	24.32	9.86	25.54	 	35.94
				6 sets	 	
Notes						
Reports located: http://www.hp.com/go/printerclaims						

ISO/IEC 24735 Copy Productivity Report

Full Detailed Test Report - A4

Machine Setup Information	
Test Start Date and Time	11/21/2017 14:02
Tester	AW
Machine name/model	HP PageWide Managed Color MFP E77650z Series
Colour or B&W	Colour
FW Version	2405087_018548
Configuration (options)	Not Specified
Temperature and Humidity	73 degF / 23 degC 20.0 %rH
Test End Date and Time:	11/27/2017 12:40
Pre-set Item	
Pre-set Value	
Output Resolution	Default
Output Quality	Default
Copying Mode	Default
Auto Density Adjustment	Default
Collating function	Activated (if not activated in default mode)
Paper Sending Direction	Default
Paper Type Setting	Default
Paper Feeding	Standard cassette
Paper Exit	Standard exit tray
Face Up Exit	Default
Fixing Capability	Default
Image Quality Stability	Default
Capacity of Paper	Default
Others	Default
Paper Manufacturer	HP / Xerox
Paper Weight	20lb / 75 g/m2
Paper Size	Letter / A4

ISO/IEC 24735 Copy Productivity Report						
Detailed Report: A4						
	Copying Mode	FSOT (secs)	EFTP (ipm)			ESAT (ipm)
		1 set only	1 set only	1 set + 30sec	1 set + 4min	1 set + 30sec
Colour Mode	1:1	14.21	16.88	40.23	48.44	51.20
			(1 set)	8 sets	53 sets	
	1:2	25.91	9.26	24.36		35.92
			(1 set)	6 sets		
	2:2	25.30	9.48	24.90		35.92
			(1 set)	6 sets		
B&W mode	1:1	14.94	16.06	40.31	48.59	51.47
				8 sets	53 sets	
	1:2	24.19	9.92	22.68		35.92
				6 sets		
	2:2	25.00	9.60	25.40		35.92
				6 sets		

Notes
 Reports located: <http://www.hp.com/go/printerclaims>

ISO/IEC 17991 Scanning Productivity Report

Full Detailed Test Report - LETTER

Machine Setup Information	
Test Start Date and Time	11/29/2017 10:48
Tester	AW
Machine name/model	HP PageWide Managed Color MFP E77650z Series
Colour or B&W	Colour
Configuration (options)	Default
Temperature and Humidity	73 degF / 23 degC 20.0 %rH
Voltage	110V
Test End Date and Time	11/30/2017 15:19

Mode and Setting	Preset Item	Preset Value
	Scanning resolution	default (200 dpi)
Colour or grey scale/B&W	default (colour)	
Duplex / simplex	default (simplex)	
Original page size	default (A4)	
Paper feed orientation	default (long edge)	
Scan destination	default (shared network)	
Storing File Type	default (PDF-multi)	
Auto scan quality adjustment	default (factory preset default setting)	
ADF Paper-path	Paper feed direction	default (long edge)
	Output orientation	default
	Scanning unit	default (duplex ADF)

ISO/IEC 17991 - Scan Summary Report: ADF Productivity Measurement

Summary Report: Letter

	File format version	Resolution	Scanning Mode	Measurement result
			Scanning side	scESAT 30secA (ipm)
Colour	pdf 1.4	200	single sided	134.69
			double sided	269.08
B&W	pdf 1.4	200	single sided	134.36
			double sided	268.15

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Summary Report: Network Folder Productivity Measurement

Summary Report: Letter

	File format version	Resolution	Scanning Mode	Measurement result		
			Scanning side	scEFTP 30secF (ipm)	File size 30secF (Mbyte)	Number of Sets (30secF)
Colour	pdf 1.4	200	single sided	81.50	8.69	18.00
			double sided	111.26	16.67	35.00
B&W	pdf 1.4	200	single sided	100.46	3.47	18.00
			double sided	163.11	6.57	35.00

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Full Report: ADF Productivity Measurement

Summary Report: Letter

	File format version	Resolution	Scanning Mode	Measurement result		
			Scanning side	scEFTP 1setA (ipm)	scEFTP 30secA (ipm)	scESAT 30secA (ipm)
Colour	pdf 1.4	200	single sided	45.94	121.65	134.69
			double sided	51.00	245.36	269.08
B&W	pdf 1.4	200	single sided	46.28	121.8	134.36
			double sided	55.70	242.87	268.15

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Full Report: Network Folder Productivity Measurement

Summary Report: Letter

	File format version	Resolution	Scanning Mode	Measurement result			
			Scanning side	scEFTP 1setF (ipm)	scEFTP 30secF (ipm)	File size 30secF (Mbyte)	Number of Sets (30secF)
Colour	pdf 1.4	200	single sided	28.33	81.50	8.69	18
			double sided	30.00	111.26	16.67	35
B&W	pdf 1.4	200	single sided	26.66	100.46	3.47	18
			double sided	32.14	163.11	6.57	35

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

Test System Parameters		
Item	Value	
System	Computer name	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 GHz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Board	System devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 6350
	Optical Drive	HP DVD A DH16aCSHR ATA
	I/O Subsystem	BuiltIn
	USB Subsystem	USB 2.0/3.0
	Operating System	Windows 7 Business/Ultimate, 64 bit, Build 7601, SP 1
Scanning Device Connection	Location of network folder	PC
	Internet Protocol	IPv4
	Transfer Protocol	SMB
	Hub	Trendnet Router and Gbit Switch
	Network Speed	TCP 10/1000 Mbit Ethernet
	Connection Cable	Cat6 Straight cable
	Wireless router	No use
	Others	No use

ISO/IEC 17991 Scanning Productivity Report

Full Detailed Test Report - A4

Machine Setup Information	
Test Start Date and Time	11/29/2017 10:48
Tester	AW
Machine name/model	HP PageWide Managed Color MFP E77650z Series
Colour or B&W	Colour
Configuration (options)	Default
Temperature and Humidity	73 degF / 23 degC 20.0 %rH
Voltage	110V
Test End Date and Time	11/30/2017 15:19

Mode and Setting	Preset Item	Preset Value
		Scanning resolution
	Colour or grey scale/B&W	default (colour)
	Duplex / simplex	default (simplex)
	Original page size	default (A4)
	Paper feed orientation	default (long edge)
	Scan destination	default (shared network)
	Storing File Type	default (PDF-multi)
	Auto scan quality adjustment	default (factory preset default setting)
ADF	Paper feed direction	default (long edge)
Paper-path	Output orientation	default
	Scanning unit	default (duplex ADF)

ISO/IEC 17991 - Scan Summary Report: ADF Productivity Measurement

Summary Report: A4

	Scanning Mode		Measurement result	
	File format version	Resolution	Scanning side	scESAT 30secA (ipm)
Colour	pdf 1.4	200	single sided	137.26
			double sided	276.08
B&W	pdf 1.4	200	single sided	136.74
			double sided	275.12

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Summary Report: Network Folder Productivity Measurement

Summary Report: A4

	Scanning Mode		Measurement result			
	File format version	Resolution	Scanning side	scEFTP 30secF (ipm)	File size 30secF (Mbyte)	Number of Sets (30secF)
Colour	pdf 1.4	200	single sided	84.44	8.24	19.00
			double sided	112.20	15.30	36.00
B&W	pdf 1.4	200	single sided	101.33	3.60	19.00
			double sided	164.57	6.39	36.00

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Full Report: ADF Productivity Measurement

Summary Report: A4

	Scanning Mode		Measurement result			
	File format version	Resolution	Scanning side	scEFTP 1setA (ipm)	scEFTP 30secA (ipm)	scESAT 30secA (ipm)
Colour	pdf 1.4	200	single sided	45.84	120.55	137.26
			double sided	49.63	238.33	276.08
B&W	pdf 1.4	200	single sided	43.99	125.03	136.74
			double sided	52.90	245.07	275.12

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Full Report: Network Folder Productivity Measurement

Summary Report: A4

	Scanning Mode		Measurement result				
	File format version	Resolution	Scanning side	scEFTP 1setF (ipm)	scEFTP 30secF (ipm)	File size 30secF (Mbyte)	Number of Sets (30secF)
Colour	pdf 1.4	200	single sided	30.00	84.44	8.24	19
			double sided	30.00	112.20	15.30	36
B&W	pdf 1.4	200	single sided	30.00	101.33	3.60	19
			double sided	30.00	164.57	6.39	36

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

Test System Parameters		
Item	Value	
System	Computer name	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 GHz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Board	System devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 6350
	Optical Drive	HP DVD A DH16aCSHR ATA
	I/O Subsystem	BuiltIn
	USB Subsystem	USB 2.0/3.0
	Operating System	Windows 7 Business/Ultimate, 64 bit, Build 7601, SP 1
Scanning Device Connection	Location of network folder	PC
	Internet Protocol	IPv4
	Transfer Protocol	SMB
	Hub	Trendnet Router and Gbit Switch
	Network Speed	TCP 10/1000 Mbit Ethernet
	Connection Cable	Cat6 Straight cable
	Wireless router	No use
Others	No use	

ISO/IEC 17991 Scanning Productivity Report

Full Detailed Test Report - Tabloid

Machine Setup Information	
Test Start Date and Time	11/29/2017 10:48
Tester	AW
Machine name/model	HP PageWide Managed Color MFP E77650z Series
Colour or B&W	Colour
Configuration (options)	Default
Temperature and Humidity	73 degF / 23 degC 20.0 %rH
Voltage	110V
Test End Date and Time	11/30/2017 15:19

Mode and Setting	Preset Item	Preset Value
		Scanning resolution
	Colour or grey scale/B&W	default (colour)
	Duplex / simplex	default (simplex)
	Original page size	default (A4)
	Paper feed orientation	default (long edge)
	Scan destination	default (shared network)
	Storing File Type	default (PDF-multi)
	Auto scan quality adjustment	default (factory preset default setting)
ADF	Paper feed direction	default (long edge)
Paper-path	Output orientation	default
	Scanning unit	default (duplex ADF)

ISO/IEC 17991 - Scan Summary Report: ADF Productivity Measurement

Summary Report: Tabloid

	Scanning Mode		Measurement result	
	File format version	Resolution	Scanning side	scESAT 30secA (ipm)
Colour	pdf 1.4	200	single sided	73.22
			double sided	146.75
B&W	pdf 1.4	200	single sided	73.03
			double sided	146.13

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Summary Report: Network Folder Productivity Measurement

Summary Report: Tabloid

	Scanning Mode			Measurement result		
	File format version	Resolution	Scanning side	scEFTP 30secF (ipm)	File size 30secF (Mbyte)	Number of Sets (30secF)
Colour	pdf 1.4	200	single sided	45.51	9.91	11.00
			double sided	68.08	16.17	20.00
B&W	pdf 1.4	200	single sided	53.90	4.14	11.00
			double sided	90.56	6.71	20.00

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Full Report: ADF Productivity Measurement

Summary Report: Tabloid

	Scanning Mode			Measurement result		
	File format version	Resolution	Scanning side	scEFTP 1setA (ipm)	scEFTP 30secA (ipm)	scESAT 30secA (ipm)
Colour	pdf 1.4	200	single sided	36.01	66.97	73.22
			double sided	41.62	132.08	146.75
B&W	pdf 1.4	200	single sided	34.33	65.77	73.03
			double sided	42.40	129.56	146.13

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Full Report: Network Folder Productivity Measurement

Summary Report: Tabloid

	Scanning Mode			Measurement result			
	File format version	Resolution	Scanning side	scEFTP 1setF (ipm)	scEFTP 30secF (ipm)	File size 30secF (Mbyte)	Number of Sets (30secF)
Colour	pdf 1.4	200	single sided	21.81	45.51	9.91	11
			double sided	24.00	68.08	16.17	20
B&W	pdf 1.4	200	single sided	21.81	53.90	4.14	11
			double sided	25.33	90.56	6.71	20

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

Test System Parameters		
Item	Value	
System	Computer name	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 GHz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Board	System devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 6350
	Optical Drive	HP DVD A DH16aCSHR ATA
	I/O Subsystem	BuiltIn
	USB Subsystem	USB 2.0/3.0
	Operating System	Windows 7 Business/Ultimate, 64 bit, Build 7601, SP 1
Scanning Device Connection	Location of network folder	PC
	Internet Protocol	IPv4
	Transfer Protocol	SMB
	Hub	Trendnet Router and Gbit Switch
	Network Speed	TCP 10/1000 Mbit Ethernet
	Connction Cable	Cat6 Straight cable
	Wireless router	No use
Others	No use	

ISO/IEC 17991 Scanning Productivity Report

Full Detailed Test Report - A3

Machine Setup Information	
Test Start Date and Time	11/29/2017 10:48
Tester	AW
Machine name/model	HP PageWide Managed Color MFP E77650z Series
Colour or B&W	Colour
Configuration (options)	Default
Temperature and Humidity	73 degF / 23 degC 20.0 %rH
Voltage	110V
Test End Date and Time	11/30/2017 15:19

Mode and Setting	Preset Item	Preset Value
		Scanning resolution
	Colour or grey scale/B&W	default (colour)
	Duplex / simplex	default (simplex)
	Original page size	default (A4)
	Paper feed orientation	default (long edge)
	Scan destination	default (shared network)
	Storing File Type	default (PDF-multi)
	Auto scan quality adjustment	default (factory preset default setting)
ADF	Paper feed direction	default (long edge)
Paper-path	Output orientation	default
	Scanning unit	default (duplex ADF)

ISO/IEC 17991 - Scan Summary Report: ADF Productivity Measurement

Summary Report: A3

	Scanning Mode		Measurement result	
	File format version	Resolution	Scanning side	scESAT 30secA (ipm)
Colour	pdf 1.4	200	single sided	74.77
			double sided	149.59
B&W	pdf 1.4	200	single sided	74.49
			double sided	149.23

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Summary Report: Network Folder Productivity Measurement

Summary Report: A3

	Scanning Mode		Measurement result			
	File format version	Resolution	Scanning side	scEFTP 30secF (ipm)	File size 30secF (Mbyte)	Number of Sets (30secF)
Colour	pdf 1.4	200	single sided	47.14	8.36	11.00
			double sided	73.86	13.48	20.00
B&W	pdf 1.4	200	single sided	54.43	3.91	11.00
			double sided	93.20	6.29	20.00

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Full Report: ADF Productivity Measurement

Summary Report: A3

	Scanning Mode		Measurement result			
	File format version	Resolution	Scanning side	scEFTP 1setA (ipm)	scEFTP 30secA (ipm)	scESAT 30secA (ipm)
Colour	pdf 1.4	200	single sided	34.68	68.22	74.77
			double sided	44.48	133.69	149.59
B&W	pdf 1.4	200	single sided	36.69	67.99	74.49
			double sided	43.74	132.61	149.23

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Full Report: Network Folder Productivity Measurement

Summary Report: A3

	Scanning Mode		Measurement result				
	File format version	Resolution	Scanning side	scEFTP 1setF (ipm)	scEFTP 30secF (ipm)	File size 30secF (Mbyte)	Number of Sets (30secF)
Colour	pdf 1.4	200	single sided	22.90	47.14	8.36	11
			double sided	25.33	73.86	13.48	20
B&W	pdf 1.4	200	single sided	24.00	54.43	3.91	11
			double sided	24.00	93.20	6.29	20

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

Test System Parameters		
Item	Value	
System	Computer name	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 GHz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Board	System devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 6350
	Optical Drive	HP DVD A DH16aCSHR ATA
	I/O Subsystem	BuiltIn
	USB Subsystem	USB 2.0/3.0
	Operating System	Windows 7 Business/Ultimate, 64 bit, Build 7601, SP 1
Scanning Device Connection	Location of network folder	PC
	Internet Protocol	IPv4
	Transfer Protocol	SMB
	Hub	Trendnet Router and Gbit Switch
	Network Speed	TCP 10/1000 Mbit Ethernet
	Connection Cable	Cat6 Straight cable
	Wireless router	No use
Others	No use	