

**ISO/IEC 24734 Printing Productivity Report: Office Category**

**Full Detailed Test Report - LETTER**

HP LaserJet Enterprise color flow MFP M575c

Printing device and settings	
Test Start Date and Time	8/29/2012 15:45
Tester	KN
Machine name/model	HP LaserJet Enterprise color flow MFP M575c
Colour or B&W	Colour
FW Version	2200893_229649
Temperature and Humidity	76.9 degF / 25.0 degC, 22.8 %rH
Voltage	110V
Test End Date and Time	9/4/2012 15:57

Item	Value	
Mode and Setting	Driver Version	61.121.4.12258
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	Print in Grayscale set in driver
	Duplex B&W Settings	Print in Grayscale and Duplex set in driver
	Setting N set count	Application
Paper Path	Collating function	Activated (application)
	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
	Output Orientation	Default (face down)
Paper	Duplexing Unit (Yes/No)	Yes
	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter/A4
	Paper type/name	HP Multipurpose Colorlok / Xerox Business 4200

Summary Report: Letter			
Office Category Test for Color Device		FSOT (seconds)	ESAT (ipm)
Color	Simplex	16	31
	Duplex	21	29
B&W	Simplex	16	31
	Duplex	21	29

Notes  
Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Detailed Report: LETTER						
	Office Category Test	FSOT (secs)	EFTP (ipm)			ESAT (ipm)
			1 set only (1 set)	1 set only (1 set)	1 set + 30sec (# of sets)	
Defaults  (Color for color device, B&W for monochrome device)	Simplex - Adobe Reader	15.83	15.16 ( 1 set )	27.00 ( 7 sets )	29.10 ( 36 sets )	31.84
	Simplex - Word	15.27	15.72 ( 1 set )	27.71 ( 7 sets )		31.84
	Simplex - Excel	15.12	15.88 ( 1 set )	27.90 ( 7 sets )		31.83
	Simplex - Average	16	15	27	29	31
	Duplex - Adobe Reader	21.81	11.00 ( 1 set )	22.72 ( 6 sets )		29.10
	Duplex - Word	20.92	11.46 ( 1 set )	23.08 ( 6 sets )		29.10
	Duplex - Excel	19.89	12.04 ( 1 set )	23.34 ( 6 sets )		29.08
	Duplex - Average	21	11	23		29
B&W mode  (optional for color device)	Simplex - Adobe Reader	15.66	15.32 ( 1 set )	27.36 ( 7 sets )	27.04 ( 36 sets )	31.84
	Simplex - Word	15.25	15.74 ( 1 set )	27.67 ( 7 sets )		31.85
	Simplex - Excel	14.84	16.17 ( 1 set )	27.95 ( 7 sets )		31.85
	Simplex - Average	16	15	27	27	31
	Duplex - Adobe Reader	20.68	11.60 ( 1 set )	22.94 ( 6 sets )		29.10
	Duplex - Word	20.33	11.80 ( 1 set )	23.28 ( 6 sets )		29.10
	Duplex - Excel	19.81	12.10 ( 1 set )	23.46 ( 6 sets )		29.10
	Duplex - Average	21	11	23		29

Notes  
Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Test System Parameters	
Item	Value
Computer	HP XW8400 Workstation
Processor	Intel Xenon 2.66 GHz, X5355
System Chip Set	Intel 5000P
System Board	Standard system devices, default system BIOS
System Memory	4 GB
Hard Drive Subsystem	Standard disk drive (Seagate)
Video Subsystem	ATI FireGL V7200
Optical Drive	HP GSA-H60L SATA interface
I/O Subsystem	Builtin
USB Subsystem	USB 2.0
TCP/IP TCP/IP 10/1000	
Operating System	Windows XP Professional, SP 3
Printing Applications	Microsoft Office Word 2003
	Microsoft Office Excel 2003
	Adobe Reader 8.0
Test files and location	Office category files, hard drive

**ISO/IEC 24734 Printing Productivity Report: Office Category**

**Full Detailed Test Report - A4**

HP LaserJet Enterprise color flow MFP M575c

Printing device and settings		
Test Start Date and Time	8/29/2012 15:45	
Tester	KN	
Machine name/model	HP LaserJet Enterprise color flow MFP M575c	
Colour or B&W	Colour	
FW Version	2200893_229649	
Temperature and Humidity	76.9 degF / 25.0 degC, 22.8 %rH	
Voltage	110V	
Test End Date and Time	9/4/2012 15:57	

Item	Value	
<b>Mode and Setting</b>	Driver Version	61.121.4.12258
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	Print in Grayscale set in driver
	Duplex B&W Settings	Print in Grayscale and Duplex set in driver
	Setting N set count	Application
<b>Paper Path</b>	Collating function	Activated (application)
	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
	Output Orientation	Default (face down)
<b>Paper</b>	Duplexing Unit (Yes/No)	Yes
	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter/A4
Paper type/name		HP Multipurpose Colorlok / Xerox Business 4200

Summary Report: A4			
Office Category Test for Color Device		FSOT (seconds)	ESAT (ipm)
<b>Color</b>	Simplex	16	30
	Duplex	22	27
<b>B&amp;W</b>	Simplex	16	30
	Duplex	21	27

Notes  
 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Detailed Report: A4						
	Office Category Test	FSOT (secs)	EFTP (ipm)			ESAT (ipm)
		1 set only (1 set)	1 set only (1 set)	1 set + 30sec (# of sets)	1 set + 4min (# of sets)	1 set + 30sec
<b>Defaults</b> (Color for color device, B&W for monochrome device)	Simplex - Adobe Reader	16.38	14.65 ( 1 set )	26.10 ( 7 sets )	27.72 ( 35 sets )	30.27
	Simplex - Word	15.64	15.34 ( 1 set )	26.50 ( 7 sets )		30.26
	Simplex - Excel	15.17	15.82 ( 1 set )	26.56 ( 7 sets )		30.27
	Simplex - Average	16	15	26	27	30
	Duplex - Adobe Reader	22.71	10.56 ( 1 set )	22.02 ( 6 sets )		27.78
	Duplex - Word	21.46	11.18 ( 1 set )	22.28 ( 6 sets )		27.78
	Duplex - Excel	21.26	11.28 ( 1 set )	22.46 ( 6 sets )		27.78
	Duplex - Average	22	11	22		27
	<b>B&amp;W mode</b> (optional for color device)	Simplex - Adobe Reader	16.15	14.86 ( 1 set )	26.24 ( 7 sets )	25.78 ( 35 sets )
Simplex - Word		15.74	15.25 ( 1 set )	26.47 ( 7 sets )		30.26
Simplex - Excel		15.14	15.85 ( 1 set )	26.73 ( 7 sets )		30.27
Simplex - Average		16	15	26	25	30
Duplex - Adobe Reader		21.46	11.18 ( 1 set )	22.16 ( 6 sets )		27.78
Duplex - Word		21.05	11.38 ( 1 set )	22.38 ( 6 sets )		27.78
Duplex - Excel		20.43	11.72 ( 1 set )	22.54 ( 6 sets )		27.78
Duplex - Average		21	11	22		27

Notes  
 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Test System Parameters	
Item	Value
Computer	HP XW8400 Workstation
Processor	Intel Xenon 2.66 GHz, X5355
System Chip Set	Intel 5000P
System Board	Standard system devices, default system BIOS
System Memory	4 GB
Hard Drive Subsystem	Standard disk drive (Seagate)
Video Subsystem	ATI FireGL V7200
Optical Drive	HP GSA-H60L SATA interface
I/O Subsystem	Builtin
USB Subsystem	USB 2.0
TCP/IP TCP/IP 10/1000	
Operating System	Windows XP Professional, SP 3
Printing Applications	Microsoft Office Word 2003
	Microsoft Office Excel 2003
	Adobe Reader 8.0
Test files and location	Office category files, hard drive

**ISO/IEC 29183 Copy Productivity Report**

**Full Detailed Test Report - LETTER**

HP LaserJet Enterprise color flow MFP M575c

Machine Setup Information	
Test Start Date and Time	8/29/2012 15:45
Tester	KN
Machine name/model	HP LaserJet Enterprise color flow MFP M575c
Colour or B&W	Colour
Configuration (options)	Not Specified
Temperature and Humidity	76.9 degF / 25.0 degC, 22.8 %rH
Test End Date and Time	9/4/2012 15:57

	Pre-set Item	Pre-set Value
<b>Mode</b>	Output Resolution	Default
	Output Quality	Default
	Copying Mode	Colour for Colour and B&W for B&W
	Auto Density Adjustment	Default
	Collating function	Set in Control Panel
<b>Paper</b>	Paper Sending Direction	Default
	Paper Type Setting	Default
<b>Paper Path</b>	Paper Feeding	Tray 2
	Paper Exit	Default
	Face Up Exit	Default (face down)
<b>Temporary Stop</b>	Fixing Capability	Default
	Image Quality Stability	Default
	Capacity of Paper	Default
	Others	None

<b>Paper</b>	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter/A4
	Paper type/name	HP Multipurpose Colorlok / Xerox Business 4200

Summary Report: <b>Letter</b>		
	sFCOT	sESAT (ipm)
<b>Color</b>	10	31
<b>B&amp;W</b>	10	31

Notes  
 First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration and document.

Detailed Report: <b>LETTER</b>						
	Target	sFCOT (secs)	sEFTP (ipm)			sESAT (ipm)
			1copy	1copy+30sec	1copy+4minutes	
<b>Color</b>	A	9.47	6.34	27.09 23 sets	29.24 144 sets	31.84
	B	9.28	6.46	27.19 23 sets		31.85
	C	9.30	6.45	27.15 23 sets		31.84
	D	9.44	6.35	27.11 23 sets		31.85
	Average	10	6	27	29	31
	<b>B&amp;W</b>	A	9.57	6.27	27.19 23 sets	30.91 145 sets
B		9.30	6.45	26.99 22 sets		31.83
C		9.69	6.20	26.98 22 sets		31.84
D		9.27	6.46	26.80 22 sets		31.84
Average		10	6	26	30	31

Notes  
 First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration and document.

**ISO/IEC 29183 Copy Productivity Report**

**Full Detailed Test Report - A4**

HP LaserJet Enterprise color flow MFP M575c

Machine Setup Information	
Test Start Date and Time	8/29/2012 15:45
Tester	KN
Machine name/model	HP LaserJet Enterprise color flow MFP M575c
Colour or B&W	Colour
Configuration (options)	Not Specified
Temperature and Humidity	76.9 degF / 25.0 degC, 22.8 %rH
Test End Date and Time	9/4/2012 15:57

	Pre-set Item	Pre-set Value
Mode	Output Resolution	Default
	Output Quality	Default
	Copying Mode	Colour for Colour and B&W for B&W
	Auto Density Adjustment	Default
	Collating function	Set in Control Panel
Paper	Paper Sending Direction	Default
	Paper Type Setting	Default
Paper Path	Paper Feeding	Tray 2
	Paper Exit	Default
	Face Up Exit	Default (face down)
Temporary Stop	Fixing Capability	Default
	Image Quality Stability	Default
	Capacity of Paper	Default
	Others	None

Paper	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter/A4
	Paper type/name	HP Multipurpose Colorlok / Xerox Business 4200

Summary Report: A4		
	sFCOT	sESAT (ipm)
Colour	10	30
B&W	10	30

Notes  
First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration and document.

Detailed Report: A4						
	Target	sFCOT (secs)	sEFTP (ipm)			sESAT (ipm)
			1copy	1copy+30sec	1copy+4minutes	
Colour	A	9.37	6.40	25.87 22 sets	28.62 137 sets	30.27
	B	9.49	6.32	25.81 22 sets		30.27
	C	9.39	6.39	25.87 22 sets		30.27
	D	9.36	6.41	25.87 22 sets		30.27
	Average	10	6	25	28	30
B&W	A	9.38	6.40	25.86 22 sets	25.81 138 sets	30.27
	B	9.38	6.39	25.84 22 sets		30.27
	C	9.47	6.34	25.87 22 sets		30.28
	D	9.38	6.39	25.85 22 sets		30.26
	Average	10	6	25	25	30

Notes  
First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration and document.