



Datasheet

HP ProCurve Redundant Wireless Services z1 Module

The ProCurve Redundant Wireless Services z1 Module automatically adopts ProCurve radio ports if the primary Wireless Edge Services z1 Module is unavailable or fails.

HP ProCurve Redundant Wireless Services zl Module

Specifications



HP ProCurve Redundant Wireless Services zl Module
J9052A

Physical characteristics

Dimensions	10.3(d) x 8.13(w) x 1.75(h) in. (26.16 x 20.65 x 4.45 cm)
Weight	2.05 lb. (0.93 kg)

Environment

Non-operating/Storage temperature	-40°F to 158°F (-40°C to 70°C)
Non-operating/Storage relative humidity	15% to 95%, non-condensing

Services

Refer to the HP Web site at www.procurve.com/services for details on the service-level descriptions and product numbers. For details about services and response times in your area, please contact your local HP sales office.

For more information

To learn more about HP ProCurve Networking, please visit ProCurve.com

© 2008 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. January 2009

