



HP EliteDisplay E240c 23.8-inch Video Conferencing Monitor

Connect, conference, and collaborate in complete comfort with the HP EliteDisplay E240c 23.8-inch Video Conferencing Monitor, a communications hub with an HD webcam, microphone, speakers, and easy-access hot keys that's also a Full HD display with TCO Certified Edge ergonomic adjustability.



Connect across the room or across the world.

- Meet with colleagues and clients in real-time with a display that's Certified for Skype for Business with an HD webcam, microphone, and dual-speaker premium stereo sound that connects digitally over USB.¹

One-touch call controls.

- Place a call, adjust the volume, and put yourself on mute with easy-access bezel buttons on the front of the display—no software menu required.

Be comfortable and productive.

- Create your ideal workspace with adjustable tilt and swivel settings and an impressive 150 mm height adjustment range that meet TCO Certified Edge requirements.

Every view is a great view.

- Navigate easily across all your windows and enjoy crisp, clear color from virtually anywhere in the room on the 23.8-inch diagonal Full HD screen with 178-degree viewing angle IPS technology.
- Complete your collaboration solution with an HP headset, speaker phone or keyboard designed to maximize the latest communication technologies.²
- Attach your HP Desktop Mini, HP Chromebox, or select HP Thin Client directly behind the display.³ Keep things tidy with an integrated power supply and cable management features.
- Connect to a range of PCs and devices with HDMI, DisplayPort, VGA, and USB inputs.
- Get a display that's ENERGY STAR® certified, EPEAT® Gold registered⁴, and meets TCO Certified Edge requirements with 85% Post-Consumer Recycled plastics. It also has mercury-free display backlights, low halogen⁴, and arsenic-free display glass.
- Design the screen for how you work with HP Display Assistant software, which enables screen partitioning and helps deter theft by deactivating a monitor that's disconnected without approval.




Unified communications



Ergonomic Display



Displayport,
HDMI, VGA



Efficient Workspace

HP EliteDisplay E240c 23.8-inch Video Conferencing Monitor Specifications Table



Product Number	M1P00AA
Display Size (diagonal)	23.8"
Display Type	IPS w/LED backlight
Panel Active Area	20.749 x 11.67 in; 527.04 x 296.46 mm
Viewing Angle	178° horizontal; 178° vertical
Brightness	250 cd/m ² ¹
Contrast Ratio	1000:1 static; 5000000:1 dynamic ¹
Response Time	7 ms gray to gray ¹
Aspect Ratio	16:9
Native Resolution	1920 x 1080 @ 60 Hz (The video card of the connected PC must be capable of supporting 1920 x 1080 at 60 Hz and include 1VGA output, 1 DisplayPort output, 1 HDMI outputs to drive the monitor at the Preferred Mode.)
Resolutions Supported	1920 x 1080; 1680 x 1050; 1600 x 900; 1440 x 900; 1280 x 800; 1280 x 1024; 1280 x 720; 1024 x 768; 800 x 600; 720 x 400; 640 x 480
Display Features	Anti-glare; In plane switching; Language selection; LED Backlights; On-screen controls; Plug and Play; User programmable
User Controls	Menu; Minus ("-"); Plus ("+") /Input Control; OK/Auto; Power; Volume -; Volume +; Volume mute; MIC mute; HOOK
Input Signal	1 VGA; 1 HDMI 1.3 (with HDCP support); 1 DisplayPort 1.2a (with HDCP support);
Ports and Connectors	3 USB 2.0 (Two downstream and one upstream); 1 audio input ¹
Input Power	Input voltage: 100 to 240 VAC
Power Consumption	43 W (maximum), 33 W (typical), 0.5 W (standby)
Dimensions with Stand (W x D x H)	22.2 x 7.4 x 20.5 in 56.39 x 18.9 x 52.12 cm
Dimensions without Stand (W x D x H)	22.2 x 1.93 x 15.1 in 56.39 x 4.91 x 38.39 cm Without stand
Weight	13.9 lb 6.3 kg With stand
Ergonomic Features	Tilt: -5 to +25°; Swivel: ±45°; Height: 150 mm
Camera	720p integrated HD with dual microphones and LED
Multimedia	Internal 2 W per channel speakers
Environmental	Arsenic-free display glass; Mercury-free display backlights; Low halogen ²
Energy Efficiency Compliance	EPEAT® Silver; ENERGY STAR® certified
What's in the box	Monitor; AC power cord; VGA cable; USB cable; DisplayPort cable; CD (includes User Guide, warranty, drivers)

See important legal disclaimers on the last page

Accessories and services (not included)

HP UC Wired Headset



Enable crystal-clear sound and noise cancelling for meeting on-the-fly through your Windows notebook or tablet with the durable and lightweight HP UC Wired Headset, designed for a comfortable work day.¹²

Product number: K7V17AA

HP UC Speaker Phone



Turn any room into a virtual conference center¹ at the office or on-the-go with the HP UC Speaker Phone, a portable speaker phone for your Windows, Android™ or iOS device.

Product number: K7V16AA

HP Conferencing Keyboard



Drive your Microsoft Lync voice and video calls directly from your HP Conferencing Keyboard and connect, disconnect, and manage your calls and videoconferencing settings with simple dedicated keys¹.

Product number: K8P74AA

HP Adjustable Dual Display Stand



The HP Adjustable Dual Display Stand allows you to use two displays to maximize your productivity and optimize efficiency. Either or both displays can be rotated to landscape or portrait orientation, and the stand is depth-, height-, tilt-, and angle-adjustable so you can view both screens at eye-level as well as slightly facing each other, letting you track multiple applications and information sources at the same time. Integrated base rollers let you rotate the stand so you can more easily share your work.

Product number: AW664AA

HP Quick Release Bracket



HP Quick Release is an easy to use, 100 mm VESA-compliant, LCD monitor mounting solution that allows you to quickly and securely attach a flat panel monitor to a variety of stands, brackets, arms or wall mounts. HP Quick Release can also be used for mounting any combination of devices that are compatible with the 100 mm VESA Flat Display Mounting Interface Standard. The failsafe "Sure-Lock" mechanism snaps the monitor (or mounted device) securely in place, and can be further secured with a theft-deterrent security screw.

Product number: EM870AA

HP 4 year Next business day Exchange Large Monitor Service



HP Hardware Support Exchange Service offers a reliable and fast exchange service for eligible HP products. Specifically targeted at products that can easily be shipped and on which customers may easily restore data from backup files, HP Hardware Support Exchange Service is a cost-efficient but still convenient alternative to onsite support.

HP Hardware Support Exchange Service provides a replacement product or part to be delivered free of freight charges to your location within a specified period of time. Replacement products or parts are new or equivalent to new in performance.

Product number: U0J12E

Messaging Footnotes

¹ Internet connection required and sold separately.

² Each sold separately.

³ Requires HP PC Mounting Bracket for Monitors, sold separately. See product QuickSpecs for exact PC and thin client compatibility.

⁴ EPEAT® registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country.

Technical Specifications Footnotes

¹ All specifications represent the typical specifications provided by HP's component manufacturers, actual performance may vary either higher or lower.

² External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained after purchase may not be Low Halogen.

Sign up for updates
hp.com/go/getupdated

Learn more at
hp.com

The product could differ from the images shown. © 2015 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. Specific features may vary from model to model. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENERGY STAR® and the ENERGY STAR® mark are registered trademarks of the U.S. Environmental Protection Agency.

