

ISO/IEC 24734 Printing Productivity Report: Office Category

Full Detailed Test Report - LETTER

HP Color LaserJet Managed MFP E87660DN

Printing device and settings		
Test Start Date and Time	4/12/2017 15:33	
Tester	AH	
Machine name/model	HP Color LaserJet Managed MFP E87660DN	
Colour or B&W	Colour	
FW Version	2403300 006052	
Temperature and Humidity	75 degF / 24 degC 24.2 %rH	
Voltage	110V	
Test End Date and Time	5/3/2018 10:49	

Item	Value	
Mode and Setting	Driver Version	6.4.0.22070
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	print in grayscale, black only
	Duplex B&W Settings	print in grayscale, black only
	Setting N set count	Application
Paper Path	Collating function	Activated (application)
	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
Paper	Output Orientation	Default (face down)
	Duplexing Unit (Yes/No)	Yes
	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

Summary Report: Letter

Office Category	Test for Color Device	FSOT (seconds)	ESAT (ipm)
Color	Simplex	11.0	60.6
	Duplex	16.1	60.7
B&W	Simplex	9.5	60.5
	Duplex	13.8	60.6

- Notes
- 1) All printing device and driver settings were default mode.
 - 2) For the B&W results, the print driver was set to "print in B&W".
 - 3) For more information see <http://www.hp.com/go/printerclaims>.
 - 4) Port monitor not configured to follow device if the P address changes.

Detailed Report: LETTER

Office Category	Test	FSOT (secs)		EFTP (ipm)		ESAT (ipm)	
		1 set only (1 set)	1 set only (1 set)	1 set + 30sec (# of sets)	1 set + 4min (# of sets)		
Color Mode	Simplex - Adobe Reader	11.29	21.25 (1 set)	50.06 (9 sets)	57.00 (62 sets)	60.60	
		10.74	22.34 (1 set)	50.66 (9 sets)		60.61	
	Simplex - Word	10.93	21.97 (1 set)	50.48 (9 sets)		60.61	
		11.0	21.8	50.4	57.0	60.6	
	Duplex - Adobe Reader	16.73	14.34 (1 set)	43.68 (9 sets)		60.70	
		15.79	15.20 (1 set)	45.38 (9 sets)		60.70	
	Duplex - Excel	15.68	15.30 (1 set)	44.18 (9 sets)		60.70	
		16.1	14.9	44.4		60.7	
	B&W mode (optional for color device)	Simplex - Adobe Reader	9.75	24.62 (1 set)	51.38 (9 sets)	58.60 (62 sets)	60.58
			9.27	25.88 (1 set)	52.74 (9 sets)		60.60
Simplex - Excel		9.41	25.50 (1 set)	52.51 (9 sets)		60.61	
		9.5	25.3	52.2	58.6	60.5	
Duplex - Adobe Reader		14.15	16.94 (1 set)	46.52 (9 sets)		60.70	
		13.38	17.92 (1 set)	47.32 (9 sets)		60.68	
Duplex - Excel		13.86	17.30 (1 set)	45.58 (9 sets)		60.70	
		13.8	17.3	46.4		60.6	

- Notes
- 1) All printing device and driver settings were default mode.
 - 2) For the B&W results, the print driver was set to "print in B&W".
 - 3) For more information see <http://www.hp.com/go/printerclaims>.
 - 4) Port monitor not configured to follow device if the P address changes.

Test System Parameters

Item	Value
Computer	HP Compaq Elite 8300 Small Form Factor
Processor	Intel Core i7 -3770, 3.4 GHz
System Chip Set	Intel C216 Chipset Family SMBus Host Controller
System Board	system devices, default system BIOS
System Memory	4 GB
Hard Drive Subsystem	Standard disk drive (Seagate)
Video Subsystem	AMD Radeon HD 6350
Optical Drive	HP DVD A DHT6aC5HR ATA
IO Subsystem	Builtin
USB Subsystem	USB 2.0/3.0
TCPIP	TCPIP 10/1000
Operating System	Windows 7 64 Bit
Printing Applications	Microsoft Office 2010
Microsoft Office	Office 2010
Adobe Reader	10
Test files and location	Office category files, hard drive

ISO/IEC 24734 Printing Productivity Report: Office Category

Full Detailed Test Report - A4

HP Color LaserJet Managed MFP E87660DN

Printing device and settings		
Test Start Date and Time	4/12/2017 15:33	
Tester	AH	
Machine name/model	HP Color LaserJet Managed MFP E87660DN	
Colour or B&W	Colour	
FW Version	2403300 006052	
Temperature and Humidity	75 degF / 24 degC 24.2 %RH	
Voltage	110V	
Test End Date and Time	5/3/2018 10:49	

Item	Value	
Mode and Setting	Driver Version	9.4.0.22070
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	print in grayscale, black only
	Duplex B&W Settings	print in grayscale, black only
	Setting N set count	Application
	Collating function	Activated (application)
Paper Path	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
	Output Orientation	Default (face down)
	Duplexing Unit (Yes/No)	Yes
Paper	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

Summary Report: A4

Office Category Test for Color Device		FSOT (seconds)	ESAT (µm)
Colour	Simplex	15.1	60.6
	Duplex	16.2	60.6
B&W	Simplex	9.5	60.6
	Duplex	15.0	60.7

- Notes
 1) All printing device and driver settings were default mode.
 2) For the B&W results, the print driver was set to "print in B&W".
 3) For more information see <http://www.hp.com/go/printers/ci/claims>.
 4) Port monitor not configured to follow device if the IP address changes.

Detailed Report: A4

Office Category Test	FSOT (secs)	EFTP (µm)				ESAT (µm)
		1 set only (1 set)	1 set only (1 set)	1 set + 30sec (# of sets)	1 set + 4min (# of sets)	
Colour Mode	Simplex - Adobe Reader	11.45	20.98 (1 set)	49.76 (9 sets)	56.76 (62 sets)	60.61
	Simplex - Word	10.83	22.17 (1 set)	48.86 (9 sets)		60.59
	Simplex - Excel	10.95	21.93 (1 set)	50.46 (9 sets)		60.60
	Simplex - Average	11.1	21.6	49.6	56.7	60.6
	Duplex - Adobe Reader	16.50	14.54 (1 set)	43.58 (9 sets)		60.70
	Duplex - Word	16.19	14.82 (1 set)	44.68 (9 sets)		60.68
	Duplex - Excel	15.65	15.32 (1 set)	45.20 (9 sets)		60.70
	Duplex - Average	16.2	14.8	44.4		60.6
B&W mode (optional for color device)	Simplex - Adobe Reader	9.71	24.71 (1 set)	51.08 (9 sets)	59.20 (62 sets)	60.62
	Simplex - Word	9.34	25.70 (1 set)	52.66 (9 sets)		60.59
	Simplex - Excel	9.39	25.57 (1 set)	52.49 (9 sets)		60.60
	Simplex - Average	9.5	25.3	52.0	59.2	60.6
	Duplex - Adobe Reader	15.97	15.02 (1 set)	44.02 (9 sets)		60.70
	Duplex - Word	15.29	15.68 (1 set)	47.32 (9 sets)		60.70
	Duplex - Excel	13.55	17.70 (1 set)	47.56 (9 sets)		60.70
	Duplex - Average	15.0	16.1	46.3		60.7

- Notes
 1) All printing device and driver settings were default mode.
 2) For the B&W results, the print driver was set to "print in B&W".
 3) For more information see <http://www.hp.com/go/printers/ci/claims>.
 4) Port monitor not configured to follow device if the IP address changes.

Test System Parameters

Item	Value
Computer	HP Compaq Elite 8300 Small Form Factor
Processor	Intel Core i7 -3770, 3.4 GHz
System Chip Set	Intel C216 Chipset Family SMBus Host Controller
System Board	system devices, default system BIOS
System Memory	4 GB
Hard Drive Subsystem	Standard disk drive (Seagate)
Video Subsystem	AMD Radeon HD 6350
Optical Drive	HP DVD A DHT6aCSHR ATA
IO Subsystem	Built-in
USB Subsystem	USB 2.0/3.0
TCPIP	TCPIP 10/1000
Operating System	Windows 7 64 Bit
Printing Applications	Microsoft Office 2010
Microsoft Office	Office 2010
Adobe Reader	10
Test files and location	Office category files, hard drive

ISO/IEC 24734 Printing Productivity Report: Office Category

Full Detailed Test Report - Tabloid

HP Color LaserJet Managed MFP E87660DN

Printing device and settings		
Test Start Date and Time	4/12/2017 15:33	
Tester	AH	
Machine name/model	HP Color LaserJet Managed MFP E87660DN	
Colour or B&W	Colour	
FW Version	2403300 006052	
Temperature and Humidity	75 degF / 24 degC 24.2 %rH	
Voltage	110V	
Test End Date and Time	5/3/2018 10:49	

Item	Value	
Mode and Setting	Driver Version	6.4.0.22070
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	print in grayscale, black only
	Duplex B&W Settings	print in grayscale, black only
	Setting N set count	Application
	Collating function	Activated (application)
Paper Path	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
	Output Orientation	Default (face down)
	Duplexing Unit (Yes/No)	Yes
Paper	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

Summary Report: Tabloid

Office Category Test for Color Device		FSOT (seconds)	ESAT (µm)
Color	Simplex	11.0	30.6
	Duplex	16.1	30.6
B&W	Simplex	13.8	30.6
	Duplex	21.3	30.6

Notes

- 1) All printing device and driver settings were default mode.
- 2) For the B&W results, the print driver was set to "print in B&W".
- 3) For more information see <http://www.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.

Detailed Report: Tabloid

Office Category Test	FSOT (secs)	EFTP (µm)				ESAT (µm)
		1 set only (1 set)	1 set only (1 set)	1 set + 30sec (# of sets)	1 set + 4min (# of sets)	
Color Mode	Simplex - Adobe Reader	16.25	14.76 (1 set)	24.39 (5 sets)	28.63 (32 sets)	30.61
	Simplex - Word	15.08	15.91 (1 set)	25.69 (5 sets)		30.61
	Simplex - Excel	15.42	15.56 (1 set)	25.01 (5 sets)		30.61
	Simplex - Average	15.6	15.4	25.0	28.6	30.6
	Duplex - Adobe Reader	24.42	9.82 (1 set)	20.96 (5 sets)		30.66
	Duplex - Word	22.05	10.86 (1 set)	22.24 (5 sets)		30.64
	Duplex - Excel	21.57	11.12 (1 set)	22.34 (5 sets)		30.66
	Duplex - Average	22.7	10.6	21.8		30.6
B&W mode (optional for color device)	Simplex - Adobe Reader	14.16	16.94 (1 set)	25.64 (5 sets)	29.57 (32 sets)	30.72
	Simplex - Word	13.60	17.65 (1 set)	26.62 (5 sets)		30.61
	Simplex - Excel	13.59	17.66 (1 set)	26.64 (5 sets)		30.61
	Simplex - Average	13.8	17.4	26.3	29.5	30.6
	Duplex - Adobe Reader	25.12	9.56 (1 set)	21.16 (5 sets)		30.64
	Duplex - Word	19.37	12.38 (1 set)	23.58 (5 sets)		30.64
	Duplex - Excel	19.21	12.48 (1 set)	23.38 (5 sets)		30.66
	Duplex - Average	21.3	11.4	22.7		30.6

Notes

- 1) All printing device and driver settings were default mode.
- 2) For the B&W results, the print driver was set to "print in B&W".
- 3) For more information see <http://www.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.

Test System Parameters

Item	Value
Computer	HP Compaq Elite 8300 Small Form Factor
Processor	Intel Core i7 -3770, 3.4 GHz
System Chip Set	Intel C216 Chipset Family SMBus Host Controller
System Board	system devices, default system BIOS
System Memory	4 GB
Hard Drive Subsystem	Standard disk drive (Seagate)
Video Subsystem	AMD Radeon HD 6350
Optical Drive	HP DVD A DH16aCSHR ATA
IO Subsystem	Built-in
USB Subsystem	USB 2.0/3.0
TCP/IP	TCP/IP 10/1000
Operating System	Windows 7 64 Bit
Printing Applications	Microsoft Office 2010
Microsoft Office	Office 2010
Adobe Reader	10
Test files and location	Office category files, hard drive

ISO/IEC 24734 Printing Productivity Report: Office Category

Full Detailed Test Report - A3

HP Color LaserJet Managed MFP E87660DN

Printing device and settings	
Test Start Date and Time	4/12/2017 15:33
Tester	AH
Machine name/model	HP Color LaserJet Managed MFP E87660DN
Colour or B&W	Colour
FW Version	2403300_006052
Temperature and Humidity	75 degF / 24 degC 24.2 %RH
Voltage	110V
Test End Date and Time	5/3/2018 10:49

Item	Value	
Mode and Setting	Driver Version	4.0.22070
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	print in grayscale, black only
	Duplex B&W Settings	print in grayscale, black only
	Setting N set count	Application
Paper Path	Collating function	Activated (application)
	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
Paper	Output Orientation	Default (face down)
	Duplexing Unit (Yes/No)	Yes
	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

Summary Report: A3

Office Category Test for Color Device		FSOT (seconds)	ESAT (ipm)
Color	Simplex	11.0	30.6
	Duplex	16.1	30.6
B&W	Simplex	13.8	30.6
	Duplex	20.2	30.6

Notes

- 1) All printing device and driver settings were default mode.
- 2) For the B&W results, the print driver was set to "print in B&W".
- 3) For more information see <http://www.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.

Detailed Report: A3

Office Category Test	FSOT (secs)		EFTP (ipm)		ESAT (ipm)	
	1 set only (1 set)	1 set only (1 set)	1 set + 30sec (# of sets)	1 set + 4min (# of sets)		
Color Mode	Simplex - Adobe Reader	16.32	14.71 (1 set)	23.57 (5 sets)	27.73 (32 sets)	30.61
	Simplex - Word	15.04	15.95 (1 set)	25.77 (5 sets)		30.60
	Simplex - Excel	15.09	15.90 (1 set)	25.11 (5 sets)		30.61
	Simplex - Average	15.5	15.5	24.8	27.7	30.6
	Duplex - Adobe Reader	26.66	9.00 (1 set)	21.22 (5 sets)		30.64
	Duplex - Word	22.80	10.52 (1 set)	22.02 (5 sets)		30.64
	Duplex - Excel	21.75	11.02 (1 set)	22.36 (5 sets)		30.64
	Duplex - Average	23.8	10.1	21.8		30.6
B&W mode (optional for color device)	Simplex - Adobe Reader	14.11	17.00 (1 set)	26.11 (5 sets)	29.44 (32 sets)	30.62
	Simplex - Word	13.68	17.54 (1 set)	26.12 (5 sets)		30.62
	Simplex - Excel	13.61	17.64 (1 set)	26.71 (5 sets)		30.61
	Simplex - Average	13.8	17.3	26.3	29.4	30.6
	Duplex - Adobe Reader	21.85	10.98 (1 set)	21.44 (5 sets)		30.64
	Duplex - Word	19.39	12.36 (1 set)	23.54 (5 sets)		30.64
	Duplex - Excel	19.34	12.40 (1 set)	23.56 (5 sets)		30.66
	Duplex - Average	20.2	11.9	22.6		30.6

Notes

- 1) All printing device and driver settings were default mode.
- 2) For the B&W results, the print driver was set to "print in B&W".
- 3) For more information see <http://www.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.

Test System Parameters

Item	Value
Computer	HP Compaq Elite 8300 Small Form Factor
Processor	Intel Core i7 - 3770, 3.4 GHz
System Chip Set	Intel C216 Chipset Family SMBus Host Controller
System Board	system devices, default system BIOS
System Memory	4 GB
Hard Drive Subsystem	Standard disk drive (Seagate)
Video Subsystem	AMD Radeon HD 6350
Optical Drive	HP DVD A DH16aCSHR ATA
ICU Subsystem	Built-in
USB Subsystem	USB 2.0/3.0
TCP/IP	TCP/IP 10/1000
Operating System	Windows 7 64 Bit
Printing Applications	Microsoft Office 2010
Microsoft Office	Office 2010
Adobe Reader	10
Test files and location	Office category files, hard drive

ISO/IEC 24734 Printing Productivity Report: Office Category

Feature Performance Full Report - Office Feature Performance Test

HP Color LaserJet Managed MFP E87660DN

Printing device and settings		
Test Start Date and Time		4/12/2017 15:33
Tester	AH	
Machine name/model		HP Color LaserJet Managed MFP E87660DN
Colour or B&W		Colour
FW Version		2403300 006052
Temperature and Humidity		75 degF / 24 degC 24.2 %rH
Voltage		110V
Test End Date and Time		5/3/2018 10:49

Item	Value	
Mode and Setting	Driver Version	6.4.0.22070
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	print in grayscale, black only
	Duplex B&W Settings	print in grayscale, black only
	Setting N set count	Application
	Collating function	Activated (application)
Paper Path	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
	Output Orientation	Default (face down)
	Duplexing Unit (Yes/No)	Yes
Paper	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

ISO Print Productivity Report: Feature Performance Test Summary

Printing Modes (Feature Adobe Reader - Office test file)		Feature Performance Ratio	
		FSOT (base) FSOT (feature)	ESAT (feature) ESAT (base)
A5, Landscape Feed, Simplex, Colour	Simplex	93%	98%
A5, Portrait Feed, Simplex, Colour	Simplex	102%	98%
A5, Landscape Feed, Simplex, B/W	Simplex	98%	98%
A5, Portrait Feed, Simplex, B/W	Simplex	101%	98%

Notes
 1) All printing device and driver settings were default mode.
 2) Test conducted with 8-paper Office Feature Performance file.
 3) For more information see <http://www.hp.com/go/printerclaims>.
 4) Port monitor not configured to follow device if the P address changes.

Feature Performance Full Report - Feature Printing Mode: 'Office' Feature Performance Test

Printing Modes Feature Adobe Reader - Office test file (8-page)	Base Printing Mode		Feature Performance			
	FSOT Base	ESAT Base	1 set FSOT (secs)	1 set + 30 sec ESAT (ipm)	FSOT (base) FSOT (feature)	ESAT (feature) ESAT (base)
A5, Landscape Feed, Simplex, Colour	15.57	60.61	16.75	60.0	93%	98%
A5, Portrait Feed, Simplex, Colour	15.57	60.61	15.29	59.5	102%	98%
A5, Landscape Feed, Simplex, B/W	13.87	60.63	14.27	59.5	98%	98%
A5, Portrait Feed, Simplex, B/W	13.87	60.63	13.75	59.4	101%	98%

Notes
 1) All printing device and driver settings were default mode.
 2) Test conducted with 8-paper Office Feature Performance file.
 3) For more information see <http://www.hp.com/go/printerclaims>.
 4) Port monitor not configured to follow device if the P address changes.

Test System Parameters

Item	Value	
Test System	Computer	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 GHz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Board	system devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 6350
	Optical Drive	HP DVD A DH16aC5HR ATA
	I/O Subsystem	Built-in
	USB Subsystem	USB 2.0/3.0
I/O	TCP/IP	10/100/1000
Software	Operating System	Windows 7 64 Bit
	Printing Applications	Microsoft Office 2010
	Microsoft Office	Office 2010
	Adobe Reader	10
Test files and location	Office category files, hard drive	

ISO/IEC 17629 First Print Out Time Report: Office Category

Full Detailed Test Report - LETTER

HP Color LaserJet Managed MFP E87660DN

Printing device and settings	
Test Start Date and Time	4/12/2017 15:33
Tester	AH
Machine name/model	HP Color LaserJet Managed MFP E87660DN
Colour or B&W	Colour
FW Version	2403300_006052
Configuration (options)	Default
Controller	unknown
Printing device page count	Not Specified
Printing supplies page count	Not Specified
Temperature and Humidity	75 degF / 24 degC 24.2 %rH
Voltage	110V
Test End Date and Time	5/3/2018 10:49

Item	Value
Mode and Setting	
PDL and driver version	6.4.0.22070
Print Quality mode	default
B&W settings	default
Paper feed orientation	Short Edge
Paper	
Paper type setting	default
Paper feeding	Standard cassette
Paper exit	Standard exit tray
Paper Path	
Output orientation	default (face up or face down)

ISO First Page Out Time Summary Report: Office Category

Summary Report: Letter		
		FPOT from Ready (seconds)
Color	Simplex	7.88
	Duplex	
B&W	Simplex	6.55
	Duplex	

Notes
 1) All printing device and driver settings w ere default mode.
 2) For the B/W results, the print driver w as set to "print in B/W".
 3) For more information see <http://www.hp.com/go/printerclaims>.
 4) Port monitor not configured to follow device if the IP address changes.
 5) Page counts w ere collected after completion of the tests.

ISO First Page Out Time Report: Office Category

Detailed Report: LETTER						
		Word (seconds)	Excel (seconds)	Adobe Reader (seconds)	Average (seconds)	Delay Time
Color Mode	FPOT from Ready - Simplex	7.64	7.82	8.17	7.88	20 Seconds
	FPOT from Ready - Duplex					
	FPOT from Sleep - Simplex			43.85		76 Minutes
	Recovery Time			35.7		
	FPOT from Off - Simplex			186.98		
	Warm-up Time			178.81		
B&W Mode	FPOT from Ready - Simplex	6.27	6.54	6.82	6.55	20 Seconds
	FPOT from Ready - Duplex					
	FPOT from Sleep - Simplex			42.72		76 Minutes
	Recovery Time			35.9		
	FPOT from Off - Simplex			180.93		
	Warm-up Time			174.11		

Notes
 1) All printing device and driver settings w ere default mode.
 2) For the B/W results, the print driver w as set to "print in B/W".
 3) For more information see <http://www.hp.com/go/printerclaims>.
 4) Port monitor not configured to follow device if the IP address changes.
 5) Page counts w ere collected after completion of the tests.
 6) Details for FPOT from Sleep are show n below.

HP Data Table

Detailed Report: LETTER							
		FPOT Avg (secs)	FPOT (secs) Iteration 1	FPOT (secs) Iteration 2	FPOT (secs) Iteration 3	Application	Delay Time
Color Mode	FPOT from Sleep	43.85	43.43	44.26	N/A	Adobe Reader	76 Minutes
	FPOT from Sleep (15 minutes) HP/Non ISO Test	19.05	18.61	19.49	N/A	Adobe Reader	15 Minutes
B&W Mode	FPOT from Sleep	42.72	42.04	43.39	N/A	Adobe Reader	76 Minutes
	FPOT from Sleep (15 minutes) HP/Non ISO Test	18.57	18.46	18.67	N/A	Adobe Reader	15 Minutes

Notes
 1) All printing device and driver settings w ere default mode.
 2) For the B/W results, the print driver w as set to "print in B/W".
 3) DLP includes detailed iterations as data measurements may vary run to run.

Test System Parameters		
Item	Value	
Test System	Computer	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 GHz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Memory	system devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 6350
	Optical Drive	HP DVD A DH16aC5HR ATA
	I/O Subsystem	Builtin
	USB Subsystem	USB 2.0/3.0
Printing Device Connection	TCP/IP	
	10/1000	
Software	Operating System	Windows 7 Business/Ultimate, 64 bit, Build 7601, SP 1
	Printing Applications	Microsoft Office 2010 SP2 Adobe Reader 10.1.4
	Print Driver	6.4.0.22070

ISO/IEC 17629 First Print Out Time Report: Office Category

Full Detailed Test Report - A4

HP Color LaserJet Managed MFP E87660DN

Printing device and settings		
Test Start Date and Time	4/12/2017 15:33	
Tester	AH	
Machine name/model	HP Color LaserJet Managed MFP E87660DN	
Colour or B&W	Colour	
FW Version	2403300_006052	
Configuration (options)	Default	
Controller	unknown	
Printing device page count	Not Specified	
Printing supplies page count	Not Specified	
Temperature and Humidity	75 degF / 24 degC 24.2 %rH	
Voltage	110V	
Test End Date and Time	5/3/2018 10:49	

Item	Value
Mode and Setting	
PDL and driver version	6.4.0.22070
Print Quality mode	default
B&W settings	default
Paper feed orientation	Short Edge
Paper	
Paper type setting	default
Paper feeding	Standard cassette
Paper exit	Standard exit tray
Paper Path	
Output orientation	default (face up or face down)

ISO First Page Out Time Summary Report: Office Category

Summary Report: A4		
		FPOT from Ready (seconds)
Colour	Simplex	7.91
	Duplex	
B&W	Simplex	6.51
	Duplex	

- Notes
- 1) All printing device and driver settings were default mode.
 - 2) For the B/W results, the print driver was set to "print in B/W".
 - 3) For more information see <http://www.hp.com/go/printerclaims>.
 - 4) Port monitor not configured to follow device if the IP address changes.
 - 5) Page counts were collected after completion of the tests.

ISO First Page Out Time Report: Office Category

Detailed Report: A4						
		Word (seconds)	Excel (seconds)	Adobe Reader (seconds)	Average (seconds)	Delay Time
Color Mode	FPOT from Ready - Simplex	7.71	7.85	8.16	7.91	20 Seconds
	FPOT from Ready - Duplex					
	FPOT from Sleep - Simplex			44.71		76 Minutes
	Recovery Time			36.5		
	FPOT from Off - Simplex			192.78		
	Warm-up Time			184.62		
B&W Mode	FPOT from Ready - Simplex	6.33	6.45	6.74	6.51	20 Seconds
	FPOT from Ready - Duplex					
	FPOT from Sleep - Simplex			42.95		76 Minutes
	Recovery Time			36.2		
	FPOT from Off - Simplex			198.30		
	Warm-up Time			191.56		

- Notes
- 1) All printing device and driver settings were default mode.
 - 2) For the B/W results, the print driver was set to "print in B/W".
 - 3) For more information see <http://www.hp.com/go/printerclaims>.
 - 4) Port monitor not configured to follow device if the IP address changes.
 - 5) Page counts were collected after completion of the tests.
 - 6) Details for FPOT from Sleep are shown below.

HP Data Table

Detailed Report: A4							
		FPOT Avg (secs)	FPOT (secs) Iteration 1	FPOT (secs) Iteration 2	FPOT (secs) Iteration 3	Application	Delay Time
Color Mode	FPOT from Sleep	44.71	44.77	44.64	N/A	Adobe Reader	76 Minutes
	FPOT from Sleep (15 minutes) HP/Non ISO Test	18.62	18.15	19.08	N/A	Adobe Reader	15 Minutes
B&W Mode	FPOT from Sleep	42.95	42.83	43.07	N/A	Adobe Reader	76 Minutes
	FPOT from Sleep (15 minutes) HP/Non ISO Test	18.35	17.88	18.82	N/A	Adobe Reader	15 Minutes

- Notes
- 1) All printing device and driver settings were default mode.
 - 2) For the B/W results, the print driver was set to "print in B/W".
 - 3) DLP includes detailed iterations as data measurements may vary run to run.

Test System Parameters		
Item	Value	
Test System	Computer	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 GHz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Board	System devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 6350
	Optical Drive	HP DVD A DH16aC5HR ATA
	I/O Subsystem	Builtin
	USB Subsystem	USB 2.0/3.0
Printing Device Connection	TCP/IP	10/1000
Software	Operating System	Windows 7 Business/Ultimate, 64 bit, Build 7601, SP 1
	Printing Applications	Microsoft Office 2010 SP2 Adobe Reader 10.1.4
	Print Driver	6.4.0.22070

ISO/IEC 29183 Copy Productivity Report

Full Detailed Test Report - LETTER

HP Color LaserJet Managed MFP E87660DN

Machine Setup Information	
Test Start Date and Time	4/12/2017 18:01
Tester	AH
Machine name/model	HP Color LaserJet Managed MFP E87660DN
Colour or B&W	Colour
FW Version	2403300_006052
Configuration (options)	Not Specified
Temperature and Humidity	75 degF / 24 degC 24.2 %rH
Test End Date and Time:	5/18/2017 17:57

	Pre-set Item	Pre-set Value
Mode	Output Resolution	Default
	Output Quality	Default
	Copying Mode	Colour for Colour and B&W for B&W
	Auto Density Adjustment	Default
	Collating function	Set in Control Panel
Paper	Paper Sending Direction	Default
	Paper Type Setting	Default
Paper Path	Paper Feeding	Tray 2
	Paper Exit	Default
	Face Up Exit	Default (face down)
Temporary Stop	Fixing Capability	Default
	Image Quality Stability	Default
	Capacity of Paper	Default
	Others	None
Paper	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

Summary Report: Letter		
	sFCOT	sESAT (ipm)
Color	5.4	60.6
B&W	5.2	60.6

Notes
 First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration and document.
 Only Target A was used, all test documents have the same Saturated throughput. Reference ISO/IEC29183:2010 Clause 5, Sections 5.3.1 and 5.3.2

Detailed Report: LETTER						
	Target	sFCOT (secs)	sEFTP (ipm)			sESAT (ipm)
			1copy	1copy+30sec	1copy+4minutes	
Color	A	5.41	11.08	50.34 32 sets	56.63 244 sets	60.60
	B					
	C					
	D					
	Average	5.4	11.1	50.3	56.6	60.6
B&W	A	5.21	11.77	48.65 32 sets	59.23 246 sets	60.62
	B					
	C					
	D					
	Average	5.2	11.8	48.7	59.2	60.6

Notes
 First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration and document.
 Only Target A was used, all test documents have the same Saturated throughput. Reference ISO/IEC29183:2010 Clause 5, Sections 5.3.1 and 5.3.2

ISO/IEC 29183 Copy Productivity Report

Full Detailed Test Report - A4

HP Color LaserJet Managed MFP E87660DN

Machine Setup Information	
Test Start Date and Time	4/12/2017 18:01
Tester	AH
Machine name/model	HP Color LaserJet Managed MFP E87660DN
Colour or B&W	Colour
FW Version	2403300_006052
Configuration (options)	Not Specified
Temperature and Humidity	75 degF / 24 degC 24.2 %rH
Test End Date and Time:	5/18/2017 17:57

	Pre-set Item	Pre-set Value
Mode	Output Resolution	Default
	Output Quality	Default
	Copying Mode	Colour for Colour and B&W for B&W
	Auto Density Adjustment	Default
	Collating function	Set in Control Panel
Paper	Paper Sending Direction	Default
	Paper Type Setting	Default
Paper Path	Paper Feeding	Tray 2
	Paper Exit	Default
	Face Up Exit	Default (face down)
Temporary Stop	Fixing Capability	Default
	Image Quality Stability	Default
	Capacity of Paper	Default
	Others	None
Paper	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

Summary Report: A4		
	sFCOT	sESAT (ipm)
Colour	5.4	60.6
B&W	4.3	60.6

Notes
 First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration and document.
 Only Target A was used, all test documents have the same Saturated throughput. Reference ISO/IEC29183:2010 Clause 5, Sections 5.3.1 and 5.3.2

Detailed Report: A4						
	Target	sFCOT (secs)	sEFTP (ipm)			sESAT (ipm)
			1copy	1copy+30sec	1copy+4minutes	
Colour	A	5.38	11.16	50.68 32 sets	57.21 246 sets	60.60
	B					
	C					
	D					
	Average	5.4	11.2	50.7	57.2	60.6
B&W	A	4.32	13.88	50.82 32 sets	58.68 244 sets	60.60
	B					
	C					
	D					
	Average	4.3	13.9	50.8	58.7	60.6

Notes
 First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration and document.
 Only Target A was used, all test documents have the same Saturated throughput. Reference ISO/IEC29183:2010 Clause 5, Sections 5.3.1 and 5.3.2

ISO/IEC 24735 Copy Productivity Report

Full Detailed Test Report - LETTER

Machine Setup Information	
Test Start Date and Time	5/19/2017 9:56
Tester	AH
Machine name/model	HP Color LaserJet Managed MFP E87660DN
Colour or B&W	Colour
FW Version	2403300_006052
Configuration (options)	Not Specified
Temperature and Humidity	75 degF / 24 degC 24.2 %rH
Test End Date and Time:	5/23/2017 15:35
Pre-set Item	
Pre-set Value	
Output Resolution	Default
Output Quality	Default
Copying Mode	Default
Auto Density Adjustment	Default
Collating function	Activated (if not activated in default mode)
Paper Sending Direction	Default
Paper Type Setting	Default
Paper Feeding	Standard cassette
Paper Exit	Standard exit tray
Face Up Exit	Default
Fixing Capability	Default
Image Quality Stability	Default
Capacity of Paper	Default
Others	Default
Paper Manufacturer	HP / Xerox
Paper Weight	20lb / 75 g/m2
Paper Size	Letter / A4

ISO/IEC 24735 Copy Productivity Report						
Detailed Report: LETTER						
	Copying Mode	FSOT (secs)	EFTP (ipm)			ESAT (ipm)
		1 set only	1 set only	1 set + 30sec	1 set + 4min	1 set + 30sec
Color Mode	1:1	12.55	19.14	49.54	57.09	60.61
			(1 set)	9 sets	62 sets	
	1:2	18.57	12.92	43.04	57.09	60.70
			(1 set)	9 sets	62 sets	
	2:2	19.00	12.62	42.86	57.09	60.70
			(1 set)	9 sets	62 sets	
B&W mode	1:1	12.53	19.17	48.96	58.35	60.60
				9 sets	62 sets	
	1:2	16.66	14.40	43.32	58.35	60.70
				9 sets	62 sets	
	2:2	16.79	14.28	44.74	58.35	60.70
				9 sets	62 sets	
Notes						
Reports located: http://www.hp.com/go/printerclaims						

ISO/IEC 24735 Copy Productivity Report

Full Detailed Test Report - A4

Machine Setup Information	
Test Start Date and Time	5/19/2017 9:56
Tester	AH
Machine name/model	HP Color LaserJet Managed MFP E87660DN
Colour or B&W	Colour
FW Version	2403300_006052
Configuration (options)	Not Specified
Temperature and Humidity	75 degF / 24 degC 24.2 %rH
Test End Date and Time:	5/23/2017 15:35
Pre-set Item	Pre-set Value
Output Resolution	Default
Output Quality	Default
Copying Mode	Default
Auto Density Adjustment	Default
Collating function	Activated (if not activated in default mode)
Paper Sending Direction	Default
Paper Type Setting	Default
Paper Feeding	Standard cassette
Paper Exit	Standard exit tray
Face Up Exit	Default
Fixing Capability	Default
Image Quality Stability	Default
Capacity of Paper	Default
Others	Default
Paper Manufacturer	HP / Xerox
Paper Weight	20lb / 75 g/m2
Paper Size	Letter / A4

ISO/IEC 24735 Copy Productivity Report						
Detailed Report: A4						
	Copying Mode	FSOT (secs)	EFTP (ipm)			ESAT (ipm)
		1 set only	1 set only	1 set + 30sec	1 set + 4min	1 set + 30sec
Colour Mode	1:1	12.81	18.75	47.12	57.12	60.62
			(1 set)	9 sets	62 sets	
	1:2	18.44	13.00	41.24	57.12	60.70
			(1 set)	9 sets	62 sets	
	2:2	18.65	12.86	43.26	57.12	60.68
			(1 set)	9 sets	62 sets	
B&W mode	1:1	10.46	22.95	49.50	58.40	60.61
				9 sets	62 sets	
	1:2	17.85	13.44	43.94	58.40	60.72
				9 sets	62 sets	
	2:2	16.84	14.24	44.28	58.40	60.70
				9 sets	62 sets	
Notes						
Reports located: http://www.hp.com/go/printerclaims						

ISO/IEC 17991 Scanning Productivity Report

Full Detailed Test Report - LETTER

Machine Setup Information	
Test Start Date and Time	5/24/2017 10:22
Tester	AH
Machine name/model	HP Color LaserJet Managed MFP E87660DN
Colour or B&W	Colour
Configuration (options)	Default
Temperature and Humidity	75 degF / 24 degC 24.2 %rH
Voltage	110V
Test End Date and Time	5/24/2017 16:28

Mode and Setting	Preset Item	Preset Value
		Scanning resolution
	Colour or grey scale/B&W	default (colour)
	Duplex / simplex	default (simplex)
	Original page size	default (A4)
	Paper feed orientation	default (long edge)
	Scan destination	default (shared network)
	Storing File Type	default (PDF-multi)
	Auto scan quality adjustment	default (factory preset default setting)
ADF	Paper feed direction	default (long edge)
Paper-path	Output orientation	default
	Scanning unit	default (duplex ADF)

ISO/IEC 17991 - Scan Summary Report: ADF Productivity Measurement

Summary Report: Letter

	File format version	Resolution	Scanning Mode	Measurement result
			Scanning side	scESAT 30secA (ipm)
Colour	PDF 1.4	200	single sided	101.92
			double sided	207.32
B&W	PDF 1.4	200	single sided	102.73
			double sided	207.72

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Summary Report: Network Folder Productivity Measurement

Summary Report: Letter

	File format version	Resolution	Scanning Mode	Measurement result		
			Scanning side	scEFTP 30secF (ipm)	File size 30secF (Mbyte)	Number of Sets (30secF)
Colour	PDF 1.4	200	single sided	67.29	6.55	15.00
			double sided	73.85	15.21	28.00
B&W	PDF 1.4	200	single sided	75.29	2.75	15.00
			double sided	68.09	5.44	29.00

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Full Report: ADF Productivity Measurement

Summary Report: Letter

	File format version	Resolution	Scanning Mode	Measurement result		
			Scanning side	scEFTP 1setA (ipm)	scEFTP 30secA (ipm)	scESAT 30secA (ipm)
Colour	PDF 1.4	200	single sided	37.04	91.26	101.92
			double sided	41.51	181.6	207.32
B&W	PDF 1.4	200	single sided	36.17	91.25	102.73
			double sided	42.20	183.24	207.72

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Full Report: Network Folder Productivity Measurement

Summary Report: Letter

	File format version	Resolution	Scanning Mode	Measurement result			
			Scanning side	scEFTP 1setF (ipm)	scEFTP 30secF (ipm)	File size 30secF (Mbyte)	Number of Sets (30secF)
Colour	PDF 1.4	200	single sided	22.90	67.29	6.55	15
			double sided	19.23	73.85	15.21	28
B&W	PDF 1.4	200	single sided	24.00	75.29	2.75	15
			double sided	22.00	68.09	5.44	29

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

Test System Parameters		
Item	Value	
System	Computer name	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 GHz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Board	System devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 6350
	Optical Drive	HP DVD A DH16aCSHR ATA
	I/O Subsystem	BuiltIn
	USB Subsystem	USB 2.0/3.0
	Operating System	Windows 7 Business/Ultimate, 64 bit, Build 7601, SP 1
Scanning Device Connection	Location of network folder	PC
	Internet Protocol	IPv4
	Transfer Protocol	SMB
	Hub	Trendnet Router and Gbit Switch
	Network Speed	TCP 10/1000 Mbit Ethernet
	Connection Cable	Cat6 Straight cable
	Wireless router	No use
Others	No use	

ISO/IEC 17991 Scanning Productivity Report

Full Detailed Test Report - A4

Machine Setup Information	
Test Start Date and Time	5/24/2017 10:22
Tester	AH
Machine name/model	HP Color LaserJet Managed MFP E87660DN
Colour or B&W	Colour
Configuration (options)	Default
Temperature and Humidity	75 degF / 24 degC 24.2 %rH
Voltage	110V
Test End Date and Time	5/24/2017 16:28

Mode and Setting	Preset Item	Preset Value
		Scanning resolution
	Colour or grey scale/B&W	default (colour)
	Duplex / simplex	default (simplex)
	Original page size	default (A4)
	Paper feed orientation	default (long edge)
	Scan destination	default (shared network)
	Storing File Type	default (PDF-multi)
	Auto scan quality adjustment	default (factory preset default setting)
ADF	Paper feed direction	default (long edge)
Paper-path	Output orientation	default
	Scanning unit	default (duplex ADF)

ISO/IEC 17991 - Scan Summary Report: ADF Productivity Measurement

Summary Report: A4

	Scanning Mode			Measurement result
	File format version	Resolution	Scanning side	scESAT 30secA (ipm)
Colour	PDF 1.4	200	single sided	107.25
			double sided	213.16
B&W	PDF 1.4	200	single sided	106.84
			double sided	214.54

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Summary Report: Network Folder Productivity Measurement

Summary Report: A4

	Scanning Mode			Measurement result		
	File format version	Resolution	Scanning side	scEFTP 30secF (ipm)	File size 30secF (Mbyte)	Number of Sets (30secF)
Colour	PDF 1.4	200	single sided	66.66	7.74	15.00
			double sided	76.06	14.41	29.00
B&W	PDF 1.4	200	single sided	53.15	2.85	15.00
			double sided	62.64	5.48	30.00

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Full Report: ADF Productivity Measurement

Summary Report: A4

	Scanning Mode			Measurement result		
	File format version	Resolution	Scanning side	scEFTP 1setA (ipm)	scEFTP 30secA (ipm)	scESAT 30secA (ipm)
Colour	PDF 1.4	200	single sided	36.44	95.42	107.25
			double sided	42.21	186.41	213.16
B&W	PDF 1.4	200	single sided	35.39	93.61	106.84
			double sided	39.05	188.46	214.54

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Full Report: Network Folder Productivity Measurement

Summary Report: A4

	Scanning Mode			Measurement result			
	File format version	Resolution	Scanning side	scEFTP 1setF (ipm)	scEFTP 30secF (ipm)	File size 30secF (Mbyte)	Number of Sets (30secF)
Colour	PDF 1.4	200	single sided	22.00	66.66	7.74	15
			double sided	20.13	76.06	14.41	29
B&W	PDF 1.4	200	single sided	25.33	53.15	2.85	15
			double sided	24.23	62.64	5.48	30

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

Test System Parameters		
Item	Value	
System	Computer name	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 GHz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Board	System devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 6350
	Optical Drive	HP DVD A DH16aCSHR ATA
	I/O Subsystem	BuiltIn
	USB Subsystem	USB 2.0/3.0
	Operating System	Windows 7 Business/Ultimate, 64 bit, Build 7601, SP 1
Scanning Device Connection	Location of network folder	PC
	Internet Protocol	IPv4
	Transfer Protocol	SMB
	Hub	Trendnet Router and Gbit Switch
	Network Speed	TCP 10/1000 Mbit Ethernet
	Connection Cable	Cat6 Straight cable
	Wireless router	No use
Others	No use	

ISO/IEC 17991 Scanning Productivity Report

Full Detailed Test Report - Tabloid

Machine Setup Information	
Test Start Date and Time	5/24/2017 10:22
Tester	AH
Machine name/model	HP Color LaserJet Managed MFP E87660DN
Colour or B&W	Colour
Configuration (options)	Default
Temperature and Humidity	75 degF / 24 degC 24.2 %rH
Voltage	110V
Test End Date and Time	5/24/2017 16:28

Mode and Setting	Preset Item	Preset Value
		Scanning resolution
	Colour or grey scale/B&W	default (colour)
	Duplex / simplex	default (simplex)
	Original page size	default (A4)
	Paper feed orientation	default (long edge)
	Scan destination	default (shared network)
	Storing File Type	default (PDF-multi)
	Auto scan quality adjustment	default (factory preset default setting)
ADF	Paper feed direction	default (long edge)
Paper-path	Output orientation	default
	Scanning unit	default (duplex ADF)

ISO/IEC 17991 - Scan Summary Report: ADF Productivity Measurement

[Summary Report: Tabloid](#)

	Scanning Mode		Measurement result	
	File format version	Resolution	Scanning side	scESAT 30secA (ipm)
Colour	PDF 1.4	200	single sided	61.03
			double sided	122.27
B&W	PDF 1.4	200	single sided	61.03
			double sided	122.38

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Summary Report: Network Folder Productivity Measurement

[Summary Report: Tabloid](#)

	Scanning Mode		Measurement result			
	File format version	Resolution	Scanning side	scEFTP 30secF (ipm)	File size 30secF (Mbyte)	Number of Sets (30secF)
Colour	PDF 1.4	200	single sided	32.40	10.07	9.00
			double sided	22.68	10.77	18.00
B&W	PDF 1.4	200	single sided	37.59	3.37	9.00
			double sided	33.29	6.17	18.00

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Full Report: ADF Productivity Measurement

[Summary Report: Tabloid](#)

	Scanning Mode		Measurement result			
	File format version	Resolution	Scanning side	scEFTP 1setA (ipm)	scEFTP 30secA (ipm)	scESAT 30secA (ipm)
Colour	PDF 1.4	200	single sided	28.47	54.39	61.03
			double sided	34.70	108.05	122.27
B&W	PDF 1.4	200	single sided	27.45	54.24	61.03
			double sided	37.93	108.49	122.38

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Full Report: Network Folder Productivity Measurement

[Summary Report: Tabloid](#)

	Scanning Mode		Measurement result				
	File format version	Resolution	Scanning side	scEFTP 1setF (ipm)	scEFTP 30secF (ipm)	File size 30secF (Mbyte)	Number of Sets (30secF)
Colour	PDF 1.4	200	single sided	12.37	32.40	10.07	9
			double sided	14.94	22.68	10.77	18
B&W	PDF 1.4	200	single sided	17.22	37.59	3.37	9
			double sided	16.73	33.29	6.17	18

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

Test System Parameters		
Item	Value	
System	Computer name	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 GHz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Board	System devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 6350
	Optical Drive	HP DVD A DH16aCSHR ATA
	I/O Subsystem	BuiltIn
	USB Subsystem	USB 2.0/3.0
	Operating System	Windows 7 Business/Ultimate, 64 bit, Build 7601, SP 1
Scanning Device Connection	Location of network folder	PC
	Internet Protocol	IPv4
	Transfer Protocol	SMB
	Hub	Trendnet Router and Gbit Switch
	Network Speed	TCP 10/1000 Mbit Ethernet
	Connction Cable	Cat6 Straight cable
	Wireless router	No use
Others	No use	

ISO/IEC 17991 Scanning Productivity Report

Full Detailed Test Report - A3

Machine Setup Information	
Test Start Date and Time	5/24/2017 10:22
Tester	AH
Machine name/model	HP Color LaserJet Managed MFP E87660DN
Colour or B&W	Colour
Configuration (options)	Default
Temperature and Humidity	75 degF / 24 degC 24.2 %rH
Voltage	110V
Test End Date and Time	5/24/2017 16:28

Mode and Setting	Preset Item	Preset Value
	Scanning resolution	default (200 dpi)
	Colour or grey scale/B&W	default (colour)
	Duplex / simplex	default (simplex)
	Original page size	default (A4)
	Paper feed orientation	default (long edge)
	Scan destination	default (shared network)
	Storing File Type	default (PDF-multi)
	Auto scan quality adjustment	default (factory preset default setting)
	ADF Paper-path	Paper feed direction
	Output orientation	default
	Scanning unit	default (duplex ADF)

ISO/IEC 17991 - Scan Summary Report: ADF Productivity Measurement

Summary Report: A3

	Scanning Mode			Measurement result
	File format version	Resolution	Scanning side	scESAT 30secA (ipm)
Colour	PDF 1.4	200	single sided	61.17
			double sided	123.07
B&W	PDF 1.4	200	single sided	61.12
			double sided	122.70

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Summary Report: Network Folder Productivity Measurement

Summary Report: A3

	Scanning Mode			Measurement result		
	File format version	Resolution	Scanning side	scEFTP 30secF (ipm)	File size 30secF (Mbyte)	Number of Sets (30secF)
Colour	PDF 1.4	200	single sided	61.50	5.58	9.00
			double sided	24.08	16.90	18.00
B&W	PDF 1.4	200	single sided	45.01	3.20	9.00
			double sided	83.88	5.80	18.00

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Full Report: ADF Productivity Measurement

Summary Report: A3

	Scanning Mode			Measurement result		
	File format version	Resolution	Scanning side	scEFTP 1setA (ipm)	scEFTP 30secA (ipm)	scESAT 30secA (ipm)
Colour	PDF 1.4	200	single sided	28.03	54.37	61.17
			double sided	36.95	109.51	123.07
B&W	PDF 1.4	200	single sided	29.42	53.77	61.12
			double sided	34.37	109.38	122.7

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Full Report: Network Folder Productivity Measurement

Summary Report: A3

	Scanning Mode			Measurement result			
	File format version	Resolution	Scanning side	scEFTP 1setF (ipm)	scEFTP 30secF (ipm)	File size 30secF (Mbyte)	Number of Sets (30secF)
Colour	PDF 1.4	200	single sided	17.14	61.50	5.58	9
			double sided	16.57	24.08	16.90	18
B&W	PDF 1.4	200	single sided	21.81	45.01	3.20	9
			double sided	19.23	83.88	5.80	18

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

Test System Parameters		
Item	Value	
System	Computer name	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 GHz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Board	System devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 6350
	Optical Drive	HP DVD A DH16aCSHR ATA
	I/O Subsystem	Built-in
	USB Subsystem	USB 2.0/3.0
	Operating System	Windows 7 Business/Ultimate, 64 bit, Build 7601, SP 1
	Scanning Device Connection	Location of network folder
Internet Protocol		IPv4
Transfer Protocol		SMB
Hub		Trendnet Router and Gbit Switch
Network Speed		TCP 10/1000 Mbit Ethernet
Connection Cable		Cat6 Straight cable
Wireless router		No use
Others	No use	