

ISO/IEC 24734 Printing Productivity Report: Office Category

Full Detailed Test Report - LETTER

HP LaserJet Managed Flow MFP E82560z

Printing device and settings		
Test Start Date and Time	4/4/2017 7:32	
Tester	AH	
Machine name/model	HP LaserJet Managed Flow MFP E82560z	
Colour or B&W	B&W	
FW Version	2403293 005975	
Temperature and Humidity	73 degF / 23 degC 20.0 %rH	
Voltage	110V	
Test End Date and Time	5/9/2017 11:18	

	Item	Value
Mode and Setting	Driver Version	6.4.0
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	Print in Grayscale
	Duplex B&W Settings	Print in Grayscale
	Setting N set count	Application
Paper Path	Collating function	Activated (application)
	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
	Output Orientation	Default (face down)
Paper	Duplexing Unit (Yes/No)	Yes
	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

Summary Report: Letter			
Office Category Test for B&W Device		FSOT (seconds)	ESAT (ipm)
B&W	Simplex	10.8	60.6
	Duplex	15.8	60.7

Notes

- 1) All printing device and driver settings were default mode.
- 2) For the B/W results, the print driver was set to "print in B/W".
- 3) For more information see <http://w.w.w.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.

Detailed Report: LETTER						
	Office Category Test	FSOT (secs)	EFTP (ipm)			ESAT (ipm)
		1 set only (1 set)	1 set only (1 set)	1 set + 30sec (# of sets)	1 set + 4min (# of sets)	1 set + 30sec
Color Mode	Simplex - Adobe Reader		(1 set)			
	Simplex - Word		(1 set)			
	Simplex - Excel		(1 set)			
	Simplex - Average					
	Duplex - Adobe Reader	N/A	N/A	N/A		N/A
	Duplex - Word	N/A	N/A	N/A		N/A
	Duplex - Excel	N/A	N/A	N/A		N/A
	Duplex - Average	N/A	N/A	N/A		N/A
B&W mode (optional for color device)	Simplex - Adobe Reader	10.30	23.33 (1 set)	48.73 (9 sets)	58.20 (62 sets)	60.61
	Simplex - Word	9.34	25.70 (1 set)	52.53 (9 sets)		60.57
	Simplex - Excel	12.47	19.26 (1 set)	51.68 (9 sets)		60.62
	Simplex - Average	10.8	22.7	50.9	58.2	60.6
	Duplex - Adobe Reader	17.89	13.42 (1 set)	45.00 (9 sets)		60.72
	Duplex - Word	14.39	16.68 (1 set)	46.64 (9 sets)		60.70
	Duplex - Excel	14.85	16.16 (1 set)	46.58 (9 sets)		60.72
	Duplex - Average	15.8	15.4	46.0		60.7

Notes

- 1) All printing device and driver settings were default mode.
- 2) For the B/W results, the print driver was set to "print in B/W".
- 3) For more information see <http://w.w.w.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.

Test System Parameters	
Item	Value
Computer	HP Compaq Elite 8300 Small Form Factor
Processor	Intel Core i7 -3770, 3.4 GHz
System Chip Set	Intel C216 Chipset Family SMBus Host Controller
System Board	system devices, default system BIOS
System Memory	4 GB
Hard Drive Subsystem	Standard disk drive (Seagate)
Video Subsystem	AMD Radeon HD 6350
Optical Drive	HP DVD A DH16aCSHR ATA
I/O Subsystem	Built-in
USB Subsystem	USB 2.0/3.0
TCP/IP	TCP/IP 10/1000
Operating System	Windows 7 64 Bit
Printing Applications	Microsoft Office 2010
Microsoft Office	Office 2010
Adobe Reader	10
Test files and location	Office category files, hard drive

ISO/IEC 24734 Printing Productivity Report: Office Category

Full Detailed Test Report - A4

HP LaserJet Managed Flow MFP E82560z

Printing device and settings	
Test Start Date and Time	4/4/2017 7:32
Tester	AH
Machine name/model	HP LaserJet Managed Flow MFP E82560z
Colour or B&W	B&W
FW Version	2403293_005975
Temperature and Humidity	73 degF / 23 degC 20.0 %rH
Voltage	110V
Test End Date and Time	5/9/2017 11:18

Item	Value	
Mode and Setting	Driver Version	6.4.0
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	Print in Grayscale
	Duplex B&W Settings	Print in Grayscale
	Setting N set count	Application
Paper Path	Collating function	Activated (application)
	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
Paper	Output Orientation	Default (face down)
	Duplexing Unit (Yes/No)	Yes
	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

Summary Report: A4			
Office Category Test for B&W Device		FSOT (seconds)	ESAT (ipm)
B&W	Simplex	9.8	60.6
	Duplex	14.7	60.7

Notes

- 1) All printing device and driver settings were default mode.
- 2) For the B/W results, the print driver was set to "print in B/W".
- 3) For more information see <http://w.w.w.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.

Detailed Report: A4						
	Office Category Test	FSOT (secs)		EFTP (ipm)		ESAT (ipm)
		1 set only (1 set)	1 set only (1 set)	1 set + 30sec (# of sets)	1 set + 4min (# of sets)	1 set + 30sec
Colour Mode	Simplex - Adobe Reader		(1 set)			
	Simplex - Word		(1 set)			
	Simplex - Excel		(1 set)			
	Simplex - Average					
	Duplex - Adobe Reader	N/A	N/A	N/A		N/A
	Duplex - Word	N/A	N/A	N/A		N/A
	Duplex - Excel	N/A	N/A	N/A		N/A
	Duplex - Average	N/A	N/A	N/A		N/A
B&W mode (optional for color device)	Simplex - Adobe Reader	10.16	23.64 (1 set)	48.73 (9 sets)	58.00 (62 sets)	60.60
	Simplex - Word	9.40	25.54 (1 set)	52.41 (9 sets)		60.61
	Simplex - Excel	9.63	24.93 (1 set)	51.18 (9 sets)		60.61
	Simplex - Average	9.8	24.7	50.7	58.0	60.6
	Duplex - Adobe Reader	15.66	15.32 (1 set)	43.70 (9 sets)		60.72
	Duplex - Word	13.89	17.28 (1 set)	46.26 (9 sets)		60.70
	Duplex - Excel	14.26	16.82 (1 set)	46.38 (9 sets)		60.70
	Duplex - Average	14.7	16.4	45.4		60.7

Notes

- 1) All printing device and driver settings were default mode.
- 2) For the B/W results, the print driver was set to "print in B/W".
- 3) For more information see <http://w.w.w.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.

Test System Parameters	
Item	Value
Computer	HP Compaq Elite 8300 Small Form Factor
Processor	Intel Core i7 -3770, 3.4 GHz
System Chip Set	Intel C216 Chipset Family SMBus Host Controller
System Board	system devices, default system BIOS
System Memory	4 GB
Hard Drive Subsystem	Standard disk drive (Seagate)
Video Subsystem	AMD Radeon HD 6350
Optical Drive	HP DVD A DH16aCSHR ATA
I/O Subsystem	Builtin
USB Subsystem	USB 2.0/3.0
TCP/IP	TCP/IP 10/1000
Operating System	Windows 7 64 Bit
Printing Applications	Microsoft Office 2010
Microsoft Office	Office 2010
Adobe Reader	10
Test files and location	Office category files, hard drive

ISO/IEC 24734 Printing Productivity Report: Office Category

Full Detailed Test Report - Tabloid

HP LaserJet Managed Flow MFP E82560z

Printing device and settings	
Test Start Date and Time	4/4/2017 7:32
Tester	AH
Machine name/model	HP LaserJet Managed Flow MFP E82560z
Colour or B&W	B&W
FW Version	2403293 005975
Temperature and Humidity	73 degF / 23 degC 20.0 %rH
Voltage	110V
Test End Date and Time	5/9/2017 11:18

Item	Value
Driver Version	6.4.0
Media/Quality Setting	Default / Default
Simplex B&W Settings	Print in Grayscale
Duplex B&W Settings	Print in Grayscale
Setting N set count	Application
Collating function	Activated (application)
Paper Sending Direction	Default
Paper Size Setting	Default
Paper Feeding	Tray 2
Paper Exit	Standard Exit Tray
Output Orientation	Default (face down)
Duplexing Unit (Yes/No)	Yes
Paper Manufacturer	HP / Xerox
Paper Weight	20lb / 75 g/m2
Paper Size	Letter / A4
Paper type/name	HP Multipurpose Ultra White / HP Office

Summary Report: Tabloid			
Office Category Test for B&W Device		FSOT (seconds)	ESAT (ipm)
B&W	Simplex	15.0	30.6
	Duplex	22.1	30.6

Notes

- 1) All printing device and driver settings were default mode.
- 2) For the B/W results, the print driver was set to "print in B/W".
- 3) For more information see <http://w.w.w.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.

Detailed Report: Tabloid						
	Office Category Test	FSOT (secs)		EFTP (ipm)		ESAT (ipm)
		1 set only (1 set)	1 set only (1 set)	1 set + 30sec (# of sets)	1 set + 4min (# of sets)	1 set + 30sec
Color Mode	Simplex - Adobe Reader		(1 set)			
	Simplex - Word		(1 set)			
	Simplex - Excel		(1 set)			
	Simplex - Average					
	Duplex - Adobe Reader	N/A	N/A	N/A		N/A
	Duplex - Word	N/A	N/A	N/A		N/A
	Duplex - Excel	N/A	N/A	N/A		N/A
	Duplex - Average	N/A	N/A	N/A		N/A
B&W mode (optional for color device)	Simplex - Adobe Reader	16.34	14.71 (1 set)	25.24 (5 sets)	29.55 (32 sets)	30.61
	Simplex - Word	13.79	17.41 (1 set)	26.21 (5 sets)		30.63
	Simplex - Excel	14.62	16.42 (1 set)	26.07 (5 sets)		30.61
	Simplex - Average	15.0	16.1	25.8	29.5	30.6
	Duplex - Adobe Reader	25.25	9.50 (1 set)	20.06 (5 sets)		30.68
	Duplex - Word	20.32	11.80 (1 set)	23.24 (5 sets)		30.64
	Duplex - Excel	20.44	11.74 (1 set)	23.32 (5 sets)		30.64
	Duplex - Average	22.1	11.0	22.2		30.6

Notes

- 1) All printing device and driver settings were default mode.
- 2) For the B/W results, the print driver was set to "print in B/W".
- 3) For more information see <http://w.w.w.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.

Test System Parameters	
Item	Value
Computer	HP Compaq Elite 8300 Small Form Factor
Processor	Intel Core i7 -3770, 3.4 GHz
System Chip Set	Intel C216 Chipset Family SMBus Host Controller
System Board	system devices, default system BIOS
System Memory	4 GB
Hard Drive Subsystem	Standard disk drive (Seagate)
Video Subsystem	AMD Radeon HD 6350
Optical Drive	HP DVD A DH16aCSHR ATA
I/O Subsystem	Builtin
USB Subsystem	USB 2.0/3.0
TCP/IP	TCP/IP 10/1000
Operating System	Windows 7 64 Bit
Printing Applications	Microsoft Office 2010
Microsoft Office	Office 2010
Adobe Reader	10
Test files and location	Office category files, hard drive

ISO/IEC 24734 Printing Productivity Report: Office Category

Full Detailed Test Report - A3

HP LaserJet Managed Flow MFP E82560z

Printing device and settings	
Test Start Date and Time	4/4/2017 7:32
Tester	AH
Machine name/model	HP LaserJet Managed Flow MFP E82560z
Colour or B&W	B&W
FW Version	2403293 005975
Temperature and Humidity	73 degF / 23 degC 20.0 %rH
Voltage	110V
Test End Date and Time	5/9/2017 11:18

Item	Value
Driver Version	6.4.0
Media/Quality Setting	Default / Default
Simplex B&W Settings	Print in Grayscale
Duplex B&W Settings	Print in Grayscale
Setting N set count	Application
Collating function	Activated (application)
Paper Sending Direction	Default
Paper Size Setting	Default
Paper Feeding	Tray 2
Paper Exit	Standard Exit Tray
Output Orientation	Default (face down)
Duplexing Unit (Yes/No)	Yes
Paper Manufacturer	HP / Xerox
Paper Weight	20lb / 75 g/m2
Paper Size	Letter / A4
Paper type/name	HP Multipurpose Ultra White / HP Office

Summary Report: A3			
Office Category Test for B&W Device		FSOT (seconds)	ESAT (ipm)
B&W	Simplex	10.8	30.6
	Duplex	15.8	30.6

Notes
 1) All printing device and driver settings were default mode.
 2) For the B/W results, the print driver was set to "print in B/W".
 3) For more information see <http://w.w.w.hp.com/go/printerclaims>.
 4) Port monitor not configured to follow device if the IP address changes.

Detailed Report: A3						
	Office Category Test	FSOT (secs)		EFTP (ipm)		ESAT (ipm)
		1 set only (1 set)	1 set only (1 set)	1 set + 30sec (# of sets)	1 set + 4min (# of sets)	1 set + 30sec
Color Mode	Simplex - Adobe Reader		(1 set)			
	Simplex - Word		(1 set)			
	Simplex - Excel		(1 set)			
	Simplex - Average					
	Duplex - Adobe Reader	N/A	N/A	N/A		N/A
	Duplex - Word	N/A	N/A	N/A		N/A
	Duplex - Excel	N/A	N/A	N/A		N/A
	Duplex - Average	N/A	N/A	N/A		N/A
B&W mode (optional for color device)	Simplex - Adobe Reader	17.77	13.50 (1 set)	23.74 (5 sets)	29.32 (32 sets)	30.61
	Simplex - Word	16.91	14.20 (1 set)	26.54 (5 sets)		30.61
	Simplex - Excel	14.64	16.40 (1 set)	25.44 (5 sets)		30.61
	Simplex - Average	16.5	14.7	25.2	29.3	30.6
	Duplex - Adobe Reader	22.95	10.44 (1 set)	21.68 (5 sets)		30.64
	Duplex - Word	19.98	12.00 (1 set)	22.74 (5 sets)		30.64
	Duplex - Excel	19.98	12.00 (1 set)	23.14 (5 sets)		30.64
	Duplex - Average	21.0	11.4	22.5		30.6

Notes
 1) All printing device and driver settings were default mode.
 2) For the B/W results, the print driver was set to "print in B/W".
 3) For more information see <http://w.w.w.hp.com/go/printerclaims>.
 4) Port monitor not configured to follow device if the IP address changes.

Test System Parameters	
Item	Value
Computer	HP Compaq Elite 8300 Small Form Factor
Processor	Intel Core i7 -3770, 3.4 GHz
System Chip Set	Intel C216 Chipset Family SMBus Host Controller
System Board	system devices, default system BIOS
System Memory	4 GB
Hard Drive Subsystem	Standard disk drive (Seagate)
Video Subsystem	AMD Radeon HD 6350
Optical Drive	HP DVD A DH16aCSHR ATA
I/O Subsystem	Built-in
USB Subsystem	USB 2.0/3.0
TCP/IP	TCP/IP 10/1000
Operating System	Windows 7 64 Bit
Printing Applications	Microsoft Office 2010
Microsoft Office	Office 2010
Adobe Reader	10
Test files and location	Office category files, hard drive

ISO/IEC 24734 Printing Productivity Report: Office Category

Feature Performance Full Report - Office Feature Performance Test

HP LaserJet Managed Flow MFP E82560z

Printing device and settings		
Test Start Date and Time	4/4/2017 7:32	
Tester	AH	
Machine name/model	HP LaserJet Managed Flow MFP E82560z	
Colour or B&W	B&W	
FW Version	2403293 005975	
Temperature and Humidity	73 degF / 23 degC 20.0 %rH	
Voltage	110V	
Test End Date and Time	5/9/2017 11:18	

	Item	Value
Mode and Setting	Driver Version	6.4.0
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	Print in Grayscale
	Duplex B&W Settings	Print in Grayscale
	Setting N set count	Application
	Collating function	Activated (application)
Paper Path	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
	Output Orientation	Default (face down)
	Duplexing Unit (Yes/No)	Yes
Paper	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

ISO Print Productivity Report: Feature Performance Test Summary

Printing Modes (Feature Adobe Reader - Office test file)		Feature Performance Ratio	
		A5 and Legal	
		FSOT (base) FSOT (feature)	ESAT (feature) ESAT (base)
A5 Landscape Feed - Colour	Simplex		
A5 Portrait Feed - Colour	Simplex		
Legal - Colour	Simplex		
Legal - Colour	Duplex		
A5 Landscape Feed - B/W	Simplex	111%	99%
A5 Portrait Feed - B/W	Simplex	113%	100%
Legal - B/W	Simplex	86%	57%
Legal - B/W	Duplex	65%	58%

Notes

- 1) All printing device and driver settings were default mode.
- 2) Test conducted with 8-paper Office Feature Performance file.
- 3) For more information see <http://w.w.w.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.

Feature Performance Full Report - Feature Printing Mode: 'Office' Feature Performance Test

Printing Modes Feature Adobe Reader - Office test file (8-page)	Base Printing Mode		Feature Performance			
	FSOT Base	ESAT Base	A5 and Legal			
			1 set FSOT (secs)	1 set + 30 sec ESAT (ipm)	FSOT (base) FSOT (feature)	ESAT (feature) ESAT (base)
Simplex A5 Landscape Feed - Colour						
Simplex A5 Portrait Feed - Colour						
Legal Simplex - Colour						
Legal Duplex - Colour						
Simplex A5 Landscape Feed - B/W	17.86	60.6	16.12	60.3	111%	99%
Simplex A5 Portrait Feed - B/W	17.86	60.6	15.88	60.6	113%	100%
Legal Simplex - B/W	17.86	60.6	20.93	34.8	86%	57%
Legal Duplex - B/W	17.86	60.6	27.55	35.4	65%	58%

Notes

- 1) All printing device and driver settings were default mode.
- 2) Test conducted with 8-paper Office Feature Performance file.
- 3) For more information see <http://w.w.w.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.

Test System Parameters

	Item	Value
Test System	Computer	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 GHz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Board	system devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 6350
	Optical Drive	HP DVD A DH16aCSHR ATA
	I/O Subsystem	Built-in
	USB Subsystem	USB 2.0/3.0
I/O	TCP/IP	TCP/IP 10/1000
Software	Operating System	Windows 7 64 Bit
	Printing Applications	Microsoft Office 2010
	Microsoft Office	Office 2010
	Adobe Reader	10
	Test files and location	Office category files, hard drive

ISO/IEC 17629 First Print Out Time Report: Office Category

Full Detailed Test Report - LETTER

HP LaserJet Managed Flow MFP E82560z		
Printing device and settings		
Test Start Date and Time	4/4/2017 7:32	
Tester	AH	
Machine name/model	HP LaserJet Managed Flow MFP E82560z	
Colour or B&W	B&W	
FW Version	2403293_005975	
Configuration (options)	Default	
Controller	Unknown	
Printing device page count	Not Specified	
Printing supplies page count	Not Specified	
Temperature and Humidity	73 degF / 23 degC 20.0 %rH	
Voltage	110V	
Test End Date and Time	5/9/2017 11:18	

Item		Value
Mode and Setting	PDL and driver version	6.4.0
	Print Quality mode	default
	B&W settings	default
	Paper feed orientation	Short Edge
Paper	Paper type setting	default
	Paper feeding	Standard cassette
Paper Path	Paper exit	Standard exit tray
	Output orientation	default (face up or face down)

ISO First Page Out Time Summary Report: Office Category

Summary Report: Letter		
		FPOT from Ready (seconds)
B&W	Simplex	6.25
	Duplex	

Notes
 1) All printing device and driver settings were default mode.
 2) For the B/W results, the print driver was set to "print in B/W".
 3) For more information see <http://www.hp.com/go/printerclaims>.
 4) Port monitor not configured to follow device if the IP address changes.
 5) Page counts were collected after completion of the tests.

ISO First Page Out Time Report: Office Category

Detailed Report: LETTER						
		Word (seconds)	Excel (seconds)	Adobe Reader (seconds)	Average (seconds)	Delay Time
Color Mode	FPOT from Ready - Simplex					
	FPOT from Ready - Duplex					
	FPOT from Sleep - Simplex			N/A		
	Recovery Time					
	FPOT from Off - Simplex					
	Warm-up Time					
B&W Mode	FPOT from Ready - Simplex	5.89	6.00	6.86	6.25	20 Seconds
	FPOT from Ready - Duplex					
	FPOT from Sleep - Simplex			40.43		76 Minutes
	Recovery Time			33.6		
	FPOT from Off - Simplex			187.35		
	Warm-up Time			180.49		

Notes
 1) All printing device and driver settings were default mode.
 2) For the B/W results, the print driver was set to "print in B/W".
 3) For more information see <http://www.hp.com/go/printerclaims>.
 4) Port monitor not configured to follow device if the IP address changes.
 5) Page counts were collected after completion of the tests.
 6) Details for FPOT from Sleep are shown below.

HP Data Table

Detailed Report: LETTER							
		FPOT Avg (secs)	FPOT (secs) Iteration 1	FPOT (secs) Iteration 2	FPOT (secs) Iteration 3	Application	Delay Time
Color Mode	FPOT from Sleep	N/A	N/A	N/A	N/A	Adobe Reader	
	FPOT from Sleep (15 minutes) HP/Non ISO Test	N/A	N/A	N/A	N/A	Adobe Reader	
B&W Mode	FPOT from Sleep	40.43	40.28	40.58	N/A	Adobe Reader	76 Minutes
	FPOT from Sleep (15 minutes) HP/Non ISO Test	19.76	19.76	19.75	N/A	Adobe Reader	16 Minutes

Notes
 1) All printing device and driver settings were default mode.
 2) For the B/W results, the print driver was set to "print in B/W".
 3) DLP includes detailed iterations as data measurements may vary run to run.

Test System Parameters		
Item	Value	
Test System	Computer	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 GHz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Board	System devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 6350
	Optical Drive	HP DVD A DH16aC5HR ATA
	I/O Subsystem	Builtin
	USB Subsystem	USB 2.0/3.0
Printing Device Connection	TCP/IP 10/1000	
Software	Operating System	Windows 7 Business/Ultimate, 64 bit, Build 7601, SP 1
	Printing Applications	Microsoft Office 2010 SP2 Adobe Reader 10.1.4
	Print Driver	6.4.0

ISO/IEC 17629 First Print Out Time Report: Office Category

Full Detailed Test Report - A4

HP LaserJet Managed Flow MFP E82560z		
Printing device and settings		
Test Start Date and Time	4/4/2017 7:32	
Tester	AH	
Machine name/model	HP LaserJet Managed Flow MFP E82560z	
Colour or B&W	B&W	
FW Version	2403293_005975	
Configuration (options)	Default	
Controller	Unknown	
Printing device page count	Not Specified	
Printing supplies page count	Not Specified	
Temperature and Humidity	73 degF / 23 degC 20.0 %rH	
Voltage	110V	
Test End Date and Time	5/9/2017 11:18	

Item		Value
Mode and Setting	PDL and driver version	6.4.0
	Print Quality mode	default
	B&W settings	default
	Paper feed orientation	Short Edge
Paper	Paper type setting	default
	Paper feeding	Standard cassette
Paper Path	Paper exit	Standard exit tray
	Output orientation	default (face up or face down)

ISO First Page Out Time Summary Report: Office Category

Summary Report: A4		
		FPOT from Ready (seconds)
B&W	Simplex	6.18
	Duplex	
Notes		
1) All printing device and driver settings were default mode.		
2) For the B/W results, the print driver was set to "print in B/W".		
3) For more information see http://www.hp.com/go/printerclaims .		
4) Port monitor not configured to follow device if the IP address changes.		
5) Page counts were collected after completion of the tests.		

ISO First Page Out Time Report: Office Category

Detailed Report: A4						
		Word (seconds)	Excel (seconds)	Adobe Reader (seconds)	Average (seconds)	Delay Time
Color Mode	FPOT from Ready - Simplex					
	FPOT from Ready - Duplex					
	FPOT from Sleep - Simplex			N/A		
	Recovery Time					
	FPOT from Off - Simplex					
	Warm-up Time					
B&W Mode	FPOT from Ready - Simplex	5.96	6.13	6.44	6.18	20 Seconds
	FPOT from Ready - Duplex					
	FPOT from Sleep - Simplex			40.12		76 Minutes
	Recovery Time			33.7		
	FPOT from Off - Simplex			187.67		
	Warm-up Time			181.23		
Notes						
1) All printing device and driver settings were default mode.						
2) For the B/W results, the print driver was set to "print in B/W".						
3) For more information see http://www.hp.com/go/printerclaims .						
4) Port monitor not configured to follow device if the IP address changes.						
5) Page counts were collected after completion of the tests.						
6) Details for FPOT from Sleep are shown below.						

HP Data Table

Detailed Report: A4							
		FPOT Avg (secs)	FPOT (secs) Iteration 1	FPOT (secs) Iteration 2	FPOT (secs) Iteration 3	Application	Delay Time
Color Mode	FPOT from Sleep	N/A	N/A	N/A	N/A	Adobe Reader	
	FPOT from Sleep (15 minutes)	N/A	N/A	N/A	N/A	Adobe Reader	
	HP/Non ISO Test						
B&W Mode	FPOT from Sleep	40.12	40.13	40.11	N/A	Adobe Reader	76 Minutes
	FPOT from Sleep (15 minutes)	18.47	18.19	18.75	N/A	Adobe Reader	16 Minutes
Notes							
1) All printing device and driver settings were default mode.							
2) For the B/W results, the print driver was set to "print in B/W".							
3) DLP includes detailed iterations as data measurements may vary run to run.							

Test System Parameters		
Item	Value	
Test System	Computer	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 GHz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Board	System devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 6350
	Optical Drive	HP DVD A DH16aC5HR ATA
	I/O Subsystem	Builtin
	USB Subsystem	USB 2.0/3.0
Printing Device Connection	TCP/IP	10/1000
Software	Operating System	Windows 7 Business/Ultimate, 64 bit, Build 7601, SP 1
	Printing Applications	Microsoft Office 2010 SP2
	Print Driver	Adobe Reader 10.1.4

ISO/IEC 29183 Copy Productivity Report

Full Detailed Test Report - LETTER

HP LaserJet Managed Flow MFP E82560z

Machine Setup Information	
Test Start Date and Time	4/3/2017 12:59
Tester	AH
Machine name/model	HP LaserJet Managed Flow MFP E82560z
Colour or B&W	B&W
FW Version	2403293_005975
Configuration (options)	Not Specified
Temperature and Humidity	73 degF / 23 degC 20.0 %rH
Test End Date and Time:	5/15/2017 14:45

	Pre-set Item	Pre-set Value
Mode	Output Resolution	Default
	Output Quality	Default
	Copying Mode	Colour for Colour and B&W for B&W
	Auto Density Adjustment	Default
	Collating function	Set in Control Panel
Paper	Paper Sending Direction	Default
	Paper Type Setting	Default
Paper Path	Paper Feeding	Tray 2
	Paper Exit	Default
	Face Up Exit	Default (face down)
Temporary Stop	Fixing Capability	Default
	Image Quality Stability	Default
	Capacity of Paper	Default
	Others	None

Paper	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

Summary Report: Letter		
	sFCOT	sESAT (ipm)
B&W	4.0	60.6

Notes
 First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration and document.
 Only Target A was used, all test documents have the same Saturated throughput. Reference ISO/IEC29183:2010 Clause 5, Sections 5.3.1 and 5.3.2

Detailed Report: LETTER						
	Target	sFCOT (secs)	sEFTP (ipm)			sESAT (ipm)
			1copy	1copy+30sec	1copy+4minutes	
B&W	A	3.96	15.14	51.65 32 sets	59.05 244 sets	60.62
	B					
	C					
	D					
	Average		4.0	15.1	51.7	59.1

Notes
 First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration and document.
 Only Target A was used, all test documents have the same Saturated throughput. Reference ISO/IEC29183:2010 Clause 5, Sections 5.3.1 and 5.3.2

ISO/IEC 29183 Copy Productivity Report

Full Detailed Test Report - A4

HP LaserJet Managed Flow MFP E82560z

Machine Setup Information	
Test Start Date and Time	4/3/2017 12:59
Tester	AH
Machine name/model	HP LaserJet Managed Flow MFP E82560z
Colour or B&W	B&W
FW Version	2403293_005975
Configuration (options)	Not Specified
Temperature and Humidity	73 degF / 23 degC 20.0 %rH
Test End Date and Time:	5/15/2017 14:45

	Pre-set Item	Pre-set Value
Mode	Output Resolution	Default
	Output Quality	Default
	Copying Mode	Colour for Colour and B&W for B&W
	Auto Density Adjustment	Default
	Collating function	Set in Control Panel
Paper	Paper Sending Direction	Default
	Paper Type Setting	Default
Paper Path	Paper Feeding	Tray 2
	Paper Exit	Default
	Face Up Exit	Default (face down)
Temporary Stop	Fixing Capability	Default
	Image Quality Stability	Default
	Capacity of Paper	Default
	Others	None

Paper	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

Summary Report: A4		
	sFCOT	sESAT (ipm)
B&W	4.0	60.6

Notes
 First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration and document.
 Only Target A was used, all test documents have the same Saturated throughput. Reference ISO/IEC29183:2010 Clause 5, Sections 5.3.1 and 5.3.2

Detailed Report: A4						
	Target	sFCOT (secs)	sEFTP (ipm)			sESAT (ipm)
			1copy	1copy+30sec	1copy+4minutes	
B&W	A	3.98	15.09	49.13 32 sets	58.26 249 sets	60.56
	B					
	C					
	D					
	Average	4.0	15.1	49.1	58.3	60.6

Notes
 First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration and document.
 Only Target A was used, all test documents have the same Saturated throughput. Reference ISO/IEC29183:2010 Clause 5, Sections 5.3.1 and 5.3.2

ISO/IEC 24735 Copy Productivity Report

Full Detailed Test Report - LETTER

Machine Setup Information	
Test Start Date and Time	4/5/2017 8:57
Tester	AH
Machine name/model	HP LaserJet Managed Flow MFP E82560z
Colour or B&W	B&W
FW Version	2403293_005975
Configuration (options)	Not Specified
Temperature and Humidity	73 degF / 23 degC 20.0 %rH
Test End Date and Time:	5/15/2017 13:32
Pre-set Item	
Pre-set Value	
Output Resolution	Default
Output Quality	Default
Copying Mode	Default
Auto Density Adjustment	Default
Collating function	Activated (if not activated in default mode)
Paper Sending Direction	Default
Paper Type Setting	Default
Paper Feeding	Standard cassette
Paper Exit	Standard exit tray
Face Up Exit	Default
Fixing Capability	Default
Image Quality Stability	Default
Capacity of Paper	Default
Others	Default
Paper Manufacturer	HP / Xerox
Paper Weight	20lb / 75 g/m2
Paper Size	Letter / A4

ISO/IEC 24735 Copy Productivity Report						
Detailed Report: LETTER						
	Copying Mode	FSOT (secs)	EFTP (ipm)			ESAT (ipm)
		1 set only	1 set only	1 set + 30sec	1 set + 4min	1 set + 30sec
Color Mode	1:1		(1 set)			
	1:2		(1 set)			
	2:2		(1 set)			
B&W mode	1:1	13.61	17.65	47.85 9 sets	58.46 62 sets	60.60
	1:2	16.62	14.42	42.24 9 sets		60.70
	2:2	17.17	13.98	44.18 9 sets		60.68
Notes						
Reports located: http://www.hp.com/go/printerclaims						

ISO/IEC 24735 Copy Productivity Report

Full Detailed Test Report - A4

Machine Setup Information	
Test Start Date and Time	4/5/2017 8:57
Tester	AH
Machine name/model	HP LaserJet Managed Flow MFP E82560z
Colour or B&W	B&W
FW Version	2403293_005975
Configuration (options)	Not Specified
Temperature and Humidity	73 degF / 23 degC 20.0 %rH
Test End Date and Time:	5/15/2017 13:32
Pre-set Item	
Pre-set Value	
Output Resolution	Default
Output Quality	Default
Copying Mode	Default
Auto Density Adjustment	Default
Collating function	Activated (if not activated in default mode)
Paper Sending Direction	Default
Paper Type Setting	Default
Paper Feeding	Standard cassette
Paper Exit	Standard exit tray
Face Up Exit	Default
Fixing Capability	Default
Image Quality Stability	Default
Capacity of Paper	Default
Others	Default
Paper Manufacturer	HP / Xerox
Paper Weight	20lb / 75 g/m2
Paper Size	Letter / A4

ISO/IEC 24735 Copy Productivity Report						
Detailed Report: A4						
	Copying Mode	FSOT (secs)	EFTP (ipm)			ESAT (ipm)
		1 set only	1 set only	1 set + 30sec	1 set + 4min	1 set + 30sec
Colour Mode	1:1		(1 set)			
	1:2		(1 set)			
	2:2		(1 set)			
B&W mode	1:1	11.47	20.92	48.24 9 sets	58.15 62 sets	60.59
	1:2	17.26	13.90	44.18 9 sets		60.70
	2:2	16.77	14.30	44.90 9 sets		60.72
Notes						
Reports located: http://www.hp.com/go/printerclaims						

ISO/IEC 17991 Scanning Productivity Report

Full Detailed Test Report - LETTER

Machine Setup Information	
Test Start Date and Time	4/4/2017 9:31
Tester	AH
Machine name/model	HP LaserJet Managed Flow MFP E82560z
Colour or B&W	B&W
Configuration (options)	Default
Temperature and Humidity	73 degF / 23 degC 20.0 %rH
Voltage	110V
Test End Date and Time	5/16/2017 12:21

Mode and Setting	Preset Item	Preset Value
		Scanning resolution
	Colour or grey scale/B&W	default (colour)
	Duplex / simplex	default (simplex)
	Original page size	default (A4)
	Paper feed orientation	default (long edge)
	Scan destination	default (shared network)
	Storing File Type	default (PDF-multi)
	Auto scan quality adjustment	default (factory preset default setting)
ADF	Paper feed direction	default (long edge)
Paper-path	Output orientation	default
	Scanning unit	default (duplex ADF)

ISO/IEC 17991 - Scan Summary Report: ADF Productivity Measurement

Summary Report: Letter

	Scanning Mode			Measurement result
	File format version	Resolution	Scanning side	scESAT 30secA (ipm)
Colour	1.4	200	single sided	123.97
			double sided	253.18
B&W	1.4	200	single sided	124.91
			double sided	252.66

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Summary Report: Network Folder Productivity Measurement

Summary Report: Letter

	Scanning Mode			Measurement result		
	File format version	Resolution	Scanning side	scEFTP 30secF (ipm)	File size 30secF (Mbyte)	Number of Sets (30secF)
Colour	1.4	200	single sided	74.86	7.70	17.00
			double sided	78.85	16.84	34.00
B&W	1.4	200	single sided	95.08	3.04	17.00
			double sided	126.57	5.77	34.00

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Full Report: ADF Productivity Measurement

Summary Report: Letter

	Scanning Mode			Measurement result		
	File format version	Resolution	Scanning side	scEFTP 1setA (ipm)	scEFTP 30secA (ipm)	scESAT 30secA (ipm)
Colour	1.4	200	single sided	40.65	110.75	123.97
			double sided	45.89	222.76	253.18
B&W	1.4	200	single sided	40.50	115.36	124.91
			double sided	46.14	221.79	252.66

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Full Report: Network Folder Productivity Measurement

Summary Report: Letter

	Scanning Mode			Measurement result			
	File format version	Resolution	Scanning side	scEFTP 1setF (ipm)	scEFTP 30secF (ipm)	File size 30secF (Mbyte)	Number of Sets (30secF)
Colour	1.4	200	single sided	22.90	74.86	7.70	17
			double sided	17.21	78.85	16.84	34
B&W	1.4	200	single sided	30.00	95.08	3.04	17
			double sided	30.47	126.57	5.77	34

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

Test System Parameters		
Item	Value	
System	Computer name	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 GHz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Board	System devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 6350
	Optical Drive	HP DVD A DH16aCSHR ATA
	I/O Subsystem	BuiltIn
	USB Subsystem	USB 2.0/3.0
	Operating System	Windows 7 Business/Ultimate, 64 bit, Build 7601, SP 1
Scanning Device Connection	Location of network folder	PC
	Internet Protocol	IPv4
	Transfer Protocol	SMB
	Hub	Trendnet Router and Gbit Switch
	Network Speed	TCP 10/1000 Mbit Ethernet
	Connection Cable	Cat6 Straight cable
	Wireless router	No use
Others	No use	

ISO/IEC 17991 Scanning Productivity Report

Full Detailed Test Report - A4

Machine Setup Information	
Test Start Date and Time	4/4/2017 9:31
Tester	AH
Machine name/model	HP LaserJet Managed Flow MFP E82560z
Colour or B&W	B&W
Configuration (options)	Default
Temperature and Humidity	73 degF / 23 degC 20.0 %rH
Voltage	110V
Test End Date and Time	5/16/2017 12:21

	Preset Item	Preset Value
Mode and Setting	Scanning resolution	default (200 dpi)
	Colour or grey scale/B&W	default (colour)
	Duplex / simplex	default (simplex)
	Original page size	default (A4)
	Paper feed orientation	default (long edge)
	Scan destination	default (shared network)
	Storing File Type	default (PDF-multi)
	Auto scan quality adjustment	default (factory preset default setting)
	ADF Paper-path	Paper feed direction
Output orientation		default
Scanning unit		default (duplex ADF)

ISO/IEC 17991 - Scan Summary Report: ADF Productivity Measurement

Summary Report: A4

	Scanning Mode			Measurement result
	File format version	Resolution	Scanning side	scESAT 30secA (ipm)
Colour	1.4	200	single sided	126.04
			double sided	254.21
B&W	1.4	200	single sided	125.90
			double sided	254.16

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Summary Report: Network Folder Productivity Measurement

Summary Report: A4

	Scanning Mode			Measurement result		
	File format version	Resolution	Scanning side	scEFTP 30secF (ipm)	File size 30secF (Mbyte)	Number of Sets (30secF)
Colour	1.4	200	single sided	74.40	6.96	17.00
			double sided	73.11	17.06	33.00
B&W	1.4	200	single sided	93.80	2.66	17.00
			double sided	125.52	6.03	34.00

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Full Report: ADF Productivity Measurement

Summary Report: A4

	Scanning Mode			Measurement result		
	File format version	Resolution	Scanning side	scEFTP 1setA (ipm)	scEFTP 30secA (ipm)	scESAT 30secA (ipm)
Colour	1.4	200	single sided	42.10	112.02	126.04
			double sided	43.86	223.28	254.21
B&W	1.4	200	single sided	40.88	112.58	125.9
			double sided	47.33	225.47	254.16

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Full Report: Network Folder Productivity Measurement

Summary Report: A4

	Scanning Mode			Measurement result			
	File format version	Resolution	Scanning side	scEFTP 1setF (ipm)	scEFTP 30secF (ipm)	File size 30secF (Mbyte)	Number of Sets (30secF)
Colour	1.4	200	single sided	25.33	74.40	6.96	17
			double sided	22.90	73.11	17.06	33
B&W	1.4	200	single sided	28.33	93.80	2.66	17
			double sided	30.47	125.52	6.03	34

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

Test System Parameters		
Item	Value	
System	Computer name	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 GHz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Board	System devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 6350
	Optical Drive	HP DVD A DH16aCSHR ATA
	I/O Subsystem	Built-in
	USB Subsystem	USB 2.0/3.0
	Operating System	Windows 7 Business/Ultimate, 64 bit, Build 7601, SP 1
Scanning Device Connection	Location of network folder	DC
	Internet Protocol	IPv4
	Transfer Protocol	SMB
	Hub	Trendnet Router and Gbit Switch
	Network Speed	TCP 10/1000 Mbit Ethernet
	Connection Cable	Cat6 Straight cable
	Wireless router	No use
Others	No use	

ISO/IEC 17991 Scanning Productivity Report

Full Detailed Test Report - Tabloid

Machine Setup Information	
Test Start Date and Time	4/4/2017 9:31
Tester	AH
Machine name/model	HP LaserJet Managed Flow MFP E82560z
Colour or B&W	B&W
Configuration (options)	Default
Temperature and Humidity	73 degF / 23 degC 20.0 %rH
Voltage	110V
Test End Date and Time	5/16/2017 12:21

Mode and Setting	Preset Item	Preset Value
	Scanning resolution	default (200 dpi)
	Colour or grey scale/B&W	default (colour)
	Duplex / simplex	default (simplex)
	Original page size	default (A4)
	Paper feed orientation	default (long edge)
	Scan destination	default (shared network)
	Storing File Type	default (PDF-multi)
	Auto scan quality adjustment	default (factory preset default setting)
	ADF Paper-path	Paper feed direction
	Output orientation	default
	Scanning unit	default (duplex ADF)

ISO/IEC 17991 - Scan Summary Report: ADF Productivity Measurement

Summary Report: Tabloid

	Scanning Mode			Measurement result
	File format version	Resolution	Scanning side	scESAT 30secA (ipm)
Colour	1.4	200	single sided	74.85
			double sided	152.45
B&W	1.4	200	single sided	75.16
			double sided	150.86

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Summary Report: Network Folder Productivity Measurement

Summary Report: Tabloid

	Scanning Mode			Measurement result		
	File format version	Resolution	Scanning side	scEFTP 30secF (ipm)	File size 30secF (Mbyte)	Number of Sets (30secF)
Colour	1.4	200	single sided	37.98	11.88	11.00
			double sided	40.66	21.38	21.00
B&W	1.4	200	single sided	53.87	4.14	11.00
			double sided	70.49	7.22	21.00

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Full Report: ADF Productivity Measurement

Summary Report: Tabloid

	Scanning Mode			Measurement result		
	File format version	Resolution	Scanning side	scEFTP 1setA (ipm)	scEFTP 30secA (ipm)	scESAT 30secA (ipm)
Colour	1.4	200	single sided	33.25	67.55	74.85
			double sided	40.57	134.13	152.45
B&W	1.4	200	single sided	31.44	67.13	75.16
			double sided	39.14	134.34	150.86

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Full Report: Network Folder Productivity Measurement

Summary Report: Tabloid

	Scanning Mode			Measurement result			
	File format version	Resolution	Scanning side	scEFTP 1setF (ipm)	scEFTP 30secF (ipm)	File size 30secF (Mbyte)	Number of Sets (30secF)
Colour	1.4	200	single sided	18.00	37.98	11.88	11
			double sided	16.57	40.66	21.38	21
B&W	1.4	200	single sided	20.90	53.87	4.14	11
			double sided	22.90	70.49	7.22	21

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

Test System Parameters		
Item	Value	
System	Computer name	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 GHz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Board	System devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 6350
	Optical Drive	HP DVD A DH16aCSHR ATA
	I/O Subsystem	Built-in
	USB Subsystem	USB 2.0/3.0
	Operating System	Windows 7 Business/Ultimate, 64 bit, Build 7601, SP 1
	Scanning Device Connection	Location of network folder
Internet Protocol		IPv4
Transfer Protocol		SMB
Hub		Trendnet Router and Gbit Switch
Network Speed		TCP 10/1000 Mbit Ethernet
Connection Cable		Cat6 Straight cable
Wireless router		No use
Others	No use	

ISO/IEC 17991 Scanning Productivity Report

Full Detailed Test Report - A3

Machine Setup Information	
Test Start Date and Time	4/4/2017 9:31
Tester	AH
Machine name/model	HP LaserJet Managed Flow MFP E82560z
Colour or B&W	B&W
Configuration (options)	Default
Temperature and Humidity	73 degF / 23 degC 20.0 %rH
Voltage	110V
Test End Date and Time	5/16/2017 12:21

	Preset Item	Preset Value	
Mode and Setting	Scanning resolution	default (200 dpi)	
	Colour or grey scale/B&W	default (colour)	
	Duplex / simplex	default (simplex)	
	Original page size	default (A4)	
	Paper feed orientation	default (long edge)	
	Scan destination	default (shared network)	
	Storing File Type	default (PDF-multi)	
	Auto scan quality adjustment	default (factory preset default setting)	
	ADF Paper-path	Paper feed direction	default (long edge)
		Output orientation	default
Scanning unit		default (duplex ADF)	

ISO/IEC 17991 - Scan Summary Report: ADF Productivity Measurement

Summary Report: A3

	Scanning Mode			Measurement result
	File format version	Resolution	Scanning side	scESAT 30secA (ipm)
Colour	1.4	200	single sided	76.36
			double sided	152.00
B&W	1.4	200	single sided	76.19
			double sided	151.79

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Summary Report: Network Folder Productivity Measurement

Summary Report: A3

	Scanning Mode			Measurement result		
	File format version	Resolution	Scanning side	scEFTP 30secF (ipm)	File size 30secF (Mbyte)	Number of Sets (30secF)
Colour	1.4	200	single sided	38.70	11.86	12.00
			double sided	45.70	20.47	22.00
B&W	1.4	200	single sided	56.49	4.26	12.00
			double sided	97.76	7.07	22.00

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Full Report: ADF Productivity Measurement

Summary Report: A3

	Scanning Mode			Measurement result		
	File format version	Resolution	Scanning side	scEFTP 1setA (ipm)	scEFTP 30secA (ipm)	scESAT 30secA (ipm)
Colour	1.4	200	single sided	33.62	67.93	76.36
			double sided	42.15	135.46	152
B&W	1.4	200	single sided	31.97	69.07	76.19
			double sided	41.73	136.23	151.79

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

ISO/IEC 17991 - Scan Full Report: Network Folder Productivity Measurement

Summary Report: A3

	Scanning Mode			Measurement result			
	File format version	Resolution	Scanning side	scEFTP 1setF (ipm)	scEFTP 30secF (ipm)	File size 30secF (Mbyte)	Number of Sets (30secF)
Colour	1.4	200	single sided	17.14	38.70	11.86	12
			double sided	17.80	45.70	20.47	22
B&W	1.4	200	single sided	22.90	56.49	4.26	12
			double sided	25.33	97.76	7.07	22

Notes

- 1) For more information see <http://www.hp.com/go/printerclaims>.
- 2) For the B/W results, the device scan setting is set to "Scan in B/W".

Test System Parameters			
Item	Value		
System	Computer name	HP Compaq Elite 8300 Small Form Factor	
	Processor	Intel Core i7 -3770, 3.4 GHz	
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller	
	System Board	System devices, default system BIOS	
	System Memory	4 GB	
	Hard Drive Subsystem	Standard disk drive (Seagate)	
	Video Subsystem	AMD Radeon HD 6350	
	Optical Drive	HP DVD A DH16aCASHR ATA	
	I/O Subsystem	Built-in	
	USB Subsystem	USB 2.0/3.0	
	Operating System	Windows 7 Business/Ultimate, 64 bit, Build 7601, SP 1	
	Scanning Device Connection	Location of network folder	DC
		Internet Protocol	IPv4
Transfer Protocol		SMB	
Hub		Trendnet Router and Gbit Switch	
Network Speed		TCP 10/1000 Mbit Ethernet	
Connection Cable		Cat6 Straight cable	
Wireless router		No use	
Others		No use	